

Work gloves

2022/2023





INTRODUCTION 4

EN rules and materials

01



CLOSE-FITTING ASSEMBLY GLOVES 10

Wenaas 100 series. Gloves that allow you to work with great dexterity and tactility

02



GLOVES WITH IMPACT PROTECTION 14

Wenaas 400-series. Gloves that protect against impacts, electric shocks and cuts

03



GLOVES WITH CUT PROTECTION 18

Wenaas 200-series. Gloves that protect against cuts and stabs

04



WINTER GLOVES 22

Wenaas 300-series. Gloves with different properties that can be worn in cold temperatures

05



ALL-ROUND WORK GLOVES 26

General gloves that can be used for a number of different jobs

06



WELDING AND HEAT-RESISTANT GLOVES 30

Gloves that protect against heat and flames

07



CHEMICAL-RESISTANT GLOVES 32

Gloves with approved protection against different types of chemicals

08



DISPOSABLE GLOVES 36

Disposable gloves

09



UNIFORM GLOVES 38

Thinner work gloves for uniformed personnel

10



WORK GLOVES WITH SPECIAL PROTECTION 40

Gloves with extraordinary properties

11



TEXTILE GLOVES 44

Thin gloves often used as inner gloves

12



ACCESSORIES 46

Miscellaneous

13

EN-RULES

The employer must ensure that personal protective equipment used in the workplace is CE-certified and at all times provide adequate protection against any risk the employee may be subjected to in the work place. The employer is also responsible for ensuring that protective equipment is accessible when required by law and that necessary training is provided to the employee. Regular inspections must take place to ensure that protective equipment is used in the workplace, and immediate measures must be put into effect if compulsory protective equipment is not used. The employer is responsible for creating procedures for storage, maintenance, repairs and replacement of protective equipment, in addition to ensuring that personal protective equipment is in an excellent hygienic condition. We offer a big selection of work clothes and personal protective equipment produced and tested in accordance to the standards set out in the EU instruction 89/686/EEC.

- Kategori 1** – The product protects against small risks with a minimal threat against life and health
- Kategori 2** – The product protects against moderate risks that could threaten your life and health
- Kategori 3** – The product protects against high risk that could threaten your life and health

The instruction defines that personal protective equipment also must be marked with the following symbols:

User information
The symbol should make the user aware that user information is included and must be read

CE-certified
The symbol signifies that the product has been produced in accordance with the EU instruction 89/686/EEC

- EN 420 - General requirements**
Standards that set out general requirements to protective gloves such as:
- Name and address of the producer
 - Glove definition
 - Size classification
 - CE-certification
 - Information about maintenance and storage.
 - List of well-known materials used in the production that could cause allergies.
 - List of materials that can be obtained upon request.

EN ISO 21420 (previously EN420)
Gloves with requirements to chrome levels under 3 mg/kg for leather gloves, all parts of the glove that come into contact with the skin must have a nickel level of under 5 µg/cm² per week and the pH level must be between 3.5 and 9.

EN ISO 374-1: 2016
Protective gloves against hazardous chemicals and micro-organisms
Part 1: Terminology and performance

- Classification in three groups:
- Type A: Resistant against six chemicals for at least 30 minutes.
- Type B: Resistant against three chemicals for at least 30 minutes.
- Type C: Resistant against one chemical for at least 10 minutes.

Example pictogram

ISO 374-1: 2016/Type C

ISO 374-1: 2016/Type A

ISO 374-1: 2016/Type B

Table showing permeation time:

PERMEATION TIME	INDEX	PERMEATION TIME	INDEX
> 10 min	Level 1	> 120 min	Level 4
> 30 min	Level 2	> 240 min	Level 5
> 60 min	Level 3	> 480 min	Level 6

Defined chemicals and related codes:

CODE	CHEMICAL	CODE	CHEMICAL
A	Metanol	J	n-Heptane
B	Aceton	K	Sodium hydroxide 40 %
C	Acetonitril	L	Sulphuric acid 96 %
D	Dichloromethane	M	Nitric acid 65 %
E	Carbon disulphide	N	Acetic acid 99 %
F	Toluene	O	Ammonium hydroxide 25 %
G	Diethylamine	P	Hydrogen peroxide 30 %
H	Tetrahydrofuran	S	Hydrofluoric acid 40 %
I	Ethyl acetate	T	Formaldehyde 37 %

EN ISO 374-5:2016
Terminology and performance requirements in cases of risk of micro-organisms

For gloves protected against bacteria and living organisms, biological hazard is added to the pictogram. The gloves must be tested in accordance to EN 374-2: 2013 for leakage.

For protection against bacteria, living organisms and virus, the pictogram has added the term 'VIRUS'. The gloves must be tested in accordance to EN 374-2:2013 for bacteria and living organisms, and tested in accordance to ISO 16604: 2004 (method B) via the bacteria penetration test.

EN 12477
Protective gloves for welders

REQUIREMENTS	TYPE A	TYPE B
Wear and tear	2	1
Cuts	1	1
Durability	2	1
Puncturing	2	1
Flame retardant	3	2
Contact heat	1	1
Convective heat	2	-
Splashes of molten hear	3	2
Fit	1	4

Type B-gloves are usually recommended when a good fit is required, while Type A-gloves are recommended for other welding projects. Gloves must be marked with either A or B.

EN 12477:2001
Protective gloves for welders

The standard describes how gloves should be designed to provide hand and wrist protection for welders and similar professions. Welding gloves must be tested in accordance to EN 388: 2016. They must also be tested in accordance to EN 407, flammability, contact heat, convective heat, radiant heat and splashed of molten metal.

Type A, higher level of protection against heat, but lett mobility. Recommended for all type of welding work requiring a high level of protection (except TIG welding)

Type B lower level of protection against heat, more mobility or lower physical protection. (recommended TIG welding)

EN 659
Protective gloves for fire brigades

Protective gloves that protect the hands during normal fire extinguishing, including search and rescue missions. The gloves provide some protection against chemicals, but has not been tested for handling fluid chemicals.

EN 61482-1-2 (Box test)
Part 1-2- Testing method 2: The testing method establishes the arc-protection classification of the material and clothing when using a limited and aimed arc.

The items of clothing are tested and evaluated in two categories as part of the same test as the 'Box test'. (Voltage 400 V, Durability 500 ms, frequency 50 Hz or 60 Hz).

Tests can be carried out in two different test categories:
Classification 11= 4 KA (light arc energy 168 kj)
Classification 2= 7 KA (light arc energy 320 kj)
Results are either approved or not approved.

EN 60903
Work in high voltage
– Gloves and mittens made of an isolating material

Work gloves or mittens made of an isolating material intended for use in high-voltage areas. This standard does not refer to EN 420, EN 388 or EN 374. Gloves produced and certified in accordance to EN 60903 are the only gloves that should be used when there is a risk of electric shock. To determine the gloves that provide the best protection, it is important to be aware of the glove's capacity in relation to different voltage levels. To limit wear and wear (for example contact with live wires), protective leather gloves should be used over electrical isolating gloves.



EN ISO 388:2016
Protective gloves against injuries caused by machines

Protection level including including two new elements:
A: Durability
B: Cut resistance (Coupe-test)
C: Tear resistance
D: Puncturing
E: Cut resistance (TDM-test)
F: Impact
X indicates not tested/not completed/approved

(level 0–4)
(level 0–4)
(level 0–4)
(level 0–4)
A – F
(P)ass/(F)ail
0–4 where 4 is the best score

4442CX

EN 511
Protective gloves against cold

Pictogram includes three letters:
A: Convective cold
B: Contact cold
C: Water permeability
0 = water permeability before 30 minutes
1 = No water permeability after 30 minutes
X indicates not tested/not completed/approved

(level 0–4)
(level 0–4)
(0 or 1)
0–4 where 4 is the best score

041

EN 407
Protective gloves against thermal risks (heat and/or fire)

Pictogram includes six numbers:
A: Flammability
B: Contact heat
C: Convective heat
D: Radiant heat
E: Splashes of molten metal
F: Large splashes of molten metal
X indicates not tested/not completed/approved

(level 0–4)
(level 0–4)
(level 0–4)
(level 0–4)
(level 0–4)
(level 0–4)
0 - 4 where 4 is the best score

44XX33



EN 10819
Mechanical vibrations and shocks – Hand-arm vibrations – Method for measurement and assessment of vibration transmission via the gloves to the hand

The standard specifies the vibration transmission, such as vibrations from a handle through a glove to the hand in a third octave frequency band with mid-frequencies from 25 Hz to 1250 Hz. The materials tested using this method can be used in the glove production. In order to be classified as an anti-vibration glove, the gloves must be tested and certified in accordance with this standard (for instance requirements to performance in terms of vibration reduction).



EN 1149-3
Protection against electrostatic discharge (ESD)

Standard for work clothes with protective properties against electrostatic discharge for use in areas where there is a risk of explosion, for instance in refineries.

DESIGN REQUIREMENTS

- The clothes must fully cover all fabric that does not provide anti-static protection.
- Accessories, such as labels and reflective tags, must be permanently glued to the garment, so that it cannot be removed from the garment. Floating parts are not allowed.
- Accessories that can carry electricity, for instance zippers and metal buttons, are only allowed if they are fully covered by anti-static outer textile.

TEXTILE REQUIREMENTS The outer textile must be tested and approved in accordance with the following standards: ENN 1149-1 or EN 1149-3. The distance between the threads that can carry electricity must not exceed 10 mm.



EN 421:2010
Protective gloves against ionising radiation and radioactive pollution.

To ensure that the glove protects against radioactive pollution, it must be water resistant and pass the penetration resistance test defined in EN 374.



MATERIALS

Ox skin - Grained



A natural material that adapts to the surrounding temperature and environment. Very durable, good breathing capabilities and resistant to high temperatures. It absorbs humidity in a very efficient manner. The leather is divided into two layers before it is grained. The outer layer is known as grain or nappa, while the inner layer is known as suede.

Goat skin



Goat skin has a naturally smooth surface making it suitable for use in assembly gloves. The leather is thin, flexible and durable. If the leather gets wet, the glove will remain soft after it dries again. Suitable for demanding tasks. Goat leather gloves provide excellent dexterity.

Ox leather - Slit



Leather with a coarse upper with good physical and mechanical properties. Suitable for rougher work.

Microfibre



Microfibre can feel very similar to natural leather and has many of the same properties. It can either be laminated on a thin textile material or used as a fibre mixed with another material. The material is thin, soft and strong, which provides excellent durability and a good grip and dexterity. Gloves in Microfibre can be used by people with chrome or nickel allergies; leather gloves are often tanned with these heavy metals.

Coating

Gloves can be coated in different material such as nitrile, PU, latex or PVC. There are different levels of coating, depending on the properties you are looking for, for example fully coated, coating on the fingers or just on the fingertips.

Polyurethane (PU)



PU is a material that is often used in everything from textiles, shoes, in construction and as coating on gloves. PU is a thin and elastic material that provides good dexterity on wet and dry surfaces and in low temperatures.

Textile gloves



Lightweight knitted gloves that protect against dust and dirt. Some models are also suitable as inner gloves and for certain jobs where you are not exposed to chemicals or oil-spills.

PVC



A plastic material that is durable and gives a good grip in both wet and dry surroundings. It protects against several water-soluble chemicals, but provides limited protection against organic solvents. PVC can become stiff in cold surroundings.

Nitrile



Synthetic rubber, very durable and gives a good grip in both dry and wet environments. The material is micro-porous allowing water and damp to pass and thus avoiding clammy hands.

Natural rubber (Latex)



Natural rubber/Latex is highly elastic, very elastic and rip-safe, which gives a very good grip in both dry and wet environments. High resistance against alcohol and water-soluble chemicals. Natural rubber (Latex) contains natural protein that can cause allergic reactions.

Neoprene



A synthetic rubber material with good heat-isolating properties. It also provides good protection against oil, fat, organic hydrocarbons and acids when it comes chemical protection.

Cotton



A natural textile fibre with excellent durability and strength. Does not melt when ignites and absorbs humidity.

Synthetic textile




A material that is made from synthetic fibres, such as polyester, polyamide, acrylic, elastane and polypropylene and a mixture of these. The different properties vary according to the composition of fibres.



HOW TO TAKE OFF GLOVES IN A HYGIENIC MANNER




Grab the outer edge close to the wrist.



Turn inside out. Hold the reversed glove.




Push your fingers under the glove opening and be careful not to touch the outside of the glove.



Loosen from the inside and make a bag for both gloves.



All contamination remains inside the gloves.



Throw the gloves. Remember to wash your hands carefully.

TIGHT-FITTING ASSEMBLY GLOVES

ELASTIC CUFFS

ECO-TEX APPROVED

360-DEGREES BREATHABLE PROPERTIES FOR MAXIMUM COMFORT

WATER AND OIL REPELLING SURFACE FOR EXCELLENT GRIP

TOUCH SCREEN COMPATIBILITY

DIPPED IN PREMIUM NITRILE FOR EXTREME DURABILITY

Wenaas 100-series

TIGHT-FITTING ASSEMBLY GLOVES

Work gloves with a tight fit, dexterous and often made from thin materials. Suitable for assembly work and motoric precision.

Area of utilisation: Suitable for all types of assembly work, building and construction, car industry, process industry, transport, driving gloves, maintenance and several general areas of utilisation. An all-round glove that can be used in a number of jobs. Professions include for instance tradespeople, warehouse workers, shop assistants, electricians and mechanics.

Properties may vary from model to model; please always read the product information for additional information.



GLOVE WENAAS 155 0-8-155-98

Premium synthetic gloves of the highest quality in WFT nitrile foam. Extremely durable, with touchscreen compatibility and 360-degree breathability. Water- and oil-resistant palms. Exceptional grip when wet, oily, or dry. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	6-12
STANDARD	EN 388:2016 + A 1:2018 4131A, EN 407 :2020 X1XXXX CE - Oeko-tex
MATERIAL	Nitrile, microfoam, elastane, nylon



GLOVE WENAAS 100 0-8-100-98

Airy gloves in ultrathin nitrile with 360-degree breathability. Snug fit, touchscreen compatibility, and knitted cuff. Oeko-tex® approved, kind to your skin! Thin TFT coating offers good finger dexterity and good grip when wet or dry. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	6-11
STANDARD	EN ISO 21420: 2020, EN 388 4121X, EN 407 X1XXXX, CE- Oeko-Tex
MATERIAL	Nitrile, nylon, spandex, elastane



GLOVE WENAAS 105 0-8-105-98

Ultra-thin, comfortable, and airy work gloves in PU. Snug fit, touchscreen compatibility, and knitted cuff. The PU layer is exceptionally thin, creating a 'second skin' feeling. Anti-slip coating for safe handling, high sensitivity and good finger dexterity. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN 388 3121X, EN ISO 21420: 2020, CE
MATERIAL	Polyurethane, nylon, elastane



GLOVE WENAAS 110 0-8-110-98

Year-round, comfortable, single-layer work gloves in nitrile foam. Snug fit, touchscreen compatibility, and knitted cuff. Ergonomically design for good comfort and finger dexterity. Can be used year round. Good grip when wet, oily, or dry. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN388 4121A – EN 407 X2XXXX, EN 511 X1X - EN 420:2003 + A1 :2009 - CE
MATERIAL	Nitrile, elastane, nylon



GLOVE WENAAS 120 0-8-120-98

Durable, comfortable latex work gloves with dipped palm sections. Snug fit, lightweight, with a knitted cuff. Very good wet and dry grip. The special latex coating ensures these gloves can handle very demanding work and environments. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN 388 2131 A1:2009, CE
MATERIAL	Latex, polyester, elastane



GLOVE WENAAS 125 0-8-125-98

Thin, comfortable, double-dipped work gloves in nitrile. Snug fit, lightweight, with a knitted cuff. Good protection against oils and other substances. Ideal for mechanical work. Exceptional grip when wet, oily, or dry. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016 4121X, EN 407:2004 X1XXXX, CE, Sanitized
MATERIAL	Nitrile, nylon, spandex, elastane

TIGHT-FITTING ASSEMBLY GLOVES



GLOVE WENAAS 150 0-8-150-98

Thin, airy work gloves in PU with dipped palms. Sung fit, breathable fabric, and knitted cuff. Very good grip and finger sensitivity provide good finger dexterity. Suitable for precision tasks such as assembly. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	6-12
STANDARD	EN 388:2016 3121X
MATERIAL	Polyurethane, polyester, elastane



GLOVE ASSEMBLY CORE 0-10100-1020-4540

Assembly gloves in goatskin. Comfortable gloves with ergonomic thumb grip and TPR-reinforced cuff. Snug fit and inset thumb. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	4540 Royal Blue/White
SIZE	6-12
STANDARD	EN 388:2016+A1:2018_3111X, EN 407:2004_X2XXXX, EN 420:2003+A1:2009, CAT 2
MATERIAL	Goatskin, nylon, spandex, TPR



GLOVE GUIDE 5120 0-6-5120-98

Durable, all-round gloves in synthetic leather. Comfortable, with good finger sensitivity and form-stitched design. Very good wet and dry grip. Bundle: 3 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016 3121X, EN 407:2004 X1XXXX, EN 21420:2020, CE Cat.II
MATERIAL	Synthetic leather

TIGHT-FITTING ASSEMBLY GLOVES



GLOVE GUIDE 5126 0-7-5126-98

Durable unlined glove with impact protection at the back of hand. Palm side is made of Guide GTX synthetic leather with great dexterity and a good grip. The pre-shaped fit makes the glove comfortable and flexible. The cuff is of half-length and an elastic band at wrist ensures that the glove stays firmly in place. Bundle: 3 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN388:2016 2111XP / EN407:2020 X1XXXX
MATERIAL	Gude GTX synthetic leather



GLOVE ASSEMBLY LITE 0-10100-1230-6040

Assembly gloves in microfibre. Snug fit, ergonomic thumb grip, and TPR-reinforced cuff. Chrome- and nickel-free. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	6040 Grey/White
SIZE	6-12
STANDARD	EN 388:2016+A1:2018_2121X, EN 420:2003+A1:2009, CAT 2
MATERIAL	Goatskin, nylon, spandex, TPR



GLOVE ASSEMBLY PROF 0-120-1118-98

Heavy-duty assembly gloves i MacroSkin Pro®. Reinforced palm sections and fingertips. Flexible wrist section. Good breathability. Adjustable Velcro fastener. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	8-11
STANDARD	EN 388:2016+A1:2018_3142X, EN 420:2003+A1:2009, CAT 2
MATERIAL	MacroSkin Pro®, spandex, polyester



GLOVE GUIDE 5181 0-6-5181-6010

Thin, all-round gloves in synthetic leather. High finger sensitivity and ergonomic fit. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	6010 Grey/Black
SIZE	7-11
STANDARD	EN 388:2016 3122X, EN 511:2006 12X, EN 407:2004 X1XXXX, EN 21420:2020, CE Cat II
MATERIAL	Synthetic leather



GLOVE ACTIVEARMR 52-547 0-6-52547-98

Durable, all-round work gloves in cotton. Good protection against tearing, cuts, and punctures. Very soft, comfortable cotton lining. Excellent dry grip. Bundle: 12 pcs. Carton: 144 pcs.

COLOR	98 Assorted
SIZE	9-10
STANDARD	EN 388:2016+A1:2018_3111A, EN 420:2003+A1:2009, CAT 2
MATERIAL	Cotton, nitrile



GLOVE GUIDE 578 0-578-0-4510

Thin all-round gloves in nitrile. High finger sensitivity, snug fit, and touch-screen compatibility. Knitted in nylon and carbon fibre to reduce the risk of static electricity buildup. Good wet and dry grip. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	4510 Royal Blue/Black
SIZE	6-11
STANDARD	EN388:2016 3121X / EN407:2004 X1XXXX / IEC 61340-5-1 R: 5.3 x 10 ⁸ Ω / EN 16350 R: 5,7x10 ⁸ - 3,2x10 ⁹ Ω
MATERIAL	Nylon, carbon fibre



IMPACT-PROTECTING GLOVES



Wenaas 400-series

IMPACT-PROTECTING GLOVES

Work gloves with impact-protection against injuries caused by trap, impacts etc. Protection is often located on the knuckles and fingers , but can also protect the whole hand. Some models also protect against cuts and are made in both textile and leather.

Area of utilisation:Suitable for building and construction, offshore, on boats, platform and in heavy industry. Professions in which there is a risk of getting crushed and require sturdy gloves.

Properties may vary from model to model; please always read the product information for additional information.

IMPACT-PROTECTING GLOVES

0-8-400-98 GLOVE WENAAS 400

Performance impact gloves in goatskin, with oil block-treated palms. Snug fit, cut resistance level D. Elastic cuff. Kevlar reinforcements on inner thumbs for increased protection and exceptional grip. Back shell in anti-moisture treated Spandex with 4-way stretch. A tough, durable work glove that stands up to hard work. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016 +A1:2018 2X23DP, EN 407:2020 X1XXXX, ANSI A4, CE
MATERIAL	Goatskin, Kevlar, elastane



0-8-410-98 GLOVE WENAAS 410

Performance impact gloves in goatskin, with oil block-treated palms. Snug fit, cut resistance level C. Elastic cuff. Stitched with Kevlar thread for added durability. Protects against light arc (Arc flash category 3). Bundle: 6 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN ISO 21420:2020, EN 388:2016 ? A1:2018_3X22CP, EN 407:2020_4121XX
MATERIAL	Goatskin, Kevlar, elastane



0-8-420-98 GLOVE WENAAS 420

Extremely durable performance impact glove in synthetic leather. Snug fit, cut resistance level D. Elastic cuff. Hivis-colour for improved visibility and breathable material on the back of the hand. Cuffs with velcro for a secure fit. Bundle: 6 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016+A:2018_3542DP
MATERIAL	Synthetic leather, elastane



IMPACT-PROTECTING GLOVES



GLOVE WENAAS 450 0-8-450-98

Performance impact glove in goatskin with extreme durability. Tight fit, cut protection level F and elastic cuff. Hivis color for better visibility and breathable material on the back of the hand. Cuff with Velcro for a secure fit. Bundle: 6 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388_2X33FP
MATERIAL	Goatskin, elastane



GLOVE IMPACT EXTREME 0-6-6362-1032

Durable impact gloves in PVC. Impact protection at back of hand and on finger and fingertips. Goof cut resistance. Excellent comfort, form-stitched fingers, and good grip when oily, wet, or dry. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	1032 Black/Fluorine Yello
SIZE	7-12
STANDARD	EN 388:2016+A1:2018_3X42DP, EN 420:2003+A1:2009, CAT 2
MATERIAL	PVC, polyester, spandex, TPR, neoprene



GLOVE CHEMICAL IMPACT 32CM 0-13115-1112-98

Heavy-duty chemical protection gloves in nitrile. Wide cuff, impact protection, and Typhoon® lining. The nitrile coating provides good protection from chemicals. Good grip when wet, oily, or dry. Bundle: 6 pcs. Carton: 36 pcs.

COLOR	98 Assorted
SIZE	8-11
STANDARD	EN ISO 374-1:2016_AJKOPT, EN 388:2016+A1:2018_4X43DP, EN 420:2003+A1:2009, CAT 2
MATERIAL	Nitrile



GLOVE CHEMICAL IMPACT 39CM 0-13115-1111-98

Heavy-duty chemical protection gloves in nitrile. Long, wide cuff, impact protection, and Typhoon® lining. The nitrile coating provides good protection from chemicals. Good grip when wet, oily, or dry. Bundle: 6 pcs. Carton: 36 pcs.

COLOR	98 Assorted
SIZE	8-11
STANDARD	EN ISO 374-1:2016_AJKOPT, EN 388:2016+A1:2018_4X43DP, EN 420:2003+A1:2009, CAT 2
MATERIAL	Nitrile



GLOVE IMPACT WATERPROOF 0-13100-1210-1032

Waterproof impact gloves in PVC. Impact protection at back of hand and on finger and fingertips. Goof cut resistance. Excellent comfort, form-stitched fingers, and good grip when oily, wet, or dry. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	1032 Black/Fluorine Yello
SIZE	6-12
STANDARD	EN 388:2016+A1:2018_3X42DP, EN 420:2003+A1:2009, CAT 2
MATERIAL	PVC, polyester, spandex, TPR, neoprene



GLOVE IMPACT 0-6-6354-1080

Durable impact gloves in PVC. Impact protection at back of hand and on finger and fingertips. Excellent comfort, form-stitched fingers, and good grip when oily, wet, or dry. Bundle: 6 pcs. Carton: 60 pcs.

FARGE	1080 Black/Red
STR.	6-12
STANDARD	EN 388:2016+A1:2018_2021XP, EN 420:2003+A1:2009, CAT 2
MATERIALE	PVC, polyester, spandex, TPR, neoprene



GLOVE IMPACT CUTMASTER 0-11300-1110-10

Flexible impact gloves in nitrile. Cut protection on entire surface. Water-resistant, good finger sensitivity, and good grip when oily, wet, or dry. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	10 Black
SIZE	7-12
STANDARD	EN 388:2016+A1:2018_4X44DP, EN 420:2003+A1:2009, CAT 2
MATERIAL	Nitril, nylon, fibreglass, TPR



GLOVE TENACTIVE RIGGER 0-6-368-98

The ErgoHyde gloves are the first of their kind that thermally shape the hand into an ergonomic 3D-handshape, which provides unbeatable comfort throughout the day and improved dexterity. ErgoHyde technical yarn is made to give an impressive 360 degrees A8 cyt-protection level. The Oilbloc™-treated palm of the hand repels oil and water for a 50% better grip than other gloves. Bundle: 12 pcs. Carton: 48 pcs.

COLOR	98 Assorted
SIZE	XS-XXXL
STANDARD	EN 388-4443EP

MATERIAL Leather, ErgoHyde technical yarn



GLOVE GUIDE 4507 0-6-4507-1080

Heavy-duty chemical protection gloves in nitrile. Water- and oilproof, with long safety cuffs. Triple-dripped in a liquid-tight nitrile/PVC blend. Impact protection on back shell. Bundle: 3 pcs. Carton: 60 pcs.

COLOR	1080 Black/Red
SIZE	7-12
STANDARD	EN 388:2016_4X31CP, EN 407:2004_X2XXXX, EN ISO 374-1:2016, EN ISO 375-5:2016, EN 420:2003+A1 2009, CAT 2
MATERIAL	Nitrile, PVC



CUT-RESISTANT GLOVES



CUT-PROTECTION LEVEL: D

Wenaas 200-series

CUT-RESISTANT GLOVES

Work gloves in a snug fit, very durable and cut-resistant. These gloves are often made in a knitted material that contains glass fibre.

Area of utilisation: Suitable for all sectors with stringent demands to durability and cut-resistance, ISO, electricians, assembly work. Often used in building and construction work, in which sharp items are handled by workers such as carpenters and joiners. Also suitable for use in warehouses or in shops where knives are used.

Properties may vary from model to model; please always read the product information for additional information.



GLOVE WENAAS 225 0-8-225-98

Cut-resistant gloves (Cut D) in premium WFT nitrile foam. Very comfortable, with reinforced section between thumb and index finger. Touchscreen compatible. The liner is made from environmentally friendly TENCEL™, which consists of 48 % recycled materials. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	6-12
STANDARD	EN 388:2016 +A1:2018 4X41D, ANSI A5, CE, SANITIZED
MATERIAL	Nitrile, polyester, TENCEL™, nylon, elastane



GLOVE WENAAS 200 0-8-200-98

Comfortable, cut-resistant gloves (Cut C) in PU. Snug fit, lightweight, with a knitted cuff. Durable work gloves with high flexibility. Exceptional grip when wet, oily, or dry. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	6-12
STANDARD	EN EN 388:2016 4X44C, EN 407:2020 X1XXXX, ANSI A3, CE, SANITIZE
MATERIAL	Polyurethane, glass, polyester, spandex



GLOVE WENAAS 210 0-8-210-98

Comfortable cut-resistant gloves (Cut B) in nitrile. Snug fit, lightweight, with a knitted cuff. Durable, breathable work gloves with high flexibility. Very good grip and high finger sensitivity make these gloves suitable for precision tasks. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	6-11
STANDARD	EN 388 :2016 4x31B, EN407 X1XXXX, ANSI A2, CE, SANITIZE
MATERIAL	Nitrile, microfoam, glass, nylon, spandex



GLOVE WENAAS 220 0-8-220-98

Cut-resistant gloves (Cut C) in premium WFT nitrile foam. Very light, with reinforced section between thumb and index finger. Touchscreen compatible. Ergonomically designed for good comfort and finger dexterity. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	98 Assorted
SIZE	6-12
STANDARD	EN 388:2016 + A1:2018 4X42C, EN 407:2020 X1XXXX, ANSI A3, CE SANITIZE
MATERIAL	Nitrile, glass, nylon, spandex



GLOVE OFFSHORE MECHANIC 0-6-6358-98

Comfortable work gloves in microfibre. Impact protection on fingers and foam protection over knuckles. Elastic material, double reinforcements on palms, Produced without chrome or nickel. Comfortable, protective gloves that are suitable for assembly. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	8-12
STANDARD	EN 388:2016+A1:2018_2121X, EN 420:2003+A1:2009, CAT 2
MATERIAL	Microfibre, spandex, neoprene, Lycra



GLOVE CUTMASTER 0-11300-1120-510

Comfortable cut-resistant gloves in nitrile. Snug fit, ergonomic design, and good durability. Ideal for work requiring both precision and cut resistance. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	510 Navy/Black
SIZE	6-12
STANDARD	EN 388:2016+A1:2018_4X42D, EN 420:2003+A1:2009, CAT 2
MATERIAL	Nitrile, polyethylene, fibreglass

CUT-RESISTANT GLOVES



GLOVE 314 PU 0-11314-1100-60

Durable, cut-resistant gloves in PU. Snug fit, knitted cuff, and high finger sensitivity. Bundle: 6 pcs. Carton: 120 pcs.

COLOR	60 Grey
SIZE	6-12
STANDARD	EN 388 : 2016 4X42C
MATERIAL	Polyurethane, polyester, elastane



GLOVE GUIDE 313 0-7-313-6410

Durable cut protection gloves in nitrile. Snug fit, touchscreen compatibility, airy. Bundle: 6 pcs. Carton: 72 pcs.

COLOR	6410 Dark Grey/Black
SIZE	6-12
STANDARD	EN388:2016 4X42D / EN407:2004 X1XXXX
MATERIAL	Nitrile



GLOVE GUIDE 340 0-6-340-98

Comfortable, cut-resistant gloves in goatskin. Reinforced fingertips, ergonomic fit. Fully lined in Kevlar®. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN 388:2016 2X31C, EN 420:2003, CE Cat 2, Cut level C (EN 13997)
MATERIAL	Goatskin



GLOVE GUIDE 5172W 0-6-5172-6410

Waterproof thermal gloves in synthetic leather. Cut protection on palms, Back shell in stretch material. Reinforced fingertips. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	6410 Dark Grey/Black
SIZE	6-13
STANDARD	EN388:2016 3X22C / EN511:2006 13X / EN407:2004 X2XXXX
MATERIAL	Synthetic leather



WINTER GLOVES

TERRY LINING FOR
HEAT RETENTION

SEAMLESS WORK GLOVES

HIVIS-COLOUR FOR
GOOD VISIBILITY

CUT-PROTECTION LEVEL: B

DIPPED IN PREMIUM
NITRILE

Wenaas 300-series

WINTER GLOVES

Work gloves suitable for cold temperatures. Could be described as a warmer version of the tight-fitting assembly glove or and all-round work glove. Suitable for use outdoors, in cold environments and in all kinds of weather.

Area of utilisation: Suitable for building and construction work, transport, warehouse assembly, fishing, shipping, lumbering, shipping industry. All types of jobs that require a warmer type of work glove. Outdoors, in cold environments, in bad weather, cold storage etc.

Properties may vary from model to model; please always read the product information for additional information.



GLOVE WENAAS 300

0-8-300-98

Warm, comfortable thermal gloves in nitrile. Snug fit, terry lining, and a knitted cuff. The back shell is made from Hi-Vis material for good visibility. Good wet and dry grip. Bundle: 12 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	8-11
STANDARD	EN 388:2016 A1 2018 4231B, EN 407 :2020 X2XXXX, EN 511:2006 X1X, CE, SANITIZE
MATERIAL	Nitrile, polyester, elastane



GLOVE WENAAS 320

0-8-320-98

Warm, comfortable, double-dipped thermal gloves in latex. Snug fit. Lined. Additional coating provides excellent wet and dry grip, along with good protection against water. Warm, very comfortable work gloves for outdoor and winter use. Bundle: 6 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016+A1:2018 2242C, EN 407:2020 X2XXXX, EN 511:2006 12X, CE, SANITIZE
MATERIAL	Latex, elastane



GLOVE STORM WINTER

0-12200-1120-4510

Thermal gloves in PU and Spandex. Reflective section on cuff for increased visibility. Very heavy-duty, warm thermal gloves. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	4510 Royal Blue/Black
SIZE	7-12
STANDARD	EN 388:2016+A1:2018_0121B, EN 420:2003+A1:2009, EN 511:2006_11X, CAT 2
MATERIAL	PU, Spandex, reflective details



GLOVE STORM ARCTIC WINTER

0-12200-1110-1040

Premium thermal gloves in PU and goatskin. Reinforcements at critical points, waterproof. Fully lined to retain warmth. Reflective section on cuff and fingertip for increased visibility. Very heavy-duty, warm thermal gloves. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	1040 Black/White
SIZE	7-8
STANDARD	EN 388:2016+A1:2018_2221B, EN 420:2003+A1:2009, EN 511:2006_231, CAT 2
MATERIAL	Goatskin, PU, Spandex, reflective details, 3M Thinsulate™ lining



GLOVE EX WINTER

0-107-8112-98

Comfortable thermal gloves in MicroSkin Shield®. Warm, waterproof, and breathable. Soft, warm lining. Reinforcements on palms and at base of thumbs. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	8-12
STANDARD	EN 388:2016+A1:2018_1231X, EN 420:2003+A1:2009, EN 511:2006_11X, CAT 2
MATERIAL	MicroSkin Shield®, Spandex®, ProTex®, textile material.



GLOVE 15T LINED

0-6-171-98

Fully dipped work gloves in PVC. Extra-long, welded cuffs and thick cotton lining. Good wet and dry grip. Ideal for handling fish and fishing equipment. Bundle: 5 pcs. Carton: 75 pcs.

COLOR	98 Assorted
SIZE	8-10
STANDARD	EN 388, EN 420, CAT 2
MATERIAL	PVC, cotton

WINTER GLOVES



GLOVE GUIDE 4146W 0-6-4146-6040

Durable thermal gloves in full-grain goatskin. Warm, waterproof, and touchscreen-compatible. Form-stitched design and elastic cuffs for good comfort. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	6040 Grey/White
SIZE	6-13
STANDARD	EN 388:2016_3121X, EN 407:2004_X1XXXX, EN 420:2003, EN 511:2006_111, CAT II
MATERIAL	Goatskin, polyester



GLOVE GUIDE 5171W 0-6-5171-6010

Waterproof thermal gloves in synthetic leather. Back shell in stretch material. Reinforced fingertips. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	6010 Grey/Black
SIZE	8-12
STANDARD	EN 388:2016 3122X, EN 511:2006 12X, EN 407:2004 X1XXXX, EN 21420:2020, CE Cat II
MATERIAL	Synthetic leather



GLOVE GUIDE 775W 0-6-775-98

Waterproof thermal gloves in synthetic leather. Back shell in stretch material. Reinforced fingertips. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	6-13
STANDARD	EN 420:2003, EN 388:2016 1121X, EN 511:2006 X2X, CE Cat II
MATERIAL	Synthetic leather, polyester



GLOVE GUIDE 5173 0-6-5173-98

Waterproof thermal gloves in synthetic leather. Back shell in stretch material. Reinforced fingertips. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	8-12
STANDARD	EN 388:2016 3322X, EN 511:2006 131, EN 407:2004 X1XXXX, CE Cat 2
MATERIAL	Synthetic leather



GLOVE GUIDE 5701W HP 0-5701-0-6410

Warm thermal gloves in goatskin. Durable three-finger gloves, suitable for cold conditions. Reinforced at critical points, knitted section at wrists. Bundle: 3 pcs. Carton: 36 pcs.

COLOR	6410 Dark Grey/Black
SIZE	7-12
STANDARD	EN388:2016 3242X, EN511:2006 331, EN407:2020 X2XXXX
MATERIAL	Goatskin



GLOVE GUIDE 5702W HP 0-5702-0-6410

Warm thermal gloves in goatskin. Durable mittens, suitable for cold conditions. Reinforced at critical points, knitted section at wrists. Bundle: 3 pcs. Carton: 36 pcs.

COLOR	6410 Dark Grey/Black
SIZE	8-12
STANDARD	EN388:2016 3242X, EN511:2006 331, EN407:2020 X2XXXX
MATERIAL	Goatskin



ALL-ROUND WORK GLOVES

ELASTICATED CUFFS
FOR AN IMPROVED FIT
AROUND THE WRIST

GOATSKIN MAKES THE
GLOVE VERY SOFT AND
DURABLE

GREAT DEXTERITY

ALL-ROUND WORK GLOVES

Work gloves suitable for all types of jobs. Jobs around the house, in warehouses, assembly, building and construction etc. Several types and models are made in both leather and synthetic materials.

Area of utilisation: Can be used in many different jobs that require excellent protection. Industry, offshore, building and construction and at home.

Properties may vary from model to model; please always read the product information for additional information.



GLOVE COYOTE LITE 0-12300-1030-40

Durable, all-round gloves in goatskin. High finger sensitivity and ergonomic fit. Knitted section at wrists for increased comfort. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	40 White
SIZE	7-12
STANDARD	EN 388:2016+A1:2018_2021X, EN 407:2004_X1XXXX, EN 420:2003+A1:2009, CAT 2
MATERIAL	Goatskin



GLOVE WORK 0-12100-1030-6040

Durable, all-round gloves in cowhide. Cowhide on palms, index finger, fingertips, and knuckles. Back shell in cotton canvas. Reinforced index finger, knitted section at wrists. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	6040 Grey/White
SIZE	8-12
STANDARD	EN 388:2016+A1:2018_4133B, EN 420:2003+A1:2009, CAT 2
MATERIAL	Cowhide, cotton



GLOVE WORK COMFORT 0-12100-1020-4540

Durable, comfortable all-round gloves in cowhide. Cowhide on palms, index finger, fingertips, and knuckles. Back shell in cotton canvas. Reinforced index finger, knitted section at wrists. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	4540 Royal Blue/White
SIZE	8-12
STANDARD	EN 388:2016+A1:2018_2132A, EN 420:2003+A1:2009, CAT 2
MATERIAL	Cowhide, cotton



GLOVE WORK WINTER 0-12100-1010-1040

Thermal gloves in cowhide. Cowhide on palms, index finger, fingertips, and knuckles. Back shell in cotton canvas. Reinforced index finger, fully lined, and knitted section at wrists. Very good, all-round thermal gloves. Bundle: 12 pcs. Carton: 120 pcs.

COLOR	1040 Black/White
SIZE	8-12
STANDARD	EN 388:2016+A1:2018_3112A, EN 420:2003+A1:2009, EN 511:2006_11X, CAT 2
MATERIAL	Cowhide, cotton



GLOVE TEGERA 9105 0-9105-0-98

Comfortable, all-round work gloves in synthetic leather. Reinforced seams and fingertips. Ergonomic fit, pre-flexed fingers, and Velcro closure. Reflective for improved visibility. Ideal for assembly tasks. Bundle: 6 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN 388:2016+A1:2018_1121X, EN 420:2003+A1:2009, CAT 2
MATERIAL	Microthan®, polyester



GLOVE HYLITE 47-400 0-6-47400-98

Durable all-round gloves in nitrile. The special nitrile blend provides an excellent combination of flexibility, mechanical strength, and oil resistance. Silicone-free. No contamination of metal plate. Good grip when wet, oily, or dry. Carton: 144 pcs.

COLOR	98 Assorted
SIZE	8-10
STANDARD	EN 388:2016+A1:2018_3111A, EN 420:2003+A1:2009, CAT 2
MATERIAL	Nitrile, cotton

ALL-ROUND WORK GLOVES



GLOVE HYLITE 47-402 0-6-47402-98

Durable all-round gloves in nitrile. The special nitrile blend provides an excellent combination of flexibility, mechanical strength, and oil resistance. Silicone-free. No contamination of metal plate. Good grip when wet, oily, or dry. Bundle: 12 pcs. Carton: 144 pcs.

COLOR	98 Assorted
SIZE	7-10
STANDARD	EN 388:2016+A1:2018_3111A, EN 420:2003+A1:2009, CAT 2
MATERIAL	Nitrile, cotton



GLOVE HYLITE 47-409 0-6-47409-98

Durable all-round gloves in nitrile. The special nitrile blend provides an excellent combination of flexibility, mechanical strength, and oil resistance. Silicone-free. No contamination of metal plate. Good grip when wet, oily, or dry. Bundle: 12 pcs. Carton: 144 pcs.

COLOR	98 Assorted
SIZE	7-10
STANDARD	EN 388:2016+A1:2018_3111A, EN 420:2003+A1:2009, CAT 2
MATERIAL	Nitrile, cotton



GLOVE 15L UNLINED 0-6-151-98

Fully dipped work gloves in PVC. Extra-long, welded cuffs and thin cotton lining. Good wet and dry grip. Ideal for handling fish and fishing equipment. Bundle: 5 pcs. Carton: 75 pcs.

COLOR	98 Assorted
SIZE	8-10
STANDARD	EN 388, EN 420, CAT 2
MATERIAL	PVC, cotton



GLOVE ELITE W 0-6-5383-98

Comfortable work gloves in PVC. Wide cuffs, fitted wrist section, and ergonomic design. Good wet and dry grip. Carton: 75 pcs.

COLOR	98 Assorted
SIZE	8-11
STANDARD	EN 388, EN 420, CAT 2
MATERIAL	PVC, cotton



WELDING AND HEAT-RESISTANT GLOVES



WELDING AND HEAT-RESISTANT GLOVES

Work gloves that protect against risks related to welding, heat and flames. Most models have long cuffs for extra protection.

Area of utilisation: Suitable for the work in shipyards, smelting plants, construction sites, welding, repairs, shipping, mining and stone industry, agriculture. All professions that require welding and/or exposure to flames and high temperatures.

Properties may vary from model to model; please always read the product information for additional information.

WELDING AND HEAT-RESISTANT GLOVES

0-20100-1020-40	GLOVE WELDING TIG
Welding gloves in goatskin. Seams in Kevlar®, knitted material at wrists, and long cuffs for extra protection. Highly flexible TIG welding gloves. Suitable for thin-metal TIG and MIG welding and soldering. Bundle: 6 pcs. Carton: 60 pcs.	
COLOR	40 White
SIZE	8-10
STANDARD	EN 388:2016+A1:2018_21210, EN 407:2004_412244, EN 420:2003+A1:2009, CAT 3
MATERIAL	Goatskin, split leather



0-6-9123-98	GLOVE TEX GRIP 3.0
Structurally advanced, heat-resistant gloves in textile material. These fire gloves feature specially designed 3D fingertips and pre-flexed fingers for increased finger dexterity. The Kevlar®/glass material offers thermal and mechanical protection. Unique carbon-fibre system provides good heat distribution. The breathable, microporous membrane prevents entry of blood pathogens, water, and liquid chemicals. Carton: 30 pcs.	
COLOR	98 Assorted
SIZE	6-14
STANDARD	EN 659:2003+A1:2008, EN 420:2003+A1:2009, EN 407:2004, EN 388:2016+A1:2008
MATERIAL	U-coated, WR-impregnated Nomex®, Kevlar®, carbon fibre, Kevlar®, Nomex®, Porelle®



0-6-3570-30	GLOVE GUIDE 3570
Thermal gloves in kuspalt of a high quality. The gloves have long cuffs, reinforced in the palm of the hand and cotton lining. Suitable for work in warm environments, suitable for MIG and MAG welding. Heat-resistant kevlar-thread in seams. Bundle: 6 pcs. Carton: 36 pcs.	
COLOR	30 Yellow
SIZE	6-13
STANDARD	EN388:2016 4234X, EN407:2020 434244, EN12477: Type A
MATERIAL	Kuspalt, kevlar



CHEMICAL PROTECTION GLOVES



CHEMICAL PROTECTION GLOVES

Work gloves that protect against chemicals and other dangerous substances. Most models have long cuffs for extra protection.

Area of utilisation: Suitable for all sectors in which dangerous substances, chemicals, lubricants, food, groceries are handled and maximum protection is required.

Properties may vary from model to model; please always read the product information for additional information.

CHEMICAL PROTECTION GLOVES

0-19587-1135-12910 GLOVE ALPHATEC 58-735

Durable chemical protection gloves in nitrile. These work gloves feature a nitrile barrier for advanced protection against chemicals. Lined with INTERCEPT™ cut-resistant material with high visibility to indicate cuts and punctures in the glove. Good finger sensitivity and good grip when oily, wet, or dry. The cuff can be folded to serve as a run-off channel to ensure that chemicals do not come in contact with arms. Bundle: 6 pcs. Carton: 72 pcs.

COLOR	12910 Turquoise/Black
SIZE	6-11
STANDARD	EN ISO 374-1:2016_AJKLMNOPT, EN 388:2016+A1:2018_4X32C, EN 420:2003+A1:2009, CAT 3
MATERIAL	Nitrile, INTERCEPT™



0-6-2100-98 GLOVE ALPHATEC 02-100

All-round chemical protection gloves in HPPE. Five-layer, laminated work gloves with chemical resistance. Individually air-pressure tested and 100 % inspected. Silicone-free. Ergonomic design. Bundle: 12 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	6-11
STANDARD	EN ISO 374-1:2016_ABCEFGHIMS, EN 420:2003+A1:2009, CAT 3
MATERIAL	HPPE laminated film



0-6-23200-98 GLOVE ALPHATEC 23-200

Light chemical protection gloves in PVC. High finger sensitivity and elasticity, even at low temperatures. Rough sandblasted surface provides good wet and dry grip. Bundle: 12 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	7-10
STANDARD	EN ISO 374-1:2016_KLT, EN 388:2016+A1:2018_3121B, EN 420:2003+A1:2009, CAT 3
MATERIAL	PVC, cotton



CHEMICAL PROTECTION GLOVES



GLOVE ALPHATEC 23-201 0-6-23201-5

Light chemical protection gloves in PVC. High finger sensitivity and elasticity, even at low temperatures. Extra-long cuff for added protection. Rough sandblasted surface provides good wet and dry grip. Bundle: 6 pcs. Carton: 48 pcs.

COLOR	5 Navy Blue
SIZE	7-10
STANDARD	EN ISO 374-1:2016_KLT, EN 388:2016+A1:2018_3121B, EN 420:2003+A1:2009, CAT 3
MATERIAL	PVC, cotton



GLOVE ALPHATEC 23-202 0-6-23202-98

Light chemical protection gloves in PVC. High finger sensitivity and elasticity, even at low temperatures. Warm work gloves that offer protection down to -30 °C. Rough sandblasted surface provides good wet and dry grip. Bundle: 12 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	8-10
STANDARD	EN ISO 374-1:2016_KLT, EN 388:2016+A1:2018_3121B, EN 511:2006_021, EN 420:2003+A1:2009, CAT 3
MATERIAL	PVC, cotton, acrylic



GLOVE ALPHATEC 38-514 0-6-38514-98

Comfortable chemical protection gloves in butylpolymer. Protects well against the most aggressive chemicals, such as aldehydes, ketones, and esters, as well as mineral acids, without compromising on comfort. Ergonomic design. Good grip when wet or dry. No risk for latex allergies. Carton: 36 pcs.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN ISO 374-1:2016_ABCIKMPST, EN 388:2016+A1:2018_1000X, EN 420:2003+A1:2009, CAT 3
MATERIAL	Butyl polymer



GLOVE ALPHATEC 38-520 0-6-38520-98

Comfortable chemical protection gloves in butylpolymer. Protects well against the most aggressive chemicals, such as aldehydes, ketones, and esters, as well as mineral acids, without compromising on comfort. Long cuff, ergonomic design, and good grip when wet or dry. No risk for latex allergies. Carton: 36 pcs.

COLOR	98 Assorted
SIZE	7-10
STANDARD	EN ISO 374-1:2016_ABCIKLNPST, EN 388:2016+A1:2018_2010A, EN 420:2003+A1:2009, CAT 3
MATERIAL	Butyl polymer



GLOVE ALPHATEC 29-500 0-6-29500-10

Warm chemical protection gloves in neoprene. High finger sensitivity and elasticity, even at low temperatures. Resistant to a range of chemicals, corrosive chemicals, and other solvents. Kinder to hands than other heavy-duty gloves. Bundle: 12 pcs. Carton: 144 pcs.

COLOR	10 Black
SIZE	7-11
STANDARD	EN ISO 374-1:2016_AKLNPT, EN 388:2016+A1:2018_X121A, EN 420:2003+A1:2009, CAT 3
MATERIAL	Neoprene, flocked cotton



GLOVE ALPHATEC SOLVEX 37-185 0-6-37185-15

Very durable chemical protection gloves in nitrile. Long, over-elbow gloves with good comfort and protection against chemicals. An ideal choice for work in production areas with exposure to harmful substances. Patterned, rough surface provides good wet and dry grip. Carton: 12 pcs.

COLOR	15 Green
SIZE	7-11
STANDARD	EN ISO 374-1:2016_AGJKLPT, EN 388:2016+A1:2018_4102X, EN 420:2003+A1:2009, CAT 3
MATERIAL	Nitrile



GLOVE ALPHATEC 58-270 0-6-58270-98

Liquid-tight chemical protection gloves in nitrile. Light weight, good comfort, and easy to put on and take off. These work gloves retain a small degree of warmth and therefore reduce perspiration in comparison to other chemical protection gloves. Good grip when wet, oily, or dry. Bundle: 12 pcs. Carton: 144 pcs.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN ISO 374-1:2016_JKLPT, EN 388:2016+A1:2018_3121A, EN 420:2003+A1:2009, CAT 3
MATERIAL	Nitrile, nylon



GLOVE ALPHATEC 58-530W 0-6-58530-98

Warm chemical protection gloves in nitrile. High finger sensitivity, light weight, and ergonomic fit. These work gloves retain a small degree of warmth and therefore reduce perspiration in comparison to other chemical protection gloves. Good grip when wet, oily, or dry. These gloves are ideal for outdoor work. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	8-11
STANDARD	EN ISO 374-1:2016_AJKLPT, EN 388:2016+A1:2018_3132A, EN 407:2004_X1XXXX, EN 420:2003+A1:2009, CAT 3
MATERIAL	Nitrile, acrylic



GLOVE ALPHATEC SOLVEX 37-675 0-6-37675-15

Very durable chemical protection gloves in nitrile. Good comfort and protection against chemicals. An ideal choice for work in wet or dry production areas where protection from corrosive substances is important. Patterned, rough surface provides good wet and dry grip. Bundle: 12 pcs. Carton: 144 pcs.

COLOR	15 Green
SIZE	6-11
STANDARD	EN ISO 374-1:2016_JKLPT, EN 388:2016+A1:2018_4101X, EN 420:2003+A1:2009, CAT 3
MATERIAL	Nitrile, flocked cotton



GLOVE ALPHATEC SOLVEX 37-900 0-6-37900-98

Extremely durable chemical protection gloves in nitrile. Greater resistance to penetration than for any other nitrile gloves available on the market. The quality guarantee means that these gloves can be used with complete confidence in hazardous situations. Snug fit, long cuff, and good grip when wet or dry. Bundle: 12 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN ISO 374-1:2016_AJKLPT, EN 388:2016+A1:2018_4101X, EN 420:2003+A1:2009, CAT 3
MATERIAL	Nitrile, flocked cotton



GLOVE ALPHATEC 58-535W 0-6-58535-98

Warm chemical protection gloves in nitrile. High finger sensitivity, light weight, and ergonomic fit. These work gloves retain a small degree of warmth and therefore reduce perspiration in comparison to other chemical protection gloves. Good grip when wet, oily, or dry. These gloves are ideal for outdoor work. Bundle: 6 pcs. Carton: 72 pcs.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN ISO 374-1:2016_AJKLPT, EN 388:2016+A1:2018_3132A, EN 407:2004_X1XXXX, EN 420:2003+A1:2009, CAT 3
MATERIAL	Nitrile, acrylic



GLOVE LATEX LIQUID PROOF 0-18112-1194-45

Liquid-tight work gloves in nitrile. Very soft, with good freedom of movement and snug fit. Good wet and dry grip. Approved for direct contact with all types of foodstuffs. Bundle: 12 pcs. Carton: 144 pcs.

COLOR	45 Royal Blue
SIZE	10-11
STANDARD	EN 388:2016+A1:2018_1121X, EN 420:2003+A1:2009, EN 1186, CAT 2
MATERIAL	Nitrile, natural rubber

DISPOSABLE GLOVES

ERGONOMICALLY SHAPED
FOR A COMFORTABLE FIT

THREE-LAYERED DESIGN FOR
INCREASED PROTECTION

SOFT MATERIAL



DISPOSABLE GLOVES

Disposable gloves for a single use. Help keep hands sterile and clean. Protect against bacteria, liquid, spills etc. Often used when handling groceries.

Area of utilisation: Suitable for professions that require inspections, handling of parts, repairs, maintenance, oil and gas, transport, food industry, health services, assembly and repairs. Several models of disposable gloves also protect against dangerous substances/chemicals.

Properties may vary from model to model; please always read the product information for additional information.

DISPOSABLE GLOVES

0-6-93260-98 GLOVE MICROFLEX 93-260

Triple-layer disposable gloves in nitrile. The triple-layer design offers good protection against chemicals, including acids, solvents, and alkalis. High comfort, soft material, and ergonomic fit. Silicone-free. Carton: 10 pcs.

COLOR	98 Assorted
SIZE	XS-XXL
STANDARD	EN ISO 374-1:2016_JKLOPST, EN 388:2016+A1:2018_2000X, EN 421:2010, EN 420:2003+A1:2009, CAT 3
MATERIAL	Nitrile, neoprene



0-6-93852-98 GLOVE MICROFLEX 93-852

Disposable gloves in black nitrile. High tensile strength, textured design, and good wet and dry grip. Contains no natural rubber latex. Powder-free to protect against allergies. These gloves are suitable for examination/ order picking/inspection. Carton: 10 pcs.

COLOR	98 Assorted
SIZE	6-10
STANDARD	EN ISO 374-1:2016_JKT, EN 420:2003+A1:2009, EN 455 1-4, EN 1149-1/2/3, CAT 3
MATERIAL	Nitrile



UNIFORM GLOVES



UNIFORM GLOVES

Work gloves to be used with a uniform. Elegant gloves, often made of leather, but also available in textile.

Area of utilisation: Suitable for police, ambulance workers, firefighters, drivers and all professions in which gloves go with the uniform used.

Properties may vary from model to model; please always read the product information for additional information.



GLOVE UNIFORM GENTS

0-24100-0-10

Uniform gloves in sheepskin for men. The gloves have a fleece lining and can be used all year round. Stylish gloves that are ideal for law enforcement, ambulance personnel, fire safety, drivers, and other occupations requiring uniforms. Bundle: 12 pcs. Carton: 60 pcs.

COLOR	10 Black
SIZE	6,5-11,5
STANDARD	EN 420:2003+A1:2009, CAT 1
MATERIAL	Sheepskin, 3M Thinsulate™ fleece lining



GLOVE UNIFORM LADY

0-24200-0-10

Uniform gloves in sheepskin for women. The gloves have a fleece lining and can be used all year round. Stylish gloves that are ideal for law enforcement, ambulance personnel, fire safety, drivers, and other occupations requiring uniforms. Bundle: 12 pcs. Carton: 60 pcs.

COLOR	10 Black
SIZE	6,5-9,5
STANDARD	EN 420:2003+A1:2009, CAT 1
MATERIAL	Sheepskin, 3M Thinsulate™ fleece lining



WORK GLOVES WITH SPECIAL PROTECTION

FITTED FIRE GLOVES

WITHSTAND TEMPERATURES
OF UP TO 350 DEGREES
CELSIUS

EXPANSION SECTIONS
OVER KNUCKLES

MID-LAYER OF WATER-
RESISTANT MEMBRANE

WORK GLOVES WITH SPECIAL PROTECTION

Gloves with extraordinary properties Special gloves to special work duties/professions etc. Special protection can for instance entail protection against extreme heat and arcs.

Area of utilisation: Suitable for certain sector, for instance smoke diving, the fire brigade, industry protection, offshore, professions exposed to electric shocks.

Properties may vary from model to model; please always read the product information for additional information.

WORK GLOVES WITH SPECIAL PROTECTION

0-19427-0-75

GLOVE FALCON

Form-stitched, heat-resistant gloves in leather. These fire gloves have expansion panels over the knuckles to provide good fit and improved insulation. Intermediate layer with waterproof Porelle membrane (polyurethane). Knitted cuffs. Reinforcements at critical points for good durability. Carton: 60 pcs.

COLOR 75 Khaki

SIZE 6-11

STANDARD EN 420, EN 659, CAT 3

MATERIAL Moose skin, full-grain cowhide, Porell®, Nomex®



0-15410-1100-80

HANSKE REGELTEX FLASH & GRIP

Electrical insulated gloves in natural rubber. Protect against mechanical damage and electric arc class 0. Flexible, ergonomic design, with excellent grip when oily, wet, or dry. Each pair is supplied with a pair of fingerless cotton liner gloves for improved comfort. Carton: 25 pcs.

COLOR 80 Red

SIZE 7-12

STANDARD EN 420:2003+A1:2009, EN 60903, IEC 60903, IEC 61482, ASTM F2675, CAT 3

MATERIAL Natural rubber



0-6-6225-6410

GLOVE GUIDE 6225 CPN

Durable cut protection gloves in PU. Excellent protection against punctures from needles and other sharp objects. 360-degree protection. Good wet and dry grip. Bundle: 6 pcs. Carton: 36 pcs.

COLOR 6410 Dark Grey/Black

SIZE 8-11

STANDARD EN388:2016 4X42F TDM LEVEL 53,56 / ASTM F 2878-10 25G: 8,7N

MATERIAL PU



WORK GLOVES WITH SPECIAL PROTECTION

0-15500-1010-50 GLOVE ENDURA

Gloves Endura® 378GOBKL are uncommonly sturdy and durable. Oilbloc™-treated goat skin provides protection against water and oil. Seamless stitching, cut protection Kevlar (ANSI level A4). Protection against light arc. ATPV 41 cal/cm². Suitable for oil and gas, steel and metal work, pits, construction, production, maintenance, car industry etc. Bundle: 12 pcs. Carton: 60 pcs.



COLOR	50 Brown
SIZE	7-9
STANDARD	EN 388:2016+A1:2018_2X22D, EN 420:2003+A1:2009, CAT 2
MATERIAL	Skin: Goatkin Lining: Kevlar®.



0-6-7112-98 GLOVE ACTIVARMR 07-112

Gloves ActivArmr® 07-112 are made to reduce vibrations that are absorbed by the palm of the hand and fingers. Protects against vibration syndrome in hands and arms. Ideal for work where the user is exposed to vibration levels over 300 Hz. A unique nitrile formula prevents cuts, puncturing and wear and tear, as well as repelling fat and oil. Suitable for handling metal plates and panels, metal work and assembling and handling of machine parts or parts with sharp or uneven edges. Carton: 6 pcs.



COLOR	98 Assorted
SIZE	8-11
STANDARD	EN 388:2016+A1:2018_3221B, EN 420:2003+A1:2009, CAT 2
MATERIAL	Lining: Gelfôm™, Interlock cotton. Coating: Nitrile



0-6-80813-98 GLOVE ACTIVARMR 80-813

Gloves ActivArmr® 80-813 combine first-class flame protection with cut protection and an ergonomic design. The materials are resistant against flames even after wash. Arc light category 2 helps protect against arc light. The yarn gives first-class cut-protection and allows for safe handling of sharp objects and materials. A soft foam coating ensures flexibility and a secure grip in varying conditions. Ergonomic design provides great comfort and prevents fatigue in hands. Suitable for tasks with potential for arc light and flame exposure, panels with electrical supplies, electrical equipment and machine and building maintenance and handling of sharp metal or objects. Bundle: 12 pcs. Carton: 144 pcs.



COLOR	98 Assorted
SIZE	6-11
STANDARD	EN 388:2016+A1:2018_2X42C, EN 407:2004_412110, EN 420:2003+A1:2009, CAT 3, ATPV 9,4 cal/cm²
MATERIAL	Textile: Glass fibre, modacrylic, Kevlar Coating: Neoprene



TEXTILE GLOVES

LIGHTWEIGHT AND THIN
INNER GLOVES

ABSORB HUMIDITY

MADE OF POLYESTER
AND COTTON



TEXTILE GLOVES

Work gloves that are very thin, flexible and lightweight. Suitable for use as inner gloves under other gloves and provides as high a degree as comfortable as possible.

Area of utilisation: Suitable as inner gloves for all types of sectors and uses, but often used under gloves that protect against chemicals.

Properties may vary from model to model; please always read the product information for additional information.



GLOVE GUIDE 4301**0-6-4301-40**

Thin, flexible liner gloves in knitted polyester/cotton fabric. Bundle: 12 pcs. Carton: 600 pcs.

COLOR	40 White
SIZE	8-10
STANDARD	EN 388:2016 0X2XX, EN 420:2003, CE Cat 2
MATERIAL	Polyester, cotton



HANSKE TEGERA 4640**0-6-4640-98**

Comfortable all-round gloves in wool. Warm work gloves with touch-screen compatibility and elastic cuff for increased freedom of movement. Suitable for wear with a uniform. Bundle: 12 pcs. Carton: 60 pcs.

COLOR	98 Assorted
SIZE	6-11
STANDARD	EN 388:2016+A1:2018_214XX, EN 420:2003+A1:2009, EN 511:2006_X1X, CAT 2
MATERIAL	Merino wool, nylon, spandex



ACCESSORIES



ACCESSORIES

Different accessories for work gloves.

Properties may vary from model to model; please always read the product information for additional information.

ACCESSORIES

0-55201-12000-45 GLOVE GRABBER WENAAS 100 PCK

The Squids® 3400 glove holder keeps your gloves in place. Just clip your gloves to a garment, a D-ring, or other item. Strong gripping power. This holder has a safety function that allows it to be released in emergency situations to avoid catching on other objects. Can be reassembled and used again. All-round double clip version can be used a single or two-piece unit. Bag of 100. Carton: 5 pcs.

COLOR	45 Royal Blue
SIZE	Bag
MATERIAL	Acetal Copolymer



0-55202-12000-45 GLOVE GRABBER BELT WENAAS

Glove holder with Squids® 3405 belt clips. Keeps gloves secure for attachment to a belt or other item. This holder has a safety function that allows it to be released in emergency situations to avoid catching on other objects. Can be reassembled and used again. Carton: 240 pcs.

COLOR	45 Royal Blue
SIZE	One Size
MATERIAL	Acetal Copolymer



0-75600-6990-98 WARM PACKS N-FERNO® 6990 PAIR

Heat pack that helps keep hands warm in cold conditions. Insert the pack into a glove or pocket for warmth that lasts up to 12 hours. Carton: 240 pcs.

COLOR	98 Assorted
SIZE	Pair
MATERIAL	Non-toxic



MAIN OFFICE AND LOCATIONS:

WENAAS WORKWEAR AS,

Bruasetvegen 122,
N-6386 Måndalen.
Tlf: +47 71 22 73 00
Email: post@wenaas.no

UK - Scotland

Wenaas Workwear UK
Unit 1 Hub at Hareness
Hareness Road
Aberdeen
Scotland
AB12 3LE
Email: post@wenaas.com

Netherlands

Wenaas Workwear NL B.V.
Voltastraat 12, 3335KK Zwijndrecht,
Netherlands
Email: post.nl@wenaas.com

Sweden

Wenaas Workwear AB
Processvägen 5.
435 33 Mölnlycke
Email: post@wenaas.com

FOLLOW US:



Wenaas Workwear AS



#wenaas



Wenaasworkwearas



Wenaas workwear



wenaas.com