

Footwear

2024





TOGETHER WE TAKE NEW STEPS

Choose protective footwear from someone who knows how it is to walk with your shoes.

The requirements to protective footwear are as complex as the properties required of them. Protective footwear must include cushioning, ensure excellent slip resistance properties, stability and support for the rest of the body. They must also protect against the outer risk factors that require protective footwear.

Work shoes must retain all these properties over time, even with prolonged and heavy use.

As a direct supplier of work shoes, we are in constant contact both with professional customers, HSE employees and those who use our footwear. We take feedback into consideration when developing the products and the goal is always optimal protection and comfort.

That's why we don't necessarily adhere to the standard requirements for work shoes, but exceed the requirements both in terms of shock absorption and slip resistance. We make lasts adapted to Nordic feet and use lightweight toe caps that provide excellent protection, at the same time as leaving room to move the toes freely. We want all our customers to wear footwear that fits, which is why we provide footwear with Work Comfort EVO insoles.

Choose from a wide range of work shoes within our own brand Wenaas and from suppliers where we have assured the quality: Because we know what it's like to walk in your shoes.

BERSERK 4

FORMA 9

VERNER 10

PANACEA 12

LEOPARD 16

OTHER SHOE BRANDS 17

JALAS 23

SOLES 28

ACCESSORIES 30

BERSERK

Berserk shoes combine the best of technology with the highest quality materials. The collection is made for rough use - is well suited for sectors such as oil and gas, heavy industry and building and construction.

The models in Berserk are very flexible and energy-saving when walking, which you can quickly notice when you wear the safety shoes for 8 hours or more during a workday.

Berserk's history goes back to 1887, when it was founded as Kristiansunds Oljekledefabrikk, while it was taken over by Wenaas in 1997. We are now re-establishing the trademark Berserk. Our powerful shoe collection is named Berserk.

Water-proof and breathable systems



Quick-closure wheel with wire

Grained Italian quality leather

Outer durable TPU protective toe cap

Anti-puncture protection
puncture block

Anti-glide rubber sole

Cushioning

Inner glass fibre toe cap






HDry waterproof membrane is our water proof system used in the Berserk collection. Our membrane works as a sock directly laminated on the leather.

There are no seams in the sock that create small holes in the membrane and therefore no leakage. This way of attaching the sock ensures that no bumps or creases are caused by the membrane. It also ensures that damp is not accumulated between the lining and outer material, which is often the case with other technologies.

Dry feet during the entire workday!



HDry system



Other technologies

Our demonstration shows how HDry keeps the damp outside, while damp and heat is released from the shoes, in comparison to other protective shoes in which absorbed moisture remains accumulated between the outer sole and inner material.

RE:bound

ENERGY RECOVERY

ReBound provides a unique balance between energy absorption (cushioning) and energy return in the shoe's sole.

During the development of the Berserk collection, we have focused on comfort. Safety shoes are probably the footwear you use the longest during a day and should therefore be made of highest quality to protect your feet and prevent knee and back problems.

We have used a material known as ReBound in the heel counter for shoes in the the Berserk collection.



In laboratory tests carried out by Ricotest on behalf of DIN 53512, Rebound's score was on par with well-known brands for its comfortable soles.

We have done everything we could to ensure that this collection becomes your favourite while working.

puncture block



Our Puncture Block midsole is soft and flexible.

This means that your foot spends less energy when walking. This sole has no hard surfaces between the PU outer sole and the insole. Nevertheless, your foot remains protected against nails and sharp objects that can perforate the outer sole.

The sole is sustainable and made from environmentally friendly material.

Contender glass fibre toe cap is made of strong glass fibre and is 50% lighter than the traditional steel toe cap.

It has excellent corrosion resistance and electrical isolation, in addition to great heat and cold isolation. The compression tests comprise all global national safety standards. The thickness is also one of the thinnest in the market, at the same time as adhering to safety and all standards.



THE SOLE

- AN IMPORTANT COMPONENT OF HIGH-QUALITY FOOTWEAR

Have you ever considered how important the soles in your shoes are for a comfortable workday? The soles have various functions. The insole provides excellent support, good cushioning, contributes to maintaining the appropriate temperature, wicks moisture, and –not least– gives the feet a comfortable footbed.



Work Comfort EVO sole environmentally friendly insole.

In addition to all the sole's functions and properties, we have also kept the environment in mind. Our Work Comfort EVO insole, which is included in all Wenaas protective shoes and boots, is one of the market's most environmentally friendly insole. The sole is made from recycled material. The packaging is made from recyclable cardboard. The cardboard packaging can be recycled.



Recycled PET

The insole is made from PET, which is a polyester material made from recycled bottles and other polyester waste.



Moisture-wicking and airy

The sole ensures that the air circulates inside the shoe. The insole has highly absorbent and breathable properties, which make your feet feel dry and fresh.



Dries quickly

The sole dries quickly after the workday. The sole also has anti-bacterial properties that neutralise bacteria and remove smells.



Lightweight

The sole is lightweight and does not add any considerable weight to the shoe.



ESD (anti-static insole)

Work Comfort EVO insole is antistatic. Static electricity occurs when non-leading materials such as the shoe sole and the floor come into contact. The static electricity can accumulate in the body, and electric shocks can occur. Soles with anti-static properties contribute to reducing the voltage that occurs.



How does the sole help prevent tired feet?

- A. The sole is stabilised to provide the foot with excellent arch support.
- B. Extra thickness in the toe area makes the feet less tired.
- C. The right drop: Not only is the right drop important in running shoes, the protective footwear that you wear during eight hours each day must be as comfortable as possible.

The drop is the difference in the shoe's sole from the ball to the heel and is important to give the body the right angle and balance. Work Comfort EVO has a drop adapted for use in safety shoes used for many hours every day.



BOOT BERSERK BALDER 0-1420-1101-10

ESD-approved, water resistant and breathable boots in a modern design, lace system with smart tightening mechanism, full grain leather upper and light and soft rubber/PU outsole. Very comfortable boots with excellent anti-slip properties as well as energy absorption and return.

COLOR 10 Black
SIZE 36-47
STANDARD EN ISO 20345:2022 S7L HRO FO SR CI ESD//ASTM F2413-18 M/I/C SD 35 PR//UKCA.
MATERIAL Upper material: Full grain leather. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free. Insole: Work Comfort EVO sole. Lining: HDry. Protective toe cap: Glass fibre.



ANKLE BOOT BERSERK BORR 0-1320-1101-10

ESD-approved, water resistant and breathable ankle boots in a modern design with quick lacing system, upper material in full grain leather. Very comfortable boots with excellent anti-slip properties as well as energy absorption and return.

COLOR 10 Black
SIZE 35-47
STANDARD EN ISO 20345:2022 S7L HRO FO SR CI ESD//ASTM F2413-18 M/I/C SD 35 PR//UKCA.
MATERIAL Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: HDry. Protective toe cap: Glass fibre.



SHOE BERSERK GILBY 0-1220-1101-10

ESD-approved, water-resistant and breathable shoes in a modern design with smart lacing system, upper material in high-quality leather and lightweight and soft rubber/PU outer sole. Very comfortable shoe with excellent anti-slip properties as well as energy absorption and return.

COLOR 10 Black
SIZE 36-47
STANDARD EN ISO 20345:2022 S7L HRO FO SR ESD//ASTM F2413-18 M/I/C SD 35 PR//UKCA
MATERIAL Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: HDry. Protective toe cap: Glass fibre.



BOOT BERSERK BRAGE EH 0-1270-0-10

Electrically insulating. Water resistant and breathable boots in a modern design, quick lace system, full grain leather upper and light and soft rubber/PU outsole. Very comfortable boots with excellent anti-slip properties as well as energy absorption and return.

COLOR 10 Black
SIZE 36-47
STANDARD EN ISO 20345:2022, SB FO E PL WR HRO SR//ASTM F2413-18 M/I/C EH PR//UKCA
MATERIAL Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: HDry. Protective toe cap: Glass fibre.



FOOTWEAR



ANKLE BOOT BERSERK LOKE EH 0-1240-0-10

Electrically insulating. Water resistant and breathable ankle boots in a modern design, quick lacing system with smart tightening mechanism, full grain leather upper and light and soft rubber/PU outsole. Very comfortable boots with excellent anti-slip properties as well as energy absorption and return.

COLOR 10 Black
SIZE 36-47
STANDARD EN ISO 20345:2022, SB FO E PL WR HRO SR//ASTM F2413-18 M/I/C EH PR//UKCA
MATERIAL Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: Waterproof HDry. Protective toe cap: Glass fibre.



SHOE BERSERK TYR EH 0-1250-0-10

Electrically insulating. Water resistant and breathable shoes in a modern design, quick lace system with smart tightening mechanism, full grain leather upper and light and soft rubber/PU outsole. Very comfortable shoes with excellent anti-slip properties as well as energy absorption and return.

COLOR 10 Black
SIZE 36-47
STANDARD EN ISO 20345:2022, SB FO E PL WR HRO SR//ASTM F2413-18 M/I/C EH PR//UKCA
MATERIAL Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: Waterproof HDry. Protective toe cap: Glass fibre.



BOOT BERSERK BORG 0-75-955-10

Comfortable boots with 3D mesh with breathable fabric lining and side zip and lacing. The boots offers good anti-slip and shock absorbing properties. 100% metal free.

COLOR 10 Black
SIZE 36-47
STANDARD EN ISO 20345:2022, S3L HRO, FO, CI, SR, ESD//ASTM F2413-18 M/I/C SD 35 PR//UKCA
MATERIAL Upper material: PU-coated leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Lining: 3D Mesh fabric. Protective toe cap: Glass fibre.



ANKLE BOOT BERSERK BURR 0-75-957-10

ESD-approved ankle boots with 3D mesh with breathable fabric lining and lacing. Very comfortable boots with good anti-slip and supporting properties.

COLOR 10 Black
SIZE 36-47
STANDARD EN ISO 20345:2022, S3L HRO, FO, CI, SR, ESD//ASTM F2413-18 M/I/C SD 35 PR//UKCA
MATERIAL Upper material: PU-coated leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Lining: 3D Mesh fabric. Protective toe cap: Glass fibre.



FORMA

The protective shoe collection consists of models in a conventional design with materials of the utmost quality. The safety shoes look like casual shoes.

Forma is a well-known shoe brand founded in 1906, when Th. Svendsen shoe factory was established and since then taken over by Wenaas in 1999. Forma was Norway's leading shoe manufacturer and the first company to produce protective footwear. The factory was the first in the world to produce a soft nail sole and was also awarded the standard "Good Design". We have now re-established the brand Forma.



A classic ankle boot with an American design

A great American-style boot in grained Italian leather. Soft and comfortable sole with a metal-free nail sole and a soft edge at the top makes this shoe an instant favourite. Slip resistant rubber outer sole and good ankle support.

Bakken – with "pull on"-loop.

HDry water-proof system. Membrane "sock" inside the boot that ensures that you can't feel the seams and parts of the boot, thus improving the level of comfort. You are guaranteed dry feet with the sock, which ensures that no humidity is kept between the inner and outer material, and no seams prevent water from seeping in.



ANKLE BOOT FORMA HIBERNIA

0-6060-0-10

Ankle boots in a traditional design with a grained leather upper. The ankle boots have an iconic and flexible outer sole with good anti-slip properties and arch support, toe cap and soft puncture resistant mid-sole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2022, S3 HRO SRC, UKCA

MATERIAL Upper material: Full grain leather. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Aluminium.



BOOT FORMA BAKKEN

0-9060-0-50

Jackboots in a traditional design with upper in grained leather and water-proof membrane. The lightweight and flexible outer sole is iconic and provides a very good grip.

COLOR	50 Brown
SIZE	36-48
STANDARD	EN ISO 20345:2022, S3 HRO WR SRC, UKCA

MATERIAL Upper material: Full grain leather. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Aluminium.



VERNER

We have re-established the brand Verner. Verner was originally founded as Møre shoe factory in 1918 and was taken over by Wenaas in 2002. Lightweight and quality materials were important when developing this collection. The collection consists of models suitable for work in service industries, warehouses and the craft industry.

This shoe collection puts the sole centre stage!

Our sporty protective shoe collection, Verner, consists of five different models. Verner Stealth, Phantom S3 and Virgo S1P have a specially developed PU sole, which is particularly well suited for slippery floors. The outer sole has a big contact surface and good grip on wet and smooth floors.

The sole performed very well on the slip safety test on the new EN 20345 standard.



SANDAL SHOE VERNER STEALTH

0-14203-0-10

Shoe with open side panels in a sportive design with microfiber and textile upper and side mounted quick lacing system. Light and soft PU / PU outsole with good anti-slip properties. Arch support for stability. Metal-free composite toe cap. Soft metal-free puncture resistance offers a light and very flexible outsole. Removable Work comfort EVO insole.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2022 SB PL A E FO SR ESD//UKCA
MATERIAL	Upper: Microfiber. Outsole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. For: 3D Air mesh. Protective toe: Composite.

Soft and metal-free toe cap and nail tread protection

Sporty design with upper of microfiber and textile





SHOE VERNER PHANTOM 0-14202-0-10

Sporty shoe with a microfibre upper and a quick lacing system which makes it easy and quick to take on and off the shoes. Lightweight and metal-free shoes with a soft puncture resistant mid-sole making the shoes very comfortable. Comfortable, removable Work Comfort EVO insole.

COLOR 10 Black
SIZE 35-48
STANDARD EN ISO 20345:2011, S3 SRC, UKCA

MATERIAL Upper material: Microfibre. Outer sole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.



SHOE VERNER VIRGO 0-14201-0-10

Sporty shoe with a textile upper. ESD-approved, lightweight and metal-free shoe with a soft puncture resistant mid-sole making the shoes very comfortable. Comfortable, removable Work Comfort EVO insole.

COLOR 10 Black
SIZE 35-48
STANDARD EN ISO 20345:2011, S1P SRC, UKCA

MATERIAL Upper material: Textile. Outsole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.



SHOE VERNER CALYPSO 0-14200-0-10

Traditional shoes in a modern design with a microfiber upper. ESD-approved, lightweight and metal-free with a soft puncture resistant mid-sole making the shoes very comfortable. Comfortable, removable Work Comfort EVO insole.

COLOR 10 Black
SIZE 35-48
STANDARD EN ISO 20345:2011, S3 SRC, UKCA

MATERIAL Upper material: Microfibre. Outsole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.



ANKLE BOOT VERNER SCOTIA 0-14300-0-10

Traditional ankle boot in a modern design with a microfiber upper. ESD-approved, lightweight and metal-free with a soft metal-free puncture resistant mid-sole making the ankle boot very comfortable. Comfortable, removable Work Comfort EVO insole.

COLOR 10 Black
SIZE 35-48
STANDARD EN ISO 20345:2011, S3 SRC, UKCA

MATERIAL Upper material: Microfibre. Outer sole: PU/PU. Puncture resistance: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.



PANACEA

The Panacea - safety shoe collection has been developed to meet your requirements for both safety and comfort. We have combined advanced technology and first-class materials to give you safety shoes with a tough and modern look, perfect for both work and leisure.

The collection consists of low shoes, ankle boots and boots made of full grain LWG certified leather. In addition to looking good, the leather is durable and produced in an environmentally friendly way.

From the Panacea range, you can choose between quick-lock models, Challenger Zip, for ease of use or lacing for extra adjustability. The Panacea boot has both lacing and a side zipper, so you can adjust the fit to your foot and ankle. The collection even includes a "pull-on" boot.

The Vibram outsole is designed to give you maximum grip so you can feel confident wherever you go and with the fiberglass toe cap you can be sure your feet are protected from falling objects. In addition, there is a soft puncture resistant mid-sole.

in the shoe collection that gives you a secure sole against penetration while not preventing your foot from easily rolling over the ground when you walk.

For increased comfort, Panacea safety shoes have a 3D mesh lining that provides good moisture absorption, so that your feet feel dry and fresh all day.

Vibram® rubber outsole with slip resistance properties

3D mesh lining

Quick-lacing system

Full grain quality LWG certified leather

TPU heel protector

Non metallic, soft puncture resistant mid-sole



BOOT PANACEA CHALLENGER WP

0-2163-0-50

Boot in high quality crazy horse full grain leather with waterproof membrane and screw lacing. The boot has a good stable and slip-resistant Vibram® rubber outsole with a soft PU midsole. PU toe protector and TPU heel protector give the boot a increased longevity. Protective toecap made of fiberglass and soft, metal-free puncture resistant mid-sole. The boot has a 3D mesh lining with good moisture absorption. Removable insole.

COLOR 50 Brown

SIZE 37-48

STANDARD EN ISO 20345:2022, S7L HRO FO SR.

MATERIAL Upper: Full grain leather. Lining: Textile 3D mesh/Waterproof membrane. Outsole: Vibram® rubber/PU. Safety Toe Cap: Fiberglass. Puncture resistant mid-sole: Soft.

Waterproof membrane

PU toecap protector

Fiberglass toecap





SHOE PANACEA APOLLO 2152

0-2152-1-10

Shoes in full-grain leather, fiberglass protective toe, soft puncture resistant mid-sole and PU/PU outsole with good anti-slip properties. The shoe has a PU toe protector and TPU heel protector which gives the shoe a longer life. Comfortable 3D mesh lining with good moisture absorption. Removable insole.

- COLOR** 10 Black
- SIZE** 36-48
- STANDARD** EN ISO 20345:2022, S3L FO SR.
- MATERIAL** Upper: Full grain leather. Lining: 3D mesh textile. Outsole: PU/PU. Safety Toe Cap: Fiberglass. Puncture resistant mid-sole: Soft.



ANKLE BOOT PANACEA APOLLO 2154

0-2154-1-10

Ankle boot in full-grain leather, fiberglass protective toe, soft puncture resistant mid-sole and PU/PU outsole with good anti-slip properties. The shoe has a PU toe protector and a TPU heel protector, which gives the shoe a longer life. Comfortable 3D mesh lining with good moisture absorption. Removable insole.

- COLOR** 10 Black
- SIZE** 36-48
- STANDARD** EN ISO 20345:2022, S3L FO SR.
- MATERIAL** Upper: Full grain leather. Outsole: PU/PU. Lining: Textile 3D mesh. Safety Toe Cap: Fiberglass. Puncture resistant mid-sole: Soft.



BOOT PANACEA CHALLENGER ZIP

0-2162-0-50

Boot in full-grain leather with laces and zip for easy on and off. Anti-slip PU/PU outsole, fiberglass protective toe and soft soft puncture resistant mid-sole. PU toe protector and TPU heel protector give the boot a longer life. Comfortable 3D mesh lining with good moisture absorption. Removable insole.

- COLOR** 50 Brown
- SIZE** 36-48
- STANDARD** EN ISO 20345:2022, S3L FO SR CI.
- MATERIAL** Upper: Full grain leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Fiberglass. Puncture resistant mid-sole: Soft.



BOOT PANACEA PULL ON

0-2166-0-50

Boot in full-grain leather. The model has an anti-slip PU/PU outsole, fiberglass toe cap, soft puncture resistant mid-sole, and PU toe protector for extended durability. Removable insole.

- COLOR** 50 Brown
- SIZE** 37-48
- STANDARD** EN ISO 20345:2022, S3L FO SR.
- MATERIAL** Upper: Full grain leather. For: Textile 3D mesh. Outsole: PU/PU. Protective toe: Fiberglass. Puncture resistant mid-sole: Soft.



A heavyweight disguised as a lightweight



Comfort:

- Excellent cushioning and correct height prevents ankle sprain.
- Easy to take on and off with laces, zipper on the side and loop on the heel
- Lightweight

Safety:

- Electric isolating special sole up to 18,000 Volt
- Highest protective level against welding angle grinding
- Very good grip and slip resistant properties

Protection against high voltage makes Lithium an excellent choice also for people working on railroads or other environments with live electricity. Fully covering coat and intelligent seam solutions prevent melted metal, cement, oil and spillage from attaching to the shoes, and it is easy to rinse the shoes without damaging the zipper and shoe laces.

MOLTEN METAL BOOT LITHIUM SB

0-5203-112-10

Comfortable boots that provide excellent protection against high temperatures and melted metal. Isolation against electricity of up to 18,000V and heat-protective thread in the seams. Coat that covers front laces and side zip with soft protection above the instep.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, SB P E FO M WRU HRO AL HI-3 SRC, testet iht. EH ASTM F2413-11.
MATERIAL	Upper material: Full grain leather. Outer sole: Rubber/ PU. Puncture resistant mid-sole: Soft. Lining: Fabric. Protective toe cap: Aluminium.





SHOE MONZA S1P 0-3300-351-10

Sturdy shoes with a breathable fabric upper. With its cool design, sleek toe cap and lightweight design, this shoe neither feels nor looks like a typical safety shoe.

COLOR 10 Black
SIZE 38-48
STANDARD EN ISO 20345:2011, S1 P ESD SRC
MATERIAL Upper material: Fabric. Outer sole: PU/PU. Puncture resistant mid-sole: Soft. Lining: Fabric. Protective toe cap: Aluminium.



SHOE SPIDER S3 0-72-820-10

Shoe with upper in microfiber, with contrast colors. Lace system with smart tightening mechanism. TPU/PU sole with good cushioning. Aluminum toe cap for better protection and slimmer design. Soft puncture resistant mid-sole. ESD approved. Wenaas Workpro sole system from Currex, is approved for use with this style. Removeable insole. Supplied with additional pair of laces.

COLOR 10 Black
SIZE 37-48
STANDARD EN ISO 20345:2011, S3 ESD SRC
MATERIAL Upper: Microfiber. Lining: Dri-Tex textile. Outsole: TPU/PU. Safety Toe Cap: Aluminium. Puncture resistant mid-sole: Soft.



SHOE PRO RUN S3 0-76-850-10

Waterproof and breathable sturdy shoes with a W-TEX membrane lining. Lightweight, stable and sporty sole with arch support, made of PU/PU material for a good grip. A-Top lace system makes it easy to take shoes on and off.

COLOR 10 Black
SIZE 36-48
STANDARD EN ISO 20345:2011, S3 WR SRC.
MATERIAL Upper material: Microfibre, polyamide. Outer sole: PU/PU. Puncture resistant mid-sole: Soft. Lining: W-TEX membrane. Protective toe cap: Composite



CLOG MUNIN & HUGIN SB 0-8522-0-40/10

Classic and comfortable clogs with protective toe cap and reversible heel latch. Wide fit with ventilation holes on the sides.

COLOR 40 White, 10 Black
SIZE 35-48
STANDARD EN ISO 20345:2011, SB SRC.
MATERIAL Upper material: PU-leather. Outer sole: PU. Lining: fabric/leather. Protective toe cap: Steel.



CLOG EMBLA & ASK OB 0-8523-0-40/10

Classic clogs with PU-leather upper and oil-resistant outer sole. Wide fit model, ventilation holes and padded footbed provides comfort. Reversible heel strap makes the clog extra comfortable. Suitable for work in laboratories, medical offices, and the food-processing industry.

COLOR 40 White, 10 Black
SIZE 35-48
STANDARD EN ISO 20347:2012, OB FO SRC.
MATERIAL Upper material: PU-leather. Outer sole: PU. Lining: fabric/leather.



LEOPARD

High quality collection from the German brand Leopard. The models come with a specially developed and designed sole from MegaStampi. The broad sole is made of very soft PU and has an asymmetrical aluminium toe cap. Altogether, this provides for very comfortable shoes for those who need ergonomic models.

The collection consists of two shoes and one pair of ankle boots with the latest sole technology from Desma MSI, which includes additional cushioning material. The broad soles are made of very soft PU and have an asymmetrical aluminium toe cap, which make the models roomy and comfortable.

For those in need of extra large sizes, we have models in the Leopard collection that go up to size 54. If you need these large sizes, contact us.



ANKLE BOOT LEOPARD 1430 S3

0-1430-0-10

Comfortable ankle boots with a wide fit, made of soft leather and A-Top lace system for taking boots on and off quickly and easily. The ankle boots are wide and comfortable due to the asymmetrical toe cap. The model has shock absorption system build into the outsole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 SRC.
MATERIAL	Upper material: Full grain leather. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft. Lining: Fabric. Protective toe cap: Aluminium.



SHOE LEOPARD 1431 S3

0-1431-0-10

Comfortable shoes with a wide fit, made of soft leather and A-Top lace system for taking shoe on and off quickly and easily. The shoe has a wide fit and are comfortable due to the asymmetrical toe cap. The model has an extra shock absorption system build into the outsole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 SRC.
MATERIAL	Upper material: Full grain leather. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft. Lining: Fabric. Protective toe cap: Aluminium.



SHOE LEOPARD 1673 S1P

0-1673-0-10

Sporty shoes with with microfibre and fabric upper. The shoe has a wide fit and are comfortable due to the asymmetrical toe cap. The model has an extra shock absorption system build into the outsole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S1P SRC.
MATERIAL	Upper material: Microfibre/fabric. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft. Lining: Fabric. Protective toe cap: Aluminium





SHOE NO RISK PEGASUS S1P 0-1249-0-10

Protective shoe model with the best of two worlds - safety and comfort. Easy to take on and off with the help of the A-Top Quick-lacing system. The shoe has a sturdy EVA midsole that provides excellent shock absorption, as well as a slip-resistant rubber outsole.

COLOR 10 Black
SIZE 39-47
STANDARD EN ISO 20345:2011, S1P SRC ESD.
MATERIAL Upper: Textile. Outsole: Rubber/EVA. Puncture resistant mid-sole: Soft. Lining: Textile. Safety Toe Cap: Composite.



ANKLE BOOT NO RISK CENTAURUS 0-1049-1-10

The Centaurus model has the best of two worlds - safety and comfort. Easy to wear with our quick tighten system, it also carries the EVA sole, paired with energy absorption technology. 100% metalfree

COLOR 10 Black
SIZE 39-47
STANDARD EN ISO 20345:2011, S1P ESD SRC.
MATERIAL Upper: Textile. Lining: Textile. Outsole: Rubber/EVA. Safety Toe Cap: Composite. Puncture resistant mid-sole: Soft.



SANDAL JOHN S1P 0-1100-5203-10

Lightweight and sporty sandal in a modern design. Comfortable footbed due to the padded and breathable inner sole.

COLOR 10 Black
SIZE 35-48
STANDARD EN ISO 20345:2011, S1P SRC.
MATERIAL Upper material: Suede. Outer sole: PU/PU. Puncture resistant mid-sole: Soft. Lining: Fabric Protective toe cap: Composite.



SHOE EXENA CUBA S1P 0-1272-1205-50

Lightweight shoes with a wide fit with leather upper and a comfortable PU sole. The shoes are metal-free and antistatic.

COLOR 50 Brown
SIZE 35-48
STANDARD EN ISO 20345:2011, S1 P SRC.
MATERIAL Upper material: Suede. Outer sole: PU/PU. Puncture resistant mid-sole: Soft. Lining: Fabric. Protective toe cap: Composite.



FOOTWEAR



LACE BOOT PHOENIX ZIPPER

0-1472-1205-10

Lace boot with side zipper opening. Upper of leather. Comfortable sole of PU/PU. Lightweight, spacious, non-metallic and antistatic. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR 10 Black

SIZE 39-48

STANDARD EN ISO 20345:2011, S3 SRC.

MATERIAL Upper: Leather. Outsole: PU/PU. Puncture resistant mid-sole: Soft. Lining: Textile. Protective toe cap: Composite.



ANKLE BOOT VICTORIA S3 SRC

0-1371-1205-10

Lightweight ankle boots with a wide fit with a leather upper and comfortable fabric lining. Suitable for professions that require ankle-high footwear.

COLOR 10 Black

SIZE 35-48

STANDARD EN ISO 20345:2011, S3 SRC.

MATERIAL Upper material: Leather. Outsole: PU/PU. Puncture resistant mid-sole: Soft. Lining: Fabric. Protective toe cap: Composite.



SHOE EXENA HAMILTON S3 SRC

0-1271-1205-10

Lightweight shoes with a wide fit with a leather upper and comfortable fabric lining. Suitable for professions that require S3 footwear.

COLOR 10 Black

SIZE 35-48

STANDARD EN ISO 20345:2011, S3 SRC.

MATERIAL Upper material: Leather. Outer sole: PU/PU. Puncture resistant mid-sole: Soft. Lining: Fabric. Protective toe cap: Composite.



LACE BOOT TORONTO S3 CI

0-1471-1205-10

Boots with fur lining and laces. The boots are lightweight and have a wide fit, and will keep you warm and comfortable during the winter.

COLOR 10 Black

SIZE 35-48

STANDARD EN ISO 20345:2011, S3 CI SRC.

MATERIAL Upper material: Leather. Outer sole: PU/PU. Puncture resistant mid-sole: Soft. Lining: Fur. Protective toe cap: Composite.



BOOT EXENA TERRANOVA S3 CI SRC

0-1571-1205-10

Lightweight and comfortable winter boots with fur lining. Easy to put on with loops on the sides. Removeable insole.

COLOR 10 Black

SIZE 35-48

STANDARD EN ISO 20345:2011, S3 CI SRC.

MATERIAL Upper material: Leather. Outer sole: PU/PU. Puncture resistant mid-sole: Soft. Lining: Fur. Protective toe cap: Composite.



BOOT EXENA TERRANOVA S3 SRC

0-1671-1205-10

Rigger boot without lining. Comfortable PU/PU sole. Light, roomy, metal-free and antistatic boot with composite toe cap and soft puncture resistance. Removeable insole.

COLOR 10 Black

SIZE 35-48

STANDARD EN ISO 20345:2011, S3 SRC.

MATERIAL Upper material: Leather. Outsole: PU/PU. Puncture resistant mid-sole: Soft. Protective toe cap: Composite.



0-6432-0-10 ANKLE BOOT ASPHALT PRO

Comfortable tarmac ankle shoes for work on warm asphalt for over an hour without any health or safety risks. The ankle boots are suitable for tarmacking and protect against heat and do not leave foot prints.

COLOR 10 Black
SIZE 39-48
STANDARD EN ISO 20345:2011, S2 HI CI HRO.
MATERIAL Upper material: Full grained leather. Outer sole: Rubber/PU. Lining: Leather. Protective toe cap: Steel.



0-6210-0-10 ANKLE BOOT NORA HYBRID SH

Ankle boot with PU rand. Composite toe cap and soft anti-puncture protection. Rubber/PU outer sole. Removable insole.

COLOR 10 Black
SIZE 39-47
STANDARD EN ISO 20345:2011, SH CI SRC.
MATERIAL Upper: PU and fabric. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft. Lining: fabric. Protective toe cap: Composite.



0-1330-1105-10 ANKLE BOOT WELDING LIPARI S3

Welder boots in a robust design with a leather upper. Protective cover in front and sturdy rubber/PU outer sole with extra protection, anti-static, oil and heat-resistant. Comfortable, antistatic, padded insole.

COLOR 10 Black
SIZE 38-47
STANDARD EN ISO 20345:2011, S3 HRO SRC.
MATERIAL Upper material: Leather. Outer sole: Rubber/PU. Lining: Fabric. Puncture resistant mid-sole: Soft. Protective toe cap: Composite.





BOOT PU TECHNO JOBMASTER+ S5

0-9503-0-15

An allround high PU-boot that can be folded. Good cushioning and light-weight ensure high comfort. The boot withstands minerals, animal oils, plantoils and fat, disinfectants, fertilizer, solvents and different chemicals.

COLOR	15 Green
SIZE	36-49
STANDARD	EN ISO 20345:2011, S5 SRC.
MATERIAL	Upper material: PU. Outer sole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Protective toe cap: Composite.



BOOT PU TECHNO RIGGER S5

0-9502-0-10

An allround PU-boot. Good cushioning and light weight ensure high comfort. XtremeGrip TPU/PU sole. The boot withstands minerals, animals, plantoils and fat, disinfectants, fertilizer, solvents and different chemicals.

COLOR	10 Black
SIZE	36-49
STANDARD	EN ISO 20345:2011, S5 SRC.
MATERIAL	Upper material: PU. Outer sole: PU/PU. Puncture resistant mid-sole: Steel. Protective toe cap: Steel.



BOOT PU TECHNO THERMO S5

0-9600-0-15

Thermos boots in PU, isolate up to -50 C. Tall model that can be folded. Good cushioning and light weight ensure high comfort. Boots with UltraGrip PU sole. The boot withstands minerals, animals- and, plantoils, fat, disinfectants, fertilizer, solvents and different chemicals.

COLOR	15 Green
SIZE	39-48
STANDARD	EN ISO 20345:2011, S5 CI SRC.
MATERIAL	Upper material: PU. Outsole: PU. Puncture resistant mid-sole: Soft, metal-free. Protective toe cap: Composite.



0-9501-0-40 BOOT PU TECHNO JOBMASTER S4

An allround high PU-boot that can be folded. Good cushioning and light-weight ensure high comfort. The boot withstands minerals, animal oils, plantoils and fat, disinfectants, fertilizer, solvents and different chemicals.

COLOR 40 White
SIZE 36-49
STANDARD EN ISO 20345:2011, S4 SRC.
MATERIAL Upper material: Leather. Outer sole: PU/PU. Puncture resistant mid-sole: Steel. Protective toe cap: Steel.



0-9505-0-15 BOOT PVC ARISAN S5

Allround boots in PVC. High model, good cushioning and light weight ensure high comfort.

COLOR 15 Green
SIZE 37-47
STANDARD EN ISO 20345:2011, S5 SRC.
MATERIAL Upper material: Leather. Outer sole: PU. Puncture resistant mid-sole: Steel. Protective toe cap: Steel.



0-9506-0-30 BOOT DEVIL YELLOW S5 SRC

High model in PVC/Nitril, which provides good protection against chemicals. Good cushioning and light weight ensure high comfort.

COLOR 30 Yellow
SIZE 36-48
STANDARD EN ISO 20345:2011, S5 SRC.
MATERIAL Upper material: PVC/Nitril. Outer sole: PVC/Nitril. Puncture resistant mid-sole: steel. Lining: Polyester. Protective toe cap: Steel.



FOOTWEAR

0-1028-8701-10 CLOG LILAC 20 SB

Lightweight and comfortable clogs with heel latch and upper in a breathable texfiber. The clogs can be washed in the washing machine, making them suitable for a number of different professions

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, SB E A ESD SRC.
MATERIAL	Upper material: Texfiber. Outer sole: PU. Lining: Fabric. Protective toe cap: Composite.



0-1029-8701-40 CLOGG CHERRY 20 SB

Lightweight and comfortable clogs with heel latch and upper in a breathable texfiber. These shoes are ideal for people who work in a profession that requires the use of white shoes. Can be machine washed.

COLOR	40 White
SIZE	35-48
STANDARD	EN ISO 20345:2011, SB E A ESD SRC.
MATERIAL	Upper material: Texfiber. Outer sole: PU. Lining: Fabric. Protective toe cap: Composite.



0-1611-4204-40 SLIP ON SHOE GIADA 20 S2

Lightweigh moccasin with stylish, blue contrasting details. The upper is breathable and water-repellent with microfibre. These shoes are ideal for people who work in a profession that requires the use of white shoes. Can be machine washed.

COLOR	40 White
SIZE	36-48
STANDARD	EN ISO 20345:2011, SRC S2.
MATERIAL	Upper material: Microfibre. Outer sole: PU/PU. Lining: Breathable fabric. Protective toe cap: Composite.





Quality, comfort and safety since 1916. The J alas collection is sporty and the shoes could easily be mistaken for casual shoes. However, the models have been created with the utmost thought on safety, quality and comfort. Some of J alas’ models are also available in sizes up to 50.



SHOE JALAS 7128 ZENIT EVO S1P 0-7128-0-10

ESD-approved, lightweight and sporty shoes with a knitted fabric upper and plastic parts for additional protection against wear and tear. The shoes are comfortable with a wide fit.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, S1P SRC.
MATERIAL	Upper material: Knitted fabric. Outer sole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: Fabric. Protective toe cap: Aluminium.



SHOE JALAS 7168 ZENIT EVO S3 0-7168-0-10

ESD-approved, lightweight and sporty shoes with a knitted fabric upper and plastic parts for additional protection against wear and tear. The shoes are comfortable with a wide fit and are quick to take on and off with the BOA®-lace system.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, S3 ESD SRC.
MATERIAL	Upper material: Knitted fabric. Outer sole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: Fabric. Protective toe cap: Aluminium.



SHOE JALAS 9965 EXALTER S3 0-9965-0-10

ESD-approved shoes with a microfibre and fabric upper. Lightweight with a wide fit and easy to take on and off with the BOA® lace-system. Suitable for use in places where there is a risk of stepping on sharp objects.

COLOR	10 Black
SIZE	34-47
STANDARD	EN ISO 20345:2011, S3 ESD SRC.
MATERIAL	Upper material: Microfibre/fabric. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: Fabric. Protective toe cap: Aluminium.



FOOTWEAR



BOOT JALAS GP BOA 1508

0-1508-0-10

The safety boot is made for really demanding conditions. It has an extra wide fit, technical lining fleece and BOA Fit System. In terms of safety features, it features the FX2 Pro insole Poron XRD for shock absorption, nitrile rubber outsole for excellent grip on cold or slippery surfaces, a stabilizing foot arch for secure grip on ladders, steel nail tread protection and aluminum toe cap.

COLOR 10 Svart
SIZE 35-50
STANDARD EN ISO 20345:2011, S3 CI HRO SRC ESD.
MATERIAL Upper: PU coated leather. Lining: Textile. Outsole: Gummi/PU. Safety Toe Cap: Aluminium. Puncture resistant mid-sole: Steel.



ANKLE BOOT JALAS 1678W

0-1678-0-10

Durable and comfortable mid-cut welding boot with Thinsulate™ lining for extra heat protection, certified in compliance with EN 20349-2. The leather upper is PU-coated and the Kevlar® thread in the seams resists 427° C short-term heat exposure (max operating limit) and 204° C longer-term heat exposure (constant operating limit). The oil and heat-resistant nitrile outer sole means excellent grip and JALAS® aluminium toe cap, PTC-textile nail penetration and double impact protection zones in PORON® XRD® help prevent injuries.

COLOR 10 Black
SIZE 35-50
STANDARD EN ISO 20345:2011, S3 ESD SRC.
MATERIAL Upper: PU coated leather. Lining: Textile. Outsole: rubber/PU. Safety Toe Cap: Aluminium. Puncture resistant mid-sole: Soft.



SHOE JALAS TIO 2068

0-2068-0-10

Soft and stable safety shoes that help prevent long-term injuries. TIO technology: 3-layer outsole from JALAS. Micro air bubbles inside the material make the shoes very light, soft and comfortable. The shoe provides extra stability, which is important to avoid muscle fatigue in the back.

COLOR 10 Black
SIZE 35-48
STANDARD EN ISO 20345:2011 S3, SRC, ESD.
MATERIAL Upper material: Microfiber/Textile. Outsole: PU. Lining: Textile. Toe cap: Aluminium. Puncture resistant mid-sole: Metalfree.



BOOT JALAS EXALTER GTX S3

0-9998-0-10

Winter boots with a grained leather upper, microfibre, and Gore-Tex water-proof membrane. Comfortable PU/rubber Vibram® sole with external plastic shank reinforcement. Lightweight with a good fit. Soft anti-puncture protection and aluminium toe cap. BOA® closure system for optimal adjustment. Removable insole.

COLOR 10 Black
SIZE 34-47
STANDARD EN ISO 20345:2011, S3 SRC WR HRO.
MATERIAL Upper: Grained leather, microfibre, and Gore-Tex membrane. Outer sole: Vibram® PU/Rubber. Puncture resistant mid-sole: Soft, metal-free. Protective toe cap: Aluminium,





SHOE JALAS 1738 ZENIT S3 **0-12503-1738-10**

Sturdy ESD-approved shoes with a good fit, PU-coated upper and PU/PU outer sole with good cushioning and arch support. BOA® lace system makes it easy to take shoes on and off. Suitable for use in places where there is a risk of stepping on sharp objects.

COLOR 10 Black
SIZE 38-47
STANDARD EN ISO 20345:2011, S3 ESD SRC.
MATERIAL Upper material: PU-coated leather. Outer sole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: Fabric. Protective toe cap: Aluminium.



SANDAL JALAS 3008 ZENIT S1P **0-3008-0-10**

ESD-approved sandal with PU-coated leather. Lightweight and breathable with a good fit. Quick to take off with three velcro fastenings. Suitable for use in places where there is a risk of stepping on sharp objects.

COLOR 10 Black
SIZE 36-47
STANDARD EN ISO 20345:2011, S1P ESD SRC.
MATERIAL Upper material: PU-coated leather. Outer sole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: Fabric, PU-coated leather. Protective toe cap: Aluminium.



BOOT 6 JALAS 7178 ZENITEVO S3 **0-7178-0-10**

ESD-approved, lightweight and sporty ankle boots with a knitted fabric upper and plastic parts for additional protection against wear and tear. The ankle boots are comfortable with a wide fit and are quick to take on and off with the BOA®-lace system.

COLOR 10 Black
SIZE 35-48
STANDARD EN ISO 20345:2011, S3 ESD SRC.
MATERIAL Upper material: Knitted fabric. Outer sole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: Fabric. Protective toe cap: Aluminium.



BOOT 6 JALAS 9985 EXALTER S3 **0-9985-0-10**

ESD-approved shoes with a microfibre and fabric upper. Lightweight with a wide fit and easy to take on and off with the BOA® lace- system. Suitable for use in places where there is a risk of stepping on sharp objects.

COLOR 10 Black
SIZE 34-47
STANDARD EN ISO 20345:2011, S3 ESD SRC.
MATERIAL Upper material: Microfibre/fabric. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: Fabric. Protective toe cap: Aluminium.



FOOTWEAR



BOOT 6 JALAS 1828 JUPITER S3 **0-1828-0-10**

Sturdy ESD-approved ankle boots with a PU-coated leather upper. Very comfortable due to the great fit. Suitable for use all year-round; in demanding environments and in places where there is a risk of stepping on sharp objects.

COLOR	10 Black
SIZE	35-50
STANDARD	EN ISO 20345, S3 HI CI HRO ESD SRC.
MATERIAL	Upper material: PU-coated leather. Outer sole: Rubber/PU. Puncture resistant mid-sole: Steel. Lining: Fabric. Protective toe cap: Aluminium,



BOOT 6 JALAS 1718 ZENIT S3 **0-1718-0-10**

Sturdy ESD-approved ankle boots with a good fit, PU-coated upper and PU/PU outer sole with good cushioning and arch support. Comfortable with a wide fit and are quick to take on and off with the BOA®-lace system. Suitable for use in places where there is a risk of stepping on sharp objects.

COLOR	10 Black
SIZE	36-47
STANDARD	EN ISO 20345:2011, S3 ESD SRC.
MATERIAL	Upper material: PU-coated leather. Outer sole: PU/PU. Puncture resistant mid-sole: Steel. Lining: Fabric. Protective toe cap: Aluminium.



BOOT 8 JALAS 1878 OFFROAD S3 **0-1878-0-10**

Sturdy ESD-approved ankle boots with a PU-coated leather upper. Very comfortable due to the great fit. Suitable for use all year-round; in demanding environments and in places where there is a risk of stepping on sharp objects.

COLOR	10 Black
SIZE	35-50
STANDARD	EN ISO 20345:2011, S3 HI CI HRO ESD SRC.
MATERIAL	Upper material: PU-coated leather. Outer sole: Rubber/PU. Puncture resistant mid-sole: Steel. Lining: Fabric. Protective toe cap: Aluminium.



BOOT JALAS ICE TRACK S3 **0-1808-0-10**

Triple-layered lining with zip and laces for very cold climates. PU-coated leather upper protects and keeps feet warm and comfortable throughout the day. The outer sole in nitrile withstands both oil and heat and provides a good grip, while the aluminium toe cap from Jaldas®, plasma-coated puncture protection and double cushioning Poron® XRD® prevent injuries.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 SRC CI HRO.
MATERIAL	Upper material: PU-coated leather. Outer sole: Rubber/PU. Puncture resistant mid-sole: Soft. Lining: Aluminium foil, Meida® thermo isolation, polyester fur. Protective toe cap: Aluminium





BOOT JALAS HEAVY DUTY GTX S3 0-1398-0-10

Winter boots with a grained leather and fabric upper and Gore-Tex water-proof membrane. The boots have an extra warm fur lining, which isolates against cold temperatures. Comfortable Vibram® Arctic Grip Pro PU/rubber sole, which gives a good grip on wet snow and ice. Wide fit with a soft puncture protection and. Composite toe cap and a double BOA® ace system for perfect adjustment. Removable insole.

COLOR 10 Black
SIZE 35-48
STANDARD EN ISO 20345:2011, S3 SRC WR CI HRO.
MATERIAL Upper material: Full grain leather, Gore-Tex membrane. Outer sole: PU/Rubber. Puncture resistant mid-sole: Soft, metal-free. Lining: Fur. Protective toe cap: Composite.



ANKLEBOOT JALAS EXALTER GTX S3 0-9988-0-10

Ankle boots with a microfibre and Gore-Tex water-proof membrane upper and comfortable PU/rubber Vibram® sole with arch support. Lightweight, wide fit and quick to take on an off with the BOA® lace system. Suitable for wear on humid and wet work environments.


COLOR 10 Black
SIZE 34-47
STANDARD EN ISO 20345:2011, S3 SRC WR HRO.
MATERIAL Upper material: Microfibre, Gore-Tex membrane. Outer sole: Vibram® PU/Rubber. Lining: Fabric. Puncture resistant mid-sole: Soft, metal-free. Protective toe cap: Aluminium.



SAFETY SHOE JALAS 1550 LOW S2 0-1550-2-10

ESD-approved moccasin, safety shoes with outer sole in rubber and PU-coated leather upper. Broad fit suitable for people with broad feet.

COLOR 10 Black
SIZE 36-48
STANDARD EN ISO 20345:2011, S2, SRC, HRO, CI.
MATERIAL Upper material: PU-coated leather. Outer sole: PU/Rubber. Lining: Cambrelle®, polyester. Protective toe cap: Aluminium.







SOLE WENAAS WORKCOMFORT EVO 0-9003-1000-98

Insole provides good cushioning, which provides support during static and dynamic work. The sole is extra thick where the ball hits the sole for extra comfort. Material ensures humidity absorption and sole to dry quickly. Sole and packaging made from recycled material. Machine washable sole

COLOR 98 Assorted
SIZE 36-48
MATERIAL Recycled open cell foam.



INSOLES WORK COMFORT 0-81-293-45

Wenaas Work Comfort double gel ESD-sole with excellent cushioning effect. Prevents tiredness and soreness in feet and specially developed for work shoes worn throughout the day. Sole has cutting lines to adjust the size.

COLOR 45 Royal Blue
SIZE 36-39-46-48
MATERIAL Antistatic PU. Blue gel cushion. Blue antistatic fabric.



WORKPRO INSOLES LOW 0-9000-1000-98

ESD-insole for static and dynamic work with adaption for individual foot arch support. The sole is designed for low foot arch. Ergonomic design for increased comfort.

COLOR 98 Assorted
SIZE 36-37-48-49
MATERIAL High Performance Fiber.



INSOLE WORKPRO MEDIUM 0-9001-1000-98

ESD-insole for static and dynamic work with adaption for individual foot arch support. The sole is designed for medium to high arch. Ergonomic design for increased comfort.

COLOR 98 Assorted
SIZE 36-37-48-49
MATERIAL High Performance Fiber.



WORKPRO INSOLES HIGH 0-9002-1000-98

ESD-insole for static and dynamic work with adaption for individual foot arch support. The sole is designed for a high foot arch. Ergonomic design for increased comfort.

COLOR 98 Assorted
SIZE 36-37-48-49
MATERIAL High Performance Fiber.



INSOLES LIBA SPORT 0-9025-1000-10

Thin and shock-absorbing insole in PU foam for all types of activities. Good support and stability Arneflex foam allows the shoe to breath and prevent sweat.

COLOR 10 Black
SIZE 35-47
MATERIAL PU.

FOOTWEAR



INSOLES FELT LIBA@WOOL

0-80-303-60

Wenaas in-sole in Liba@Wool with underside in reflective aluminium foil. Keeps feet warm and dry. Suitable for cold temperatures where good isolation is important. Can be cut to desired size. Pack of two.

COLOR 60 Grey
SIZE 35-48
MATERIAL Liba@Wool - 25% wool. 25% viscose. 50% polyester.



SHOE CREAM GLASS PREMIUM 50MM

0-8510-50-10

Black shoe polish that protects, nurtures and refreshes the shoe's natural color. Shoe cream for smooth leather. Contains a mixture of wax and lanolin, which both protects and nourishes the skin.

COLOR 10 Black
SIZE One Size
MATERIAL Wax and lanolin.



SHOE WAX SNO-SEAL 230ML

0-90514-0-98

Wax-based shoe and boots protecting wax with added beeswax and lanolin. Odourfree and long-lasting protection for smooth leather. Also suitable for seams and edges that are exposed to water.

COLOR 98 Assorted
SIZE One Size
MATERIAL Wax with beeswax and lanolin.



SHOE DEODORANT PEDAG

0-90507-1-98

Shoe deodorant with long-time effect. Lasts for up to 48 hours. Ideal for work, sport and walking shoes. Smart spray system that covers the shoe with one spray.

COLOR 98 Assorted
SIZE One Size
MATERIAL Shoe deodorant.



SPRAY PROTECTOR GO GREEN

0-9200-833-98

Transparent and protective spray for all types of material. Does not contain PFOS/PFOA. Size 250 ml. Package containing 6 pieces.

COLOR 98 Assorted
SIZE One Size
MATERIAL Transparent impregnation.



SHOE BRUSH

0-90600-0-98

Shoe brush that gives bright and polished shoes. Use both to apply and remove shoe cream. Package containing 10 pieces.

COLOR 98 Assorted
SIZE One Size
MATERIAL Polishing brush



LEATHERWAX BEEWAX NEUTR. 100ML 0-863-0-60

Leatherwax with beeswax that impregnates and nourishes leather and oiled nubuck. Keeps leather smooth and protects it against drying out. Suitable for robust sports, work and mountain shoes. Can also be used for climate membranes.

COLOR 60 Grey
SIZE One Size
MATERIAL Leatherwax with beeswax.



COLOR 10 Black
SIZE Bag/Pair
MATERIAL 100% Polyester/Leather.

ARTICLE NUMBER	DESCRIPTION	SUITABLE FOR
0-6-57100-10	Shoe Laces 100 cm 10Pck Pairs	10 pair of round, impregnated shoe laces for shoes.
0-6-57130-10	Shoe Laces 130 cm 10Pck Pairs	10 pair of round, impregnated shoe laces for ankle boots.
0-6-57160-10	Shoe Laces 160 cm 10Pck Pairs	10 pair of round, impregnated shoe laces for ankle boots.
0-6-57200-10	Shoe Laces 200 cm 10Pck Pairs	10 pair of round, impregnated shoe laces for ankle boots.
0-6-5030-10	Shoe Laces Leather 120cm	10 pairs of leather shoe laces for ankle boots.



FOOTWEAR



CRAMPON DIAMOND GRIP 0-9902-7000-98

Crampon Yaktrax Diamond Grip allows for an excellent grip in all types of conditions – for smooth surfaces to deep snow. Made of steel cable and hardened steel, combined with the patented diamond shapes that bite into the substrate. Comfortable for long-term use. Suitable for people who work on substrates such as stone, gravel, mud and concrete.

COLOR 98 Assorted
SIZE S-XL
MATERIAL Steel.



CRAMPON WALKING 0-9901-7000-10

Versatile TPE crampon that can be used in all conditions. Easy to put on and take off and provides a good grip on snow and ice Equipped with metal spikes – six in the front and four in the back.

COLOR 10 Black
SIZE S-XL
MATERIAL TPE.



CRAMPON 0-9900-7000-98

Crampon made of rubber that are easy to take on or off. Provides a good grip on snow and ice Equipped with metal spikes – four in the front and two in the back.

COLOR 10 Black
MATERIAL Rubber. Spikes: Metal.



SAFETY GALOSH MILL PREM PAIRS 0-9316-1500-10

Spacious, lightweight, and metal-free overshoe with a protective composite toe for use over regular shoes. Coated with TPU and equipped with an adjustable strap for securing it behind the heel. It can be washed using a soft brush or a damp cloth with soap.

COLOR 10 Black
SIZE 35-39-45-48
STANDARD Toe cap test: EN 12568, Sole test abrasion: EN 20344
MATERIAL TPU.



SHOE COVER TEXTILE WENAAS PAIR 0-9400-1300-10

Shoe covers in breathable and durable textile. Elastic edges for easy on and off. Anti-glide outer sole. Protects against water and dirt. Can be washed in lukewarm water and reused several times. These covers are therefore a good environmentally-friendly option.

COLOR 10 Black
SIZE L-XXXL
MATERIAL Polyester/cotton, 150 gr.



SHOE COVER 100PCK 0-75100-21060-45

Disposable shoe covers in CPE-plastic, 16". Thickness: 36 my. Suitable for use on construction sites, janitor services, laboratories and pharmacy. Weight: 4.4 g.

COLOR 45 Royal Blue
SIZE Bag
STANDARD EN 1186
MATERIAL CPE-plastic



METATARSAL PROTECTOR METGUARD 0-93-3500-10

Protects the foot's metatarsal area. Designed to compliment footwear with steel toe cap. Made of very durable and lightweight polycarbonate. Ties with laces or the additional stopper available for footwear without shoe-laces. Suitable for use on a number of work places in the industry sector, coal mining, construction sites, production, transport, lumbering, commodity trade and warehouse.

COLOR	10 Black
SIZE	PAIR
STANDARD	CE
MATERIAL	Polycarbonate



SHOE HORN PLASTIC BLACK 60CM 0-9300-3300-98

Shoe horn Plastic Black 60 cm The long shaft is practical when putting on shoes. The shoe horn is comfortable to hold, as well as user-friendly. Can be hung on the wall.

COLOR	98 Assorted
SIZE	One Size
MATERIAL	Plastic



TOE WARMER N-FERNO® 6992 PAIR 0-75601-6992-98

Heat pack that helps keep toes warm in cold conditions. Put the product in your shoes and remain warm for up to seven hours. Can also be used in mittens.

COLOR	98 Assorted
SIZE	PAIR
MATERIAL	Contains no harmful ingredients.



FOOT WARMER N-FERNO® 6995 PAIR 0-75602-6995-98

Heat pack that helps keep hands warm in cold conditions. Put the product in your shoes and remain warm for up to six hours. Footwarmer packages N-Ferno® with two self-adhesive soles. All ingredients become warm when exposed to oxygen. - Suitable for shoes or boots for size 41 and up. Do not cut.

COLOR	98 Assorted
SIZE	PAIR
MATERIAL	Contains no harmful ingredients.



FOOTWEAR MAINTENANCE

Dirt and humidity has little effect on maintained footwear. Proper maintenance is therefore important to keep comfort and extend durability. The footwear must stay clean, dry and neat over time. Here are some tips for taking care of your footwear:



CLEANING

The upper can be easily cleaned with a shoe brush or a damp cloth. Very dirty footwear can be washed in lukewarm soapy water and rinsed.

DRYING

Never dry the footwear close to a heating source, such as radiators and heating cabinets. The leather dries out, turns hard and can crack. For better ventilation, take out the insole and open the tongue.


LEATHER TREATMENT

Leather footwear should be polished with shoe cream, ideally followed by spray impregnation.

TEXTILE TREATMENT

Textile footwear should be impregnated with spray impregnation. Do not use products that contain fat or oils, as it reduces the breathing capabilities of the fabric. When breathability is reduced, the feet can become clammy and feel less comfortable.

SIZE GUIDE – WENAAS SHOES



1 Place a piece of paper on the floor – from the wall outwards.

2 Place one foot on the piece of paper with the heel pressed against the wall and mark the longest part of the foot on the piece of paper.

Do the same with the other foot. If there is a difference, use the longest measurement of the foot.

3 Measure with a ruler from the edge of the piece of paper to the line.

The length of the foot + overmeasure = length in mm as stated in the table. It means that if the foot is 282 mm long + 10 mm, you need a size 45.

EU	UK	US Man	US Women	mm
35	2,5	3	4	225
36	3	4	5	232
37	4	4,5	5,5	239
38	5	5	6	245
39	6	6	7	252
40	6,5	7	8	260
41	7	8	9	267
42	8	8,5	9,5	271
43	9	9	10	279
44	10	10	11	286
45	10,5	11	12	292
46	11	11,5	12,5	298
47	12	12	13	305
48	13	13	14	312

Symbol description

WENAAS SYMBOLS	EN-SYMBOL	DEFINITION
		Protective toe cap
	SC	Scuff cap – Abrasion test: 8000 repetitions with P180 paper
	LG	Ladder grip – defined heel at min. 1,5 mm.
	FO	Oil-withstanding outer sole
	E	Energy absorption in heel
	A	Anti-static footwear
	WRU	Water-repellant upper
	WPA	Water-repellant upper
	P	Nail-protection
	PL	Nail-protection ≥ 1100 Newton 4,5 mm nail
	PS	Nail-protection ≥1100 Newton 3,0 mm nail
	C	Electrical leading outer sole *
	HI	Heat-isolating footwear *
	CI	Cold-isolating footwear *
	WR	Water-proof footwear *
	M	Metatarsal protection *
	AN	Ankle protection *
	CR	Cut-protecting upper *
	HRO	Heat-resistant outer sole *
	SR	Anti-glide properties. Heel forward - forefoot backwards on ceramic tile with glycerin **
	SRA	Anti-glide tested on ceramic tiles with NLS (special soap solution) **
	SRB	Anti-glide tested on steel floor with glyserine **
	SRC	SRA + SRB **
		ESD
		Electrical isolation



* = Additional requirements for special properties with pertaining symbols for certification
 ** = The values in the table correspond to the minimum coefficient for anti-glide

MAIN OFFICE AND LOCATIONS:

WENAAS WORKWEAR AS,

Bruasetvegen 122,
N-6386 Måndalen.
Tlf: +47 71 22 73 00
Email: post@wenaas.no

UK - Scotland

Wenaas Workwear UK
Unit 1 Hub at Hareness
Hareness Road
Aberdeen
Scotland
AB12 3LE
Email: post@wenaas.com

Netherlands

Wenaas Workwear NL B.V.
Voltastraat 12, 3335KK Zwijndrecht,
Netherlands
Email: post.nl@wenaas.com

Sweden

Wenaas Workwear AB
Processvägen 5.
435 33 Mölnlycke
Sweden
Email: post@wenaas.com

Denmark

Wenaas Workwear Denmark A/S
Amaliegade 47
1256 København K
Denmark
Email: post@wenaas.com

FOLLOW US:

 [Wenaas Workwear AS](#)

 [Wenaas Workwear AS](#)

 [Wenaas Workwear AS](#)

 [Wenaas Workwear](#)

 wenaas.com