

Work gloves

2024







INTRODUCTION 6
Sustainability, EN Standards, Symbol Descriptions and Materials (see page 54)

01



CLOSE-FITTING ASSEMBLY GLOVES 12
Wenaas 100-series. Gloves that allow you to work with great dexterity and tactility

02



GLOVES WITH IMPACT PROTECTION 16
Wenaas 400-series. Gloves that protect against impacts, electric shocks and cuts

03



GLOVES WITH CUT PROTECTION 20
Wenaas 200-series. Gloves that protect against cuts and stabs

04



WINTER GLOVES 26
Wenaas 300-series. Gloves with different properties that can be worn in cold temperatures

05



ALL-ROUND WORK GLOVES 30
Wenaas 700-series. General gloves that can be used for a number of different jobs

06



WELDING AND HEAT-RESISTANT GLOVES 32
Wenaas 500-series. Gloves that protect against heat and flames

07



CHEMICAL-RESISTANT GLOVES 34
Gloves with approved protection against different types of chemicals

08



DISPOSABLE GLOVES 40
Disposable gloves

09



UNIFORM GLOVES 42
Gloves for uniformed personnel

10



WORK GLOVES WITH SPECIAL PROTECTION 44
Fire Gloves, Electrician Gloves, Needle Gloves, Arc Flash, Arm Guards, Vibration Gloves and more

11



TEXTILE GLOVES 50
Thin gloves often used as inner glove

12

ACCESSORIES 52
Miscellaneous

13






ANSI CUT LEVEL 5
EN 388:2016
CE EN 388
WENAAS WORK GLOVES ARE MANUFACTURED
IN THE NETHERLANDS
WWW.WENAAS.COM
PHONE: +31 (0) 475 387722

Wenaas
527 CURP L/9



“Take responsibility, be transparent and trustworthy”

OUR ESG AMBITIONS



PROTECTING ENVIRONMENTAL RESOURCES

Wenaas is committed to eliminating waste and pollution

By using future-oriented tools to facilitate analysis of sustainable data in cooperation with our strategic and tactical suppliers. Our goal is to phase out and replace critical product groups with more recognizable, certified, and environmental programs. Wenaas will prioritize, engage, and reduce its carbon (CO2) emission and water footprint in production.

OUR SOCIAL MANAGEMENT CAPABILITIES

Wenaas is committed to being a safe workplace

By meeting safety and environmental requirements within its own departments together with an overview of all suppliers. We will continue to ensure a decent workplace, increasing social dialogue to protect against discrimination and harassment, while encouraging equality and fair wages. Wenaas has a pragmatic and holistic approach to deepen our understanding of the needs of our supply chain workers.

COLLABORATION AND GOVERNANCE REPORTING

Wenaas is committed to transparency

By market monitoring and by complying with all regulatory requirements, and annually reporting to national and international ESG frameworks. Our focus is on identifying green growth opportunities while integrating environmental and social concerns into our chosen ESG's. Wenaas will strive to ensure fair trade by continued co-operation with its valuable supplier network partners.

SUSTAINABLE DEVELOPMENT GOALS



Read more about sustainability or see www.wenaas.com/en/sustainability

WENAAS LEATHER

for Work Gloves receives OEKO-TEX® Certification

Our leather for work gloves is now OEKO-TEX® certified! This certification is a significant recognition that underscores our commitment to quality, safety, and health. Rest assured, our gloves are made without harmful chemicals. This important milestone inspires us to continue creating safe and sustainable workwear.



Our gloves for clinical and non-clinical settings are Sanitized®

Many of Wenaas' close-fitting work gloves are treated with Sanitized®. This means they are permanently treated to maintain the safety and hygiene of the gloves by eliminating or reducing the presence and growth of bacteria.

SYMBOL DESCRIPTION



TOUCHSCREEN: Compatible with touchscreen.



SANITIZED®: The glove has undergone sanitized® treatment for enhanced protection against bacteria and odor.



OEKO-TEX® STANDARD 100 FOR TEXTILES: One of the world's most renowned labels for textiles tested for harmful substances. It represents customer trust and high product safety.



OEKO-TEX® LEATHER: The leather used is OEKO-TEX® certified and has passed strict requirements for harmful chemicals.



DERMATEST®: The glove is manufactured following strict guidelines on chemical use, and it does not contain chemicals harmful to the skin.



WATER AND OIL REPELLENT: The glove is water and oil repellent/possesses water and oil repellent properties.



EN-STANDARDS

The employer must ensure that personal protective equipment used in the workplace is CE-certified and at all times provide adequate protection against any risk the employee may be subjected to in the work place. The employer is also responsible for ensuring that protective equipment is accessible when required by law and that necessary training is provided to the employee. Regular inspections must take place to ensure that protective equipment is used in the workplace, and immediate measures must be put into effect if compulsory protective equipment is not used. The employer is responsible for creating procedures for storage, maintenance, repairs and replacement of protective equipment, in addition to ensuring that personal protective equipment is in an excellent hygienic condition. We offer a big selection of work clothes and personal protective equipment produced and tested in accordance to the standards set out in the EU instruction 89/686/EEC.

- Category 1** – The product protects against small risks with a minimal threat against life and health
- Category 2** – The product protects against moderate risks that could threaten your life and health
- Category 3** – The product protects against high risk that could threaten your life and health

The instruction defines that personal protective equipment also must be marked with the following symbols:

 **User information**
The symbol should make the user aware that user information is included and must be read

 **CE-certified**
The symbol signifies that the product has been produced in accordance with the EU instruction 89/686/EEC

EN 420 - General requirements

Standards that set out general requirements to protective gloves such as:

- Name and address of the producer
- Glove definition
- Size classification
- CE-certification
- Information about maintenance and storage.
- List of well-known materials used in the production that could cause allergies
- List of materials that can be obtained upon request

EN ISO 21420 (previously EN420)

Gloves with requirements to chrome levels under 3 mg/kg for leather gloves, all parts of the glove that come into contact with the skin must have a nickel level of under 5 µg/cm² per week and the pH level must be between 3.5 and 9.

EN ISO 388:2016 Protective gloves against injuries caused by machines

Protection level including including two new elements:

- | | | |
|----|-----------------------------|---------------|
| A: | DURABILITY | (level 0-4) |
| B: | CUT RESISTANCE (COUPE-TEST) | (level 0-4) |
| C: | TEAR RESISTANCE | (level 0-4) |
| D: | PUNCTURING | (level 0-4) |
| E: | CUT RESISTANCE (TDM-TEST) | A – F |
| F: | IMPACT | (P)ass/(F)ail |

 EN ISO 388
4 4 4 2 C X

X indicates not tested/not completed/approved
0 - 4 where 4 is the best score

A: Abrasion Resistance

Materials are tested with sandpaper under a specified pressure to check how quickly they wear out. A number between 1 and 4 indicates the abrasion resistance, with higher numbers signifying stronger material.

B: Cut Resistance

A knife is dragged across the material until it cuts through. Cut resistance is ranked from 1 to 5, with 5 being the best. If the material dulls the knife, an alternative test, ISO 13997, is used (refer to point E).

C: Tear Resistance

This point concerns the amount of force required to tear the material. Tear resistance is scored with numbers from 1 to 4, with 4 being the top score.

D: Puncture Resistance

This assesses the force needed to puncture the material with something sharp. Scores also range from 1 to 4, with 4 being the best.

E: Cut Resistance (ISO 13997 TDM-Test)

If the regular cut resistance test is not applicable, the TDM test under ISO 13997 is used. This provides a score from A to F (with F being the best). If both scores are given, refer to the letter score.

F: Impact Protection

If the gloves have impact protection, this is indicated with the letter 'P' at the end of the code.





EN 511
Protective gloves against cold



EN 511
0 4 1

Pictogram includes three letters:

- A: CONVECTIVE COLD (level 0-4)
B: CONTACT COLD (level 0-4)
C: WATER PERMEABILITY (0 eller 1)

0 = water permeability before 30 minutes. 1 = No water permeability after 30 minutes. X indicates not tested/not completed/approved. Level 0-4 where 4 is the best score.



EN 407
Protective gloves against thermal risks (heat and/or fire)



EN ISO 388
4 4 X X 3 3

Pictogram includes six numbers:

- A: FLAMMABILITY (level 0-4)
B: CONTACT HEAT (level 0-4)
C: CONVECTIVE HEAT (level 0-4)
D: RADIANT HEAT (level 0-4)
E: SPLASHES OF MOLTEN METAL (level 0-4)
F: LARGE SPLASHES OF MOLTEN METAL (level 0-4)

X indicates not tested/not completed/approved
0 - 4 where 4 is the best score



EN ISO 374-1: 2016
Protective gloves against hazardous chemicals and micro-organisms
Part 1: Terminology and performance

Classification in three groups:

- Type A: Resistant against six chemicals for at least 30 minutes.
Type B: Resistant against three chemicals for at least 30 minutes.
Type C: Resistant against one chemical for at least 10 minutes.

Example pictogram



Table showing permeation time:

PERMEATION TIME	INDEX	PERMEATION TIME	INDEX
> 10 min	Level 1	> 120 min	Level 4
> 30 min	Level 2	> 240 min	Level 5
> 60 min	Level 3	> 480 min	Level 6

Defined chemicals and related codes:

CODE	CHEMICAL	CODE	CHEMICAL
A	Metanol	J	n-Heptane
B	Aceton	K	Sodium hydroxide 40 %
C	Acetonitril	L	Sulphuric acid 96 %
D	Dichloromethane	M	Nitric acid 65 %
E	Carbon disulphide	N	Acetic acid 99 %
F	Toluene	O	Ammonium hydroxide 25 %
G	Diethylamine	P	Hydrogen peroxide 30 %
H	Tetrahydrofuran	S	Hydrofluoric acid 40 %
I	Ethyl acetate	T	Formaldehyde 37 %



EN ISO 374-5:2016
Terminology and performance requirements in cases of risk of micro-organisms

For gloves protected against bacteria and living organisms, biological hazard is added to the pictogram. The gloves must be tested in accordance to EN 374-2: 2013 for leakage.

For protection against bacteria, living organisms and virus, the pictogram has added the term 'VIRUS'. The gloves must be tested in accordance to EN 374-2-2013 for bacteria and living organisms, and tested in accordance to ISO 16604: 2004 (method B) via the bacteria penetration test.



EN 12477
Protective gloves for welders

REQUIREMENTS	TYPE A	TYPE B
Wear and tear	2	1
Cuts	1	1
Durability	2	1
Puncturing	2	1
Flame retardant	3	2
Contact heat	1	1
Convective heat	2	-
Splashes of molten hear	3	2
Fit	1	4

Type B-gloves are usually recommended when a good fit is required, while Type A-gloves are recommended for other welding projects. Gloves must be marked with either A or B.



EN 12477:2001

Protective gloves for welders

The standard describes how gloves should be designed to provide hand and wrist protection for welders and similar professions. Welding gloves must be tested in accordance to EN 388: 2016. They must also be tested in accordance to EN 407, flammability, contact heat, convective heat, radiant heat and splashed of molten metal.

Type A, higher level of protection against heat, but less mobility. Recommended for all type of welding work requiring a high level of protection (except TIG welding).

Type B lower level of protection against heat, more mobility or lower physical protection. (recommended TIG welding).



EN 659

Protective gloves for fire brigades

Protective gloves that protect the hands during normal fire extinguishing, including search and rescue missions. The gloves provide some protection against chemicals, but has not been tested for handling fluid chemicals.

EN 61482-1-2 (Box test)

Part 1-2- Testing method 2: The testing method establishes the arc-protection classification of the material and clothing when using a limited and aimed arc.

The items of clothing are tested and evaluated in two categories as part of the same test as the 'Box test'. (Voltage 400 V, Durability 500 ms, frequency 50 Hz or 60 Hz).

Tests can be carried out in two different test categories:

Classification 11= 4 KA (light arc energy 168 kJ)

Classification 2= 7 KA (light arc energy 320 kJ)

Results are either approved or not approved.



EN 60903

Work in high voltage

- Gloves and mittens made of an isolating material

Work gloves or mittens made of an isolating material intended for use in high-voltage areas. This standard does not refer to EN 420, EN 388 or EN 374. Gloves produced and certified in accordance to EN 60903 are the only gloves that should be used when there is a risk of electric shock. To determine the gloves that provide the best protection, it is important to be aware of the glove's capacity in relation to different voltage levels. To limit wear and tear (for example contact with live wires), protective leather gloves should be used over electrical isolating gloves.



EN 10819

Mechanical vibrations and shocks – Hand-arm vibrations – Method for measurement and assessment of vibration transmission via the gloves to the hand

The standard specifies the vibration transmission, such as vibrations from a handle through a glove to the hand in a third octave frequency band with mid-frequencies from 25 Hz to 1250 Hz. The materials tested using this method can be used in the glove production. In order to be classified as an anti-vibration glove, the gloves must be tested and certified in accordance with this standard (for instance requirements to performance in terms of vibration reduction).



EN 1149-3

Protection against electrostatic discharge (ESD)

Standard for work clothes with protective properties against electrostatic discharge for use in areas where there is a risk of explosion, for instance in refineries.

DESIGN REQUIREMENTS

- The clothes must fully cover all fabric that does not provide anti-static protection.
- Accessories, such as labels and reflective tags, must be permanently glued to the garment, so that it cannot be removed from the garment. Floating parts are not allowed.
- Accessories that can carry electricity, for instance zippers and metal buttons, are only allowed if they are fully covered by anti-static outer textile.

TEXTILE REQUIREMENTS The outer textile must be tested and approved in accordance with the following standards: EN 1149-1 or EN 1149-3. The distance between the threads that can carry electricity must not exceed 10 mm.



EN 421:2010

Protective gloves against ionising radiation and radioactive pollution.

To ensure that the glove protects against radioactive pollution, it must be water resistant and pass the penetration resistance test defined in EN 374.

ISO 14419:2010 - Textiles - Oil Repellency - Test for Hydrocarbon Resistance.

ISO 14419:2010 applies to the assessment of a substrate's resistance to the absorption of a selected series of liquid hydrocarbons with different surface tensions. In our instances, this is often utilized to provide protection for the glove against oil and oil spills.





wenaas

CLOSE-FITTING ASSEMBLY GLOVES

ELASTIC CUFFS

OEKO-TEX® STANDARD 100 FOR TEXTILES: ONE OF THE WORLD'S MOST RENOWNED LABELS FOR TEXTILES TESTED FOR HARMFUL SUBSTANCES. IT REPRESENTS CUSTOMER TRUST AND HIGH PRODUCT SAFETY



TREATED WITH SANITIZED® FOR ENHANCED PROTECTION AGAINST BACTERIA AND ODOR



DERMATEST® APPROVED. THE GLOVE DOES NOT CONTAIN CHEMICALS HARMFUL TO THE SKIN



360-DEGREES BREATHABLE PROPERTIES FOR MAXIMUM COMFORT

WATER AND OIL REPELLING SURFACE FOR EXCELLENT GRIP

TOUCH SCREEN COMPATIBILITY



DIPPED IN PREMIUM NITRILE FOR EXTREME DURABILITY

Wenaas 100-series

CLOSE-FITTING ASSEMBLY GLOVES

Work gloves with a tight fit, dexterous and often made from thin materials. Suitable for assembly work and motoric precision.

Area of utilisation: Suitable for all types of assembly work, building and construction, car industry, process industry, transport, driving gloves, maintenance and several general areas of utilisation. An all-round glove that can be used in a number of jobs. Professions include for instance tradespeople, warehouse workers, shop assistants, electricians and mechanics.

Properties may vary from model to model; please always read the product information for additional information.

0-8-155-98 GLOVE WENAAS 155

Premium synthetic gloves of the highest quality in WFT nitrile foam. Extremely durable, with touchscreen compatibility and 360-degree breathability. Water- and oil-resistant palms. Exceptional grip when wet, oily, or dry. OEKO-TEX® STANDARD 100 certified. Bundle: 12 - Carton: 120.

COLOR 98 Assorted.
SIZE 6-12
STANDARD EN 388:2016 + A 1:2018 4131A, EN 407 :2020, X1XXXX, CE CAT 2, OEKO-TEX®.
MATERIAL Nitrile, microfoam, elastane, nylon.



0-8-100-98 GLOVE WENAAS 100

Airy gloves in ultrathin nitrile with 360-degree breathability. Snug fit, touchscreen compatibility, and knitted cuff. Thin TFT coating offers good finger dexterity and good grip when wet or dry. OEKO-TEX® STANDARD 100 certified. Bundle: 12 - Carton: 120.

COLOR 98 Assorted.
SIZE 6-11
STANDARD EN ISO 21420: 2020, EN 388 4121X, EN 407 X1XXXX, CE- OEKO-TEX®, CE CAT 2.
MATERIAL Nitrile, nylon, spandex, elastane.



0-8-105-98 GLOVE WENAAS 105

Ultra-thin, comfortable, and airy work gloves in PU. Snug fit, touchscreen compatibility, and knitted cuff. The PU layer is exceptionally thin, creating a 'second skin' feeling. Anti-slip coating for safe handling, high sensitivity and good finger dexterity. Bundle: 12 - Carton: 120.

COLOR 98 Assorted.
SIZE 7-11
STANDARD EN 388 3121X, EN ISO 21420: 2020, CE, CE CAT 2.
MATERIAL Polyurethane, nylon, elastane.



CLOSE-FITTING ASSEMBLY GLOVES

0-8-110-98 GLOVE WENAAS 110

Year-round, comfortable, single-layer work gloves in nitrile foam. Snug fit, touchscreen compatibility, and knitted cuff. Ergonomically design for good comfort and finger dexterity. Can be used year round. Good grip when wet, oily, or dry. OEKO-TEX® STANDARD 100 certified. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN388 4121A – EN 407 X1XXXX, EN 511 X1X - EN 420:2003 + A1:2009 - CE CAT 2.
MATERIAL	Nitrile, elastane, nylon.



0-8-120-98 GLOVE WENAAS 120

Durable, comfortable latex work gloves with dipped palm sections. Snug fit, lightweight, with a knitted cuff. Very good wet and dry grip. The special latex coating ensures these gloves can handle very demanding work and environments. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388 2131 A1:2009, CE CAT 2.
MATERIAL	Latex, polyester, elastane.



0-8-125-98 GLOVE WENAAS 125

Thin, comfortable, double-dipped work gloves in nitrile. Snug fit, lightweight, with a knitted cuff. Good protection against oils and other substances. Ideal for mechanical work. Exceptional grip when wet, oily, or dry. Bundle: 12 - Carton: 144.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016 4121X, EN 407:2004 X1XXXX, CE CAT 2, Sanitized.
MATERIAL	Nitrile, nylon, spandex, elastane.



0-8-150-98 GLOVE WENAAS 150

Thin, airy work gloves in PU with dipped palms. Sung fit, breathable fabric, and knitted cuff. Very good grip and finger sensitivity provide good finger dexterity. Suitable for precision tasks such as assembly. Bundle: 12 - Carton: 144.

COLOR 98 Assorted.
SIZE 6-12
STANDARD EN 388:2016 3121X, CE CAT 2.
MATERIAL Polyurethane, polyester, elastane.



0-8-127-98 GLOVE WENAAS 127

High-quality goatskin glove. Provides excellent sensitivity and protection against wear. The back of the hand is made of elastic polyester for a better fit. Velcro at the wrist for better closure and protection. Bundle: 6 - Carton: 72.

COLOR 98 Assorted.
SIZE 8-12
STANDARD EN 388_2111X, CE CAT 2.
MATERIAL Goatskin, spandex.



0-8-199-98 GLOVE WENAAS 199

Assembly glove Hivis with WR palm in synthetic leather. Adjustable Velcro around the wrist, touchscreen compatibility, and reinforcement in the palm and fingertips. Bundle: 12 - Carton: 120.

COLOR 98 Assorted.
SIZE 7-12
STANDARD EN388:2016 +A1:2018 - XXXXXX.
MATERIAL WR synthetic leather, foam laminated spandex fabric, 100% polyester over neoprene.



IMPACT-PROTECTING GLOVES



CUT PROTECTION LEVEL D

ELASTIC CUFFS

STRONG TPR-PROTECTION FOR KNUCKLES AND FINGERS

KEVLAR-REINFORCEMENT BETWEEN THUMB AND INDEX FINGER

PERFORMANCE GOATSKIN WITH WATER AND OIL REPELLENT PROPERTIES



ANTI-WET TREATED WITH 4-WAY SPANDEX FOR EXTRAORDINARY GRIP

Wenaas 400-series

IMPACT-PROTECTING GLOVES

Work gloves with impact-protection against injuries caused by trap, impacts etc. Protection is often located on the knuckles and fingers, but can also protect the whole hand. Some models also protect against cuts and are made in both textile and leather.

Area of utilisation: Suitable for building and construction, offshore, on boats, platform and in heavy industry. Professions in which there is a risk of getting crushed and require sturdy gloves.

Properties may vary from model to model; please always read the product information for additional information.

0-8-400-98 GLOVE WENAAS 400

Performance impact gloves in goatskin, with oil block-treated palms. Snug fit, cut resistance level D. Elastic cuff. Kevlar reinforcements on inner thumbs for increased protection and exceptional grip. Back shell in anti-moisture treated Spandex with 4-way stretch. A tough, durable work glove that stands up to hard work. Bundle: 6 - Carton: 72.



COLOR 98 Assorted.
SIZE 6-12
STANDARD EN 388:2016 +A1:2018 2X23DP, EN 407:2020 X1XXXX, ANSI A4, CE CAT 2.
MATERIAL Oil & water resistant goatskin leather. Kevlar, elastane.



0-8-410-98 GLOVE WENAAS 410

Performance impact gloves in goatskin, with oil block-treated palms. Snug fit, cut resistance level C. Elastic cuff. Stitched with Kevlar thread for added durability. Protects against light arc (Arc flash category 3). Bundle: 6 - Carton: 60.



COLOR 98 Assorted.
SIZE 7-12
STANDARD EN ISO 21420:2020, EN 388:2016 ? A1:2018_3X22CP, EN 407:2020_4121XX, CE CAT 2.
MATERIAL Oil & water resistant goatskin leather. Kevlar, elastane.



0-8-420-98 GLOVE WENAAS 420

Synthetic leather base palm. Electro conductive synthetic leather index & thumb tips. Foam laminated spandex fabric back of hand and thumb. Stitched vinyl back of hand and thumb protections. Aramid / glass Cut A4 lining on front palm only. Touch function on finger. Bundle: 6 - Carton: 72.



COLOR 98 Assorted.
SIZE 7-12
STANDARD EN 388:2016+A:2018_3542DP, ANSI/ISEA 138-1, ANSI A4 cut, CE CAT 2.
MATERIAL Synthetic leather, elastane.



IMPACT-PROTECTING GLOVES



GLOVE WENAAS 430

0-8-430-98

Oil & water resistant goatskin leather shell with gel padded palm and palm patch. Goatskin leather welt. Stitched vinyl back of hand & thumb protection. Aramid / glass Cut A5 complete lining & cotton fabric lining. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 388:2016+A1:2018_3X43EP, ASTM/ANSI 105-2016 A4 cut, ANSI/ISEA 139-1, ASTM F2675-3 Arc Flash 37 Cal/cm ² , CE CAT 2.
MATERIAL	Oil & water resistant goatskin leather. Aramid, glass Cut A5 Liner.



GLOVE WENAAS 450

0-8-450-98

Performance impact glove in goatskin with extreme durability. Tight fit, cut protection level F and elastic cuff. Hivis color for better visibility and breathable material on the back of the hand. Cuff with Velcro for a secure fit. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388_2X33FP.
MATERIAL	Goat leather, elastane.



GLOVE WENAAS 485

0-8-485-98

Winter-lined Impact glove with cut protection level D and waterproof membrane. Synthetic leather and nylon-spandex on the back of the hand and thumb. Neoprene cuff with extra length for increased comfort. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016_2X22EP, EN 511_111, ANSI A5, ISEALevel-1, CAT 2.
MATERIAL	Synthetic leather, nylon-spandex, neoprene.



GLOVE WENAAS 490

0-8-490-98

Impact glove in synthetic leather with cut protection level D and oil and water-repellent properties. Hivis color, kevlar thread, and EVO foam padding on the back of the wrist for increased protection. Neoprene cuff with vinyl pull tab. Touchscreen compatibility. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016_3X42DP, EN 407_X2XXXX, ANSI A4, ISEA Level-1, CAT 2.
MATERIAL	Synthetic leather, kevlar, neoprene, vinyl.



GLOVE WENAAS 499

0-8-499-98

Winter-lined waterproof Impact glove. Synthetic leather in palm, cut protection level D, and touchscreen compatibility. Impact protection on the back of the hand and a waterproof membrane with excellent breathable properties. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016_2X22DP, EN 511_211, ANSI A4, ISEA Level-2, CAT 2.
MATERIAL	Synthetic leather, spandex, EVA foam.



GLOVE WENAAS 289

0-8-289-98

Premium cut-resistant glove with Impact and pinch protection in WFT-nitrile foam. Cut protection level D, double-dipped, and waterproof ensuring excellent protection against liquids. Exceptionally good grip in both dry and oily environments. Touchscreen compatibility. Bundle: 6 - Carton: 60.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016+A1:2018 4X42DP, EN 420, CAT 2.
MATERIAL	WFT-nitrile foam, Nylon, PVC.



GLOVE WENAAS 299

0-8-299-98

Premium cut-resistant glove with Impact and pinch protection in WFT-nitrile foam. Cut protection level D, breathable properties, and exceptionally good grip in both dry and oily environments. Touchscreen compatibility and Hivis-yellow for increased visibility. Bundle: 6 - Carton: 60.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016+A1:2018 4X42DP.
MATERIAL	WFT-nitrile foam, Nylon, PVC.



CUT-RESISTANT GLOVES



MADE OF ENVIRONMENTALLY FRIENDLY, RECYCLED TENCEL MATERIAL

TREATED WITH SANITIZED® FOR ENHANCED PROTECTION AGAINST BACTERIA AND ODOR

REINFORCEMENT BETWEEN THUMB AND INDEX FINGER

DIPPED IN PREMIUM NITRILE

TOUCH SCREEN COMPATIBILITY

CUT PROTECTION LEVEL D

Wenaas 200-series

CUT-RESISTANT GLOVES

Work gloves in a snug fit, very durable and cut-resistant. These gloves are often made in a knitted material that contains glass fibre.

Area of utilisation: Suitable for all sectors with stringent demands to durability and cut-resistance, ISO, electricians, assembly work. Often used in building and construction work, in which sharp items are handled by workers such as carpenters and joiners. Also suitable for use in warehouses or in shops where knives are used.

Properties may vary from model to model; please always read the product information for additional information.

CHOOSE THE RIGHT CUT-RESISTANT GLOVE

Work gloves designed to protect against cuts are available in various materials and types. It's essential to select gloves that offer the right level of protection for the tasks at your specific workplace. Below is a short guide explaining materials, standards, and the general differences among cut-resistant gloves to give you a better understanding.

Materials

Cut-resistant gloves are made from various materials and designs, including some sewn from leather, part leather, or synthetic leather. However, most gloves currently in use are dipped models, typically dipped in either PU (polyurethane) or nitrile.

Standards

Due to the distinct differences in testing methods for cut resistance, specifically between the classifications in EN 388:2003 Coup-test and EN388:2016 TDM-test, it's impossible to compare these two standards directly.

A glove performing well in the EN 388:2003 test doesn't necessarily guarantee a similar performance in the EN 388:2016 test.



PU-DIPPED	NITRILE-DIPPED
<ul style="list-style-type: none"> Offers a smooth and elastic feel. Frequently used where finger sensitivity is crucial. Provides a good grip in dry environments. PU is soft and resists both water and lubricants while offering breathability to keep hands dry. 	<ul style="list-style-type: none"> Nitrile offers an excellent grip, whether dry or wet. Provides a reliable oil grip. Can be double-dipped for liquid/oil resistance. Offers protection against bases, acids, solvents, lubricants, and animal fats.

COATING	DRY GRIP	WET GRIP	OIL GRIP	ABRASION RESISTANCE	COMFORT	BREATH-ABILITY	FINGER SENSITIVITY	PUNCTURE RESISTANCE	TEMPERATURE LIMIT
PU	Good	Average	Average	Average	Excellent	Good	Excellent	Good	<79°C
Nitrile	Good	Excellent	Excellent	Good	Good	Average	Good	Good	<140°C

CUT LEVEL B, 5-10 NEWTON	CUT LEVEL C, 10-15 NEWTON	CUT LEVEL D, 15-22 NEWTON	CUT LEVEL E-F, 22-30+ NEWTON
Cut Level B Gloves: These are thin and flexible, suitable for tasks with a lower risk of cuts, like packing, distributing, or receiving goods in warehouses, as well as construction work and light industrial environments.	Cut Level C Gloves: Suitable for tasks with a moderate risk of cuts, ideal for personnel handling sharp metals, plastics, or similar materials in various industrial settings.	Cut Level D Gloves: These provide adequate protection for tasks with a risk of cuts while handling glass, metal, tools, or machinery with sharp edges.	Cut Level E-F Gloves: Offering a very high level of cut protection, these gloves are ideal for work environments dealing with sharp tools and machinery.



CUT-RESISTANT GLOVES

0-8-225-98

GLOVE WENAAS 225

Cut-resistant gloves (Cut D) in premium WFT nitrile foam. Very comfortable, with reinforced section between thumb and index finger. Touchscreen compatible. The liner is made from environmentally friendly TENCEL™, which consists of 48 % recycled materials. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016 +A1:2018 4X41D, ANSI A5, CE CAT 2, Sanitize.
MATERIAL	Nitrile, polyester, TENCEL™, nylon, elastane.



0-8-200-98

GLOVE WENAAS 200

Comfortable, cut-resistant gloves (Cut C) in PU. Snug fit, lightweight, with a knitted cuff. Durable work gloves with high flexibility. Exceptional grip when wet, oily, or dry. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN EN 388:2016 4X44C, EN 407:2020 X1XXXX, ANSI A3, CE CAT 2, Sanitize.
MATERIAL	Polyurethane, glass, polyester, spandex.



0-8-205-98

GLOVE WENAAS 205

Cut-resistant all-round glove in goatskin. Lined with a 360-degree Kevlar liner. Cut protection level C, snug fit, and elastic cuff. Touchscreen compatibility on the finger and OEKO-TEX® Leather certified. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016_3X22C, EN 407_X121XX, ANSI A3, CAT 2.
MATERIAL	Goatskin, Kevlar.



CUT-RESISTANT GLOVES



GLOVE WENAAS 210

0-8-210-98

Comfortable cut-resistant gloves (Cut B) in nitrile. Snug fit, lightweight, with a knitted cuff. Durable, breathable work gloves with high flexibility. Very good grip and high finger sensitivity make these gloves suitable for precision tasks. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-11
STANDARD	EN 388 :2016 4x31B, EN407 X1XXXX, ANSI A2, CE CAT 2, Sanitize.
MATERIAL	Nitrile, microfoam, glass, nylon, spandex.



GLOVE WENAAS 220

0-8-220-98

Cut-resistant gloves (Cut C) in premium WFT nitrile foam. Very light, with reinforced section between thumb and index finger. Touchscreen compatible. Ergonomically designed for good comfort and finger dexterity. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016 + A1:2018 4X42C, EN 407:2020 X1XXXX, ANSI A3, CE CAT 2, Sanitize.
MATERIAL	Nitrile, glass, nylon, spandex.



GLOVE CUTMASTER

0-11300-1120-510

Comfortable cut-resistant gloves in nitrile. Snug fit, ergonomic design, and good durability. Ideal for work requiring both precision and cut resistance. Bundle: 6 - Carton: 60.

COLOR	510 Navy/Black.
SIZE	6-12
STANDARD	EN 388:2016+A1:2018_4X43D, EN 420:2003+A1:2009, Cat:II, ANSI A4QZS
MATERIAL	Nitrile, polyethylene, fibreglass.



GLOVE WENAAS 235

0-8-235-98

Cut-resistant glove in goatskin for precision work. Cotton backhand, fully lined, and stitched with Kevlar thread. Open, short collar making it easy to put on and take off the glove. Touchscreen compatibility. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-13
STANDARD	EN 388:2016_2X22C, EN 407:2020_X1XXXX, ANSI A3, CAT 2.
MATERIAL	Goatskin, Kevlar, Cotton.

CUT-RESISTANT GLOVES



GLOVE WENAAS 250

0-8-250-98

Multi-purpose arc-classified glove with specially treated goatskin. Oil- and water-repellent treatment prevents oils and liquids from absorbing into the leather. Seamless in 360° Para Aramid fabric for cut protection class C - ANSI level-A3. Protection against electric arc. and has a level 4 arc classification with an ATPV of 48 cal/cm². Bundle: 6 - Carton: 72

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016+A1:2018_3X22C, EN 407:2020_X121XX, ASTM/ANSI 105-2016 A3 cut, ASTM F2675_4 Arc Flash 48 cal/cm ² , CE CAT 2.
MATERIAL	Oil & Water Resistant Goatskin Leather, Para Aramid liner.



GLOVE WENAAS 289

0-8-289-98

Premium cut-resistant glove with Impact and pinch protection in WFT-nitrile foam. Cut protection level D, double-dipped, and waterproof ensuring excellent protection against liquids. Exceptionally good grip in both dry and oily environments. Touchscreen compatibility. Bundle: 6 - Carton: 60.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016+A1:2018 4X42DP, EN 420, CAT 2.
MATERIAL	WFT-nitrile foam, Nylon, PVC.



GLOVE WENAAS 299

0-8-299-98

Premium cut-resistant glove with Impact and pinch protection in WFT-nitrile foam. Cut protection level D, breathable properties, and exceptionally good grip in both dry and oily environments. Touchscreen compatibility and Hivis-yellow for increased visibility. Bundle: 6 - Carton: 60.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016+A1:2018 4X42DP.
MATERIAL	WFT-nitrile foam, Nylon, PVC.



GLOVE WENAAS 300

0-8-300-98

Warm, comfortable thermal gloves in nitrile. Snug fit, terry lining, and a knitted cuff. The back shell is made from Hi-Vis material for good visibility. Good wet and dry grip. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016 A1 2018 4231B, EN 407 :2020 X2XXXX, EN 511:2006 X1X, CE CAT 2, Sanitize.
MATERIAL	Nitrile, polyester, elastane.



GLOVE WENAAS 320

0-8-320-98

Warm, comfortable, double-dipped thermal gloves in latex. Snug fit. Lined. Additional coating provides excellent wet and dry grip, along with good protection against water. Warm, very comfortable work gloves for outdoor and winter use. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016+A1:2018 2242C, EN 407:2020 X2XXXX, EN 511:2006 12X, CE CAT 2, Sanitize.
MATERIAL	Latex, elastane.



GLOVE WENAAS 330

0-8-330-98

Premium cut-resistant winter glove made of the highest quality goatskin. Cut protection level C, specially treated goatskin with WR/Oil Block making the glove oil and water repellent. Fully lined with Kevlar liner, Thinsulate C40 3M on the back of the hand and G-100 Thinsulate 3M on the top hand. Stitched with Kevlar thread, touchscreen compatibility on finger, and OEKO-TEX® certified leather. Bundle: 6 - Carton: 120.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388+A1:2018_3X22C, EN 511_22X, EN 407:2020_X1XXXX, ANSI A3, CAT 2.
MATERIAL	Goatskin, Kevlar, WR.



GLOVE WENAAS 395

0-8-395-98

Fully lined cut-resistant winter glove made of synthetic leather. Waterproof, cut protection level D, and good breathability. WR nylon spandex on the back of the hand and thumb. Neoprene cuff. Bundle: 6 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-11
STANDARD	EN 388:2016_2X22E, EN 511_111, ANSI A5, CAT 2.
MATERIAL	Synthetic leather, nylon, neoprene.

WINTER GLOVES

TERRY LINING FOR
HEAT RETENTION

SEAMLESS WORK GLOVES

HIVIS-COLOUR FOR
GOOD VISIBILITY

CUT PROTECTION LEVEL B

DIPPED IN PREMIUM
NITRILE

TREATED WITH SANITIZED®
FOR ENHANCED PROTECTION
AGAINST BACTERIA AND ODOR



Wenaas 300-series

WINTER GLOVES

Work gloves suitable for cold temperatures. Could be described as a warmer version of the tight-fitting assembly glove or an all-round work glove. Suitable for use outdoors, in cold environments and in all kinds of weather.

Area of utilisation: Suitable for building and construction work, transport, warehouse assembly, fishing, shipping, lumbering, shipping industry. All types of jobs that require a warmer type of work glove. Outdoors, in cold environments, in bad weather, cold storage etc.

Properties may vary from model to model; please always read the product information for additional information.

WINTER GLOVES



GLOVE WENAAS 300

0-8-300-98

Warm, comfortable thermal gloves in nitrile. Snug fit, terry lining, and a knitted cuff. The back shell is made from Hi-Vis material for good visibility. Good wet and dry grip. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016 A1 2018 4231B, EN 407 :2020 X2XXXX, EN 511:2006 X1X, CE CAT 2, Sanitize.
MATERIAL	Nitrile, polyester, elastane.



GLOVE WENAAS 320

0-8-320-98

Warm, comfortable, double-dipped thermal gloves in latex. Snug fit. Lined. Additional coating provides excellent wet and dry grip, along with good protection against water. Warm, very comfortable work gloves for outdoor and winter use. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016+A1:2018 2242C, EN 407:2020 X2XXXX, EN 511:2006 12X, CE CAT 2, Sanitize.
MATERIAL	Latex, elastane.



GLOVE WENAAS 325

0-8-325-98

Fully dipped and lined winter glove with a double-dipped palm for a better grip. Extremely flexible glove that retains its flexibility even at lower temperatures, in addition to being waterproof. The inside is lined with insulating acrylic. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388_2142X, EN 511:2006 X1X, CE CAT 2.
MATERIAL	Latex, Acrylic.



GLOVE WENAAS 303

0-8-303-98

Sturdy winter glove made of cow leather with a cotton back of the hand. Fully lined with synthetic fur. Safety collar, reinforced fingers, and water-repellent palm. For heavy-duty work. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 511_11X, EN 388_3133X, CE CAT 2.
MATERIAL	Cowhide leather, Cotton Drill Fabric, CVC, Fleece.



GLOVE WENAAS 304

0-8-304-98

High-quality goatskin glove. Provides excellent sensitivity and protection against wear. Inner lining of fleece for warmth and comfortable hands. Back of the hand in elastic polyester for a better fit. Velcro at the wrist for better closure and protection against cold/wind. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 511_11X, EN 388_3111X, CE CAT 2.
MATERIAL	Goatskin leather, Fleece.



WINTER GLOVES



GLOVE WENAAS 305

0-8-305-98

Ergonomic and durable winter glove. The safety cuff in Touch PU Diamond Grip provides an extra good grip under harsh conditions thanks to the diamond-shaped pattern. The glove is water-repellent and 100% wind-proof on the back of the hand with a reinforced index finger, reinforced seams, and reinforced fingertips. Suitable for all-round work. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 511_11X, EN 388_2211X, CE CAT 2.
MATERIAL	Touch diamond PU, WR polyester fabric, vatt 60 grams, microfleece.



GLOVE WENAAS 310

0-8-310-98

Fully lined and waterproof winter glove with Micro fleece lining. Extremely durable Touch PU Diamond Grip. Elastic upper provides a smooth and flexible glove. WR foam-laminated spandex fabric on the back of the hand and Hi- Vis yellow on the top for good visibility. Touch function. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 511_121, EN 388_2222X, CE CAT 2.
MATERIAL	Touch diamond PU, WR Spandex.



GLOVE WENAAS 315

0-8-315-98

Premium waterproof winter glove with WR treated goatskin. WR foam-laminated spandex fabric on the back of the hand and Thinsulate C-40 cold insulation. Touch function on the top of the middle finger for outdoor work in cold and wet weather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 388:2016_2122X, EN 511_121, CE CAT 2.
MATERIAL	WR goatskin, WR Spandex, Thinsulate C-40, water barrier.



GLOVE WENAAS 345

0-8-345-98

Fully lined and waterproof winter glove with Micro fleece lining and Velcro. Extremely durable Touch PU Diamond Grip. The elastic upper provides a smooth and flexible glove. WR foam-laminated spandex fabric on the back of the hand. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 388_2221X, EN 511_11X, CE CAT 2.
MATERIAL	Touch diamond PU, WR Spandex, Vat 60 gram, Water barrier.




GLOVE WENAAS 330

0-8-330-98

Premium cut-resistant winter glove made of the highest quality goatskin. Cut protection level C, specially treated goatskin with WR/Oil Block making the glove oil and water repellent. Fully lined with Kevlar liner, Thinsulate C40 3M on the back of the hand and G-100 Thinsulate 3M on the top hand. Stitched with Kevlar thread, touchscreen compatibility on finger, and OEKO-TEX® certified leather. Bundle: 6 - Carton: 120.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388+A1:2018_3X22C, EN 511_22X, EN 407:2020_X1XXXX, ANSI A3, CAT 2.
MATERIAL	Goatskin, Kevlar, WR.



GLOVE WENAAS 395

0-8-395-98

Fully lined cut-resistant winter glove made of synthetic leather. Waterproof, cut protection level D, and good breathability. WR nylon spandex on the back of the hand and thumb. Neoprene cuff. Bundle: 6 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-11
STANDARD	EN 388:2016_2X22E, EN 511_111, ANSI A5, CAT 2.
MATERIAL	Synthetic leather, nylon, neoprene.



ALL-ROUND WORK GLOVES

ELASTICATED CUFFS
FOR AN IMPROVED FIT
AROUND THE WRIST

THE LEATHER USED IS OEKO-TEX®
CERTIFIED AND HAS PASSED STRICT
REQUIREMENTS FOR HARMFUL
CHEMICALS



GOATSKIN MAKES THE
GLOVE VERY SOFT AND
DURABLE



GREAT DEXTERITY

Wenaas 700-series

ALL-ROUND WORK GLOVES

Work gloves suitable for all types of jobs. Jobs around the house, in warehouses, assembly, building and construction etc. Several types and models are made in both leather and synthetic materials.

Area of utilisation: Can be used in many different jobs that require excellent protection. Industry, offshore, building and construction and at home.

Properties may vary from model to model; please always read the product information for additional information.



GLOVE WENAAS 700

0-8-700-98

Durable all-around glove made of goat leather. High finger sensitivity and ergonomic fit. Elastic at the wrist for greater comfort. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016+A1 2018 2x22A, CE CAT 2.
MATERIAL	OEKO-TEX® certified goat leather



GLOVE WENAAS 710

0-8-710-98

Sturdy semi-lined glove made of soft and durable cowhide. Safety cuff, reinforced fingers, and additional cotton lining in the palm. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 388_3133X, CE CAT 2.
MATERIAL	Cowhide, cotton, CVC fleece.



GLOVE WENAAS 715

0-8-715-98

Durable all-around glove made of cowhide. Cowhide in the palm, index finger, fingertips, and on the knuckle. Cotton canvas on the back of the hand, reinforced index finger, and elastic at the wrist. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016+A1:2018_3121X, CE CAT 2.
MATERIAL	Cowhide split leather, cotton, CVC-fleece.



GLOVE WENAAS 740

0-8-740-98

Robust all-round work glove with cuff. Fully dipped in nitrile for a good dry grip and oil-repellent properties. Suitable for assembly work. Bundle: 12 - Carton: 144.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388 3111X, CAT 2, Sanitized.
MATERIAL	Nitrile.

WELDING AND HEAT-RESISTANT GLOVES

LONG CUFF FOR
ADDITIONAL PROTECTION



THE LEATHER USED IS OEKO-TEX®
CERTIFIED AND HAS PASSED
STRICT REQUIREMENTS FOR
HARMFUL CHEMICALS



KEVLAR STITCHING FOR
INCREASED ABRASION
RESISTANCE

EXTRA REINFORCEMENT
ALONG THE BACK OF THE
HAND/PINKY FINGER FOR
ADDITIONAL PROTECTION
AND DURABILITY

ELASTIC IN THE WRIST
FOR EXTRA COMFORT

CUT PROTECTION LEVEL C

Wenaas 500-series

WELDING AND HEAT-RESISTANT GLOVES

Work gloves that protect against risks related to welding, heat and flames. Most models have long cuffs for extra protection.

Area of utilisation: Suitable for the work in shipyards, smelting plants, construction sites, welding, repairs, shipping, mining and stone industry, agriculture. All professions that require welding and/or exposure to flames and high temperatures.

Properties may vary from model to model; please always read the product information for additional information.

WELDING AND HEAT-RESISTANT GLOVES



GLOVE WENAAS 510

0-8-510-98

TIG glove with cut protection level C, lined with 360-degree KEVLAR, made of durable soft grained goatskin. The cuff is made of ox split, and all the seams are made of heat-resistant Kevlar thread. Extra reinforcement along the back of the hand/little finger for longer life and comfort. Complies with EN 12477 type B. OEKO-TEX® certified leather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016_2X22C, EN 407:2020_412X4X, ANSI A3, EN 12477 Type B.
MATERIAL	OEKO-TEX® certified goat leather, splitox hide, Kevlar.



GLOVE WENAAS 515

0-8-515-98

Heavy-duty welding glove made of ox leather. Lined with cotton and all seams made of Kevlar thread for increased durability and lifespan. Complies with EN 12477 type A. OEKO-TEX® certified ox leather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016_4244X, EN 407:2020_412244, EN 12477:2020 Type A.
MATERIAL	OEKO-TEX® certified Ox leather, Kevlar.



GLOVE WENAAS 516

0-8-516-98

Heavy-duty welding glove made of ox leather in a short model. Lined with cotton and all seams are made of Kevlar thread for increased durability and lifespan. Complies with EN 2477 type A. OEKO-TEX® certified ox leather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016_4244X, EN 407:2020_412244, Cat.II, EN 12477 Type A.
MATERIAL	OEKO-TEX® certified ox leather, Kevlar.



GLOVE WENAAS 520

0-8-520-98

Heavy-duty 3-finger welding glove made of ox leather. Lined with cotton and all seams are made of Kevlar thread for increased durability and lifespan. Complies with EN 12477 type A. OEKO-TEX® certified ox leather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016_4244X, EN 407:2020_412244, EN 12477:2020 Type A, CAT 3.
MATERIAL	OEKO-TEX® certified ox leather, Kevlar.



GLOVE WENAAS 550

0-8-550-98

TIG glove made of durable soft grained goatskin. The cuff is made of ox split, and all the seams are made of heat-resistant Kevlar thread. Complies with EN 12477 type B. OEKO-TEX® certified leather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016_3111X, EN 407:2020_412244, CAT 2, EN 12477 Type B.
MATERIAL	OEKO-TEX® certified goat leather, split oxhide, Kevlar.



CHEMICAL PROTECTION GLOVES



EXCELLENT GRIP
AND DEXTERITY

LIQUID TIGHT

EXTRA LONG CUFFS

SEAMLESS LINING

CHEMICAL PROTECTION GLOVES

Work gloves that protect against chemicals and other dangerous substances. Most models have long cuffs for extra protection.

Area of utilisation: Suitable for all sectors in which dangerous substances, chemicals, lubricants, food, groceries are handled and maximum protection is required.

Properties may vary from model to model; please always read the product information for additional information.

0-19587-1135-12910 GLOVE ALPHATEC 58-735

Durable chemical protection gloves in nitrile. These work gloves feature a nitrile barrier for advanced protection against chemicals. Lined with INTERCEPT™ cut-resistant material with high visibility to indicate cuts and punctures in the glove. Good finger sensitivity and good grip when oily, wet, or dry. The cuff can be folded to serve as a run-off channel to ensure that chemicals do not come in contact with arms. Bundle: 6 pcs. Carton: 72 pcs.

COLOR 12910 Turquoise/Black.
SIZE 6-11
STANDARD EN ISO 374-1:2016_AJKLMNOPT,
 EN 388:2016+A1:2018_4X32C,
 EN 420:2003+A1:2009, CAT 3.
MATERIAL Nitrile, INTERCEPT™.



0-6-2100-98 GLOVE ALPHATEC 02-100

All-round chemical protection gloves in HPPE. Five-layer, laminated work gloves with chemical resistance. Individually air-pressure tested and 100 % inspected. Silicone-free. Ergonomic design. Bundle: 12 pcs. Carton: 72 pcs.

COLOR 98 Assorted.
SIZE 6-11
STANDARD EN ISO 374-1:2016_ABCEFGHIMS,
 EN 420:2003+A1:2009, CAT 3.
MATERIAL HPPE laminated film.



0-6-23200-98 GLOVE ALPHATEC 23-200

Light chemical protection gloves in PVC. High finger sensitivity and elasticity, even at low temperatures. Rough sandblasted surface provides good wet and dry grip. Bundle: 12 pcs. Carton: 72 pcs.

COLOR 98 Assorted.
SIZE 7-10
STANDARD EN ISO 374-1:2016_KLT,
 EN 388:2016+A1:2018_3121B,
 EN 420:2003+A1:2009, CAT 3.
MATERIAL PVC, cotton.



CHEMICAL PROTECTION GLOVES



GLOVE ALPHATEC 23-201

0-6-23201-5

Light chemical protection gloves in PVC. High finger sensitivity and elasticity, even at low temperatures. Extra-long cuff for added protection. Rough sandblasted surface provides good wet and dry grip. Bundle: 6 pcs. Carton: 48 pcs.

COLOR	5 Navy Blue.
SIZE	7-10
STANDARD	EN ISO 374-1:2016_KLT, EN 388:2016+A1:2018_3121B, EN 420:2003+A1:2009, CAT 3.
MATERIAL	PVC, cotton.



GLOVE ALPHATEC 23-202

0-6-23202-98

Light chemical protection gloves in PVC. High finger sensitivity and elasticity, even at low temperatures. Warm work gloves that offer protection down to -30 °C. Rough sandblasted surface provides good wet and dry grip. Bundle: 6 pcs. Carton: 72 pcs.

COLOR	98 Assorted.
SIZE	8-10
STANDARD	EN ISO 374-1:2016_KLT, EN 388:2016+A1:2018_3121B, EN 511:2006_021, EN 420:2003+A1:2009, CAT 3.
MATERIAL	PVC, cotton, acrylic.



GLOVE ALPHATEC 29-500

0-6-29500-10

Warm chemical protection gloves in neoprene. High finger sensitivity and elasticity, even at low temperatures. Resistant to a range of chemicals, corrosive chemicals, and other solvents. Kinder to hands than other heavy-duty gloves. Bundle: 12 pcs. Carton: 144 pcs.

COLOR	10 Black.
SIZE	7-11
STANDARD	EN ISO 374-1:2016_AKLNPT, EN 388:2016+A1:2018_ X121A, EN 420:2003+A1:2009, CAT 3.
MATERIAL	Neoprene, flocked cotton.



GLOVE ALPHATEC SOLVEX 37-185

0-6-37185-15

Very durable chemical protection gloves in nitrile. Long, over-elbow gloves with good comfort and protection against chemicals. An ideal choice for work in production areas with exposure to harmful substances. Patterned, rough surface provides good wet and dry grip. Carton: 12 pcs.

COLOR	15 Green.
SIZE	7-11
STANDARD	EN ISO 374-1:2016_AGJKLPT, EN 388:2016+A1:2018_4102X, EN 420:2003+A1:2009, CAT 3.
MATERIAL	Nitrile.



GLOVE ALPHATEC SOLVEX 37-675

0-6-37675-15

Very durable chemical protection gloves in nitrile. Good comfort and protection against chemicals. An ideal choice for work in wet or dry production areas where protection from corrosive substances is important. Patterned, rough surface provides good wet and dry grip. Bundle: 12 pcs. Carton: 144 pcs.

COLOR	15 Green.
SIZE	6-11
STANDARD	EN ISO 374-1:2016_JKLOPT, EN 388:2016+A1:2018_4101X, EN 420:2003+A1:2009, CAT 3.
MATERIAL	Nitrile, flocked cotton.



GLOVE ALPHATEC SOLVEX® 37-900

0-6-37900-98

Extremely durable chemical protection gloves in nitrile. Greater resistance to penetration than for any other nitrile gloves available on the market. The quality guarantee means that these gloves can be used with complete confidence in hazardous situations. Snug fit, long cuff, and good grip when wet or dry. Bundle: 12 pcs. Carton: 72 pcs.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN ISO 374-1:2016_AJKLOPT, EN 388:2016+A1:2018_4101X, EN 420:2003+A1:2009, CAT 3.
MATERIAL	Nitrile, flocked cotton.



Ansell

GLOVE ALPHATEC 38-514

0-6-38514-98

Comfortable chemical protection gloves in butylpolymer. Protects well against the most aggressive chemicals, such as aldehydes, ketones, and esters, as well as mineral acids, without compromising on comfort. Ergonomic design. Good grip when wet or dry. No risk for latex allergies. Carton: 36 pcs.

COLOR 98 Assorted.
SIZE 7-11
STANDARD EN ISO 374-1:2016_ABCIKMPST, EN 388:2016+A1:2018_1000X, EN 420:2003+A1:2009, CAT 3.
MATERIAL Butyl polymer.



Ansell

GLOVE ALPHATEC 38-520

0-6-38520-98

Comfortable chemical protection gloves in butylpolymer. Protects well against the most aggressive chemicals, such as aldehydes, ketones, and esters, as well as mineral acids, without compromising on comfort. Long cuff, ergonomic design, and good grip when wet or dry. No risk for latex allergies. Carton: 36 pcs.

COLOR 98 Assorted.
SIZE 7-10
STANDARD EN ISO 374-1:2016_ABCIKLPST, EN 388:2016+A1:2018_2010A, EN 420:2003+A1:2009, CAT 3.
MATERIAL Butyl polymer.



Ansell

GLOVE ALPHATEC 58-270

0-6-58270-98

Liquid-tight chemical protection gloves in nitrile. Light weight, good comfort, and easy to put on and take off. These work gloves retain a small degree of warmth and therefore reduce perspiration in comparison to other chemical protection gloves. Good grip when wet, oily, or dry. Bundle: 12 pcs. Carton: 144 pcs.

COLOR 98 Assorted.
SIZE 7-11
STANDARD EN ISO 374-1:2016_JKLOPT, EN 388:2016+A1:2018_3121A, EN 420:2003+A1:2009, CAT 3.
MATERIAL Nitrile, nylon.



Ansell

GLOVE ALPHATEC 58-530W

0-6-58530-98

Warm chemical protection gloves in nitrile. High finger sensitivity, light weight, and ergonomic fit. These work gloves retain a small degree of warmth and therefore reduce perspiration in comparison to other chemical protection gloves. Good grip when wet, oily, or dry. These gloves are ideal for outdoor work. Carton: 72 pcs.

COLOR 98 Assorted.
SIZE 8-11
STANDARD EN ISO 374-1:2016_AJKLOPT, EN 388:2016+A1:2018_3132A, EN 407:2004_X1XXXX, EN 420:2003+A1:2009, CAT 3.
MATERIAL Nitrile, acrylic.



CHEMICAL PROTECTION GLOVES



GLOVE ALPHATEC 58-535W

0-6-58535-98

Warm chemical protection gloves in nitrile. High finger sensitivity, light weight, and ergonomic fit. These work gloves retain a small degree of warmth and therefore reduce perspiration in comparison to other chemical protection gloves. Good grip when wet, oily, or dry. These gloves are ideal for outdoor work. Bundle: 6 pcs. Carton: 72 pcs.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN ISO 374-1:2016_AJKLOPT, EN 388:2016+A1:2018_3132A, EN 407:2004_X1XXXX, EN 420:2003+A1:2009, CAT 3.
MATERIAL	Nitrile, acrylic.



GLOVE CHEMSTAR CHEM/IMP RESIST

0-115-6050-98

Excellent grip allows users to handle dry, wet, or oily objects with ease. Reliable chemical type A protection. Strong yet soft impact protection on the back of the hand. Extra softness and flexibility. Special double-dipped sandy nitrile coating on the palm. Bundle: 6 - Carton: 36.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 420:2003, EN 388:2016-4111XP, EN 374-1:2016/ Type A-AJKLMNPT, EN 374-5:2016, CAT 3.
MATERIAL	Nitrile, polyester.



GLOVE GUIDE 4507

0-6-4507-1080

Heavy-duty chemical protection gloves in nitrile. Water- and oilproof, with long safety cuffs. Triple-dipped in a liquid-tight nitrile/PVC blend. Impact protection on back shell. Bundle: 3 pcs. Carton: 60 pcs.

COLOR	1080 Black/Red.
SIZE	7-12
STANDARD	EN 388:2016_4X31CP, EN 407:2004_X2XXXX, EN ISO 374-1:2016, EN ISO 375-5:2016, EN 420:2003+A1 2009, CAT 2.
MATERIAL	Nitrile, PVC.



GLOVE ALPHATEC 58-005

0-6-58005-98

Optimized fit that integrates the lining into the nitrile shell for better dexterity and tactility compared to using double gloves. Excellent dry and wet grip enhances dexterity and reduces hand fatigue. The cuff can be folded to function as a gutter to prevent chemicals from running down the arm. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016_4122A, EN 407_X1XXXX, EN ISO 374-1:2016-Type A-AJKLMNOPT, EN ISO 374-5_VIRUS.
MATERIAL	Nylon, Neoprene, Nitrile.

HOW TO TAKE OFF GLOVES IN A HYGIENIC MANNER



1

Grab the outer edge close to the wrist.



2

Turn inside out. Hold the reversed glove.



3

Push your fingers under the glove opening and be careful not to touch the outside of the glove.



4

Loosen from the inside and make a bag for both gloves.



5

All contamination remains inside the gloves.



6

Throw the gloves. Remember to wash your hands carefully.

DISPOSABLE GLOVES

ERGONOMICALLY SHAPED
FOR A COMFORTABLE FIT

THREE-LAYERED DESIGN FOR
INCREASED PROTECTION

SOFT MATERIAL



DISPOSABLE GLOVES

Disposable gloves for a single use. Help keep hands sterile and clean. Protect against bacteria, liquid, spills etc. Often used when handling groceries.

Area of utilisation: Suitable for professions that require inspections, handling of parts, repairs, maintenance, oil and gas, transport, food industry, health services, assembly and repairs. Several models of disposable gloves also protect against dangerous substances/chemicals.

Properties may vary from model to model; please always read the product information for additional information.

0-6-93260-98 GLOVE MICROFLEX 93-260

Triple-layer disposable gloves in nitrile. The triple-layer design offers good protection against chemicals, including acids, solvents, and alkalis. High comfort, soft material, and ergonomic fit. Silicone-free. Carton: 10 pcs.

- COLOR** 98 Assorted.
- SIZE** XS-XXL
- STANDARD** EN ISO 374-1:2016_JKLOPST, EN 388:2016+A1:2018_2000X, EN 421:2010, EN 420:2003+A1:2009, CAT 3.
- MATERIAL** Nitrile, neoprene.



0-6-93852-98 GLOVE MICROFLEX 93-852

Disposable gloves in black nitrile. High tensile strength, textured design, and good wet and dry grip. Contains no natural rubber latex. Powder-free to protect against allergies. These gloves are suitable for examination/order picking/inspection. Carton: 10 pcs.

- COLOR** 98 Assorted.
- SIZE** 6-10
- STANDARD** EN ISO 374-1:2016_JKT, EN 420:2003+A1:2009, EN 455 1-4, EN 1149-1/2/3, CAT 3.
- MATERIAL** Nitrile.



0-6-92600-98 GLOVE TOUCHNTUFF 92-600

Disposable glove TouchNTuff® 92-600, very versatile, suitable for various applications. Soft nitrile blend offers a high level of comfort. Robust design for good durability. Does not contain natural rubber proteins, eliminating the risk of Type I allergies. Silicone-free. Suitable for transferring liquids and solids, processing, handling meat, fish, and food, industrial production, maintenance, laboratories, and chemical handling. Sales unit: 1 box of 100 pcs. Carton: 10 boxes of 100 pcs.

- COLOR** 98 Assorted.
- SIZE** S-XL
- STANDARD** EN ISO 374-1:2016_JKPT, EN 420:2003+A1:2009, CAT 3.
- MATERIAL** Coating: Nitrile.



UNIFORM GLOVES

LINED FOR YEAR-ROUND USE

DURABLE LEATHER

ELEGANT UNIFORM GLOVES



UNIFORM GLOVES

Work gloves to be used with a uniform. Elegant gloves, often made of leather, but also available in textile.

Area of utilisation: Suitable for police, ambulance workers, firefighters, drivers and all professions in which gloves go with the uniform used.

Properties may vary from model to model; please always read the product information for additional information.



GLOVE UNIFORM GENTS

0-24100-0-10

Uniform gloves in sheepskin for men. The gloves have a fleece lining and can be used all year round. Stylish gloves that are ideal for law enforcement, ambulance personnel, fire safety, drivers, and other occupations requiring uniforms. Bundle: 12 - Carton: 60.

COLOR 10 Black.
SIZE 6,5, 7,5, 8,5, 9,5, 10,5, 11,5
STANDARD EN 420:2003+A1:2009, CAT 1.
MATERIAL Sheepskin, 3M Thinsulate™ fleece lining.



GLOVE UNIFORM LADY

0-24200-0-10

Uniform gloves in sheepskin for women. The gloves have a fleece lining and can be used all year round. Stylish gloves that are ideal for law enforcement, ambulance personnel, fire safety, drivers, and other occupations requiring uniforms. Bundle: 12 - Carton: 60.

COLOR 10 Black.
SIZE 6,5, 7,5, 8,5, 9,5
STANDARD EN 420:2003+A1:2009, CAT 1.
MATERIAL Sheepskin, 3M Thinsulate™ fleece lining.



GLOVE WENAAS 345

0-8-345-98

Fully lined and waterproof winter glove with Micro fleece lining and Velcro. Extremely durable Touch PU Diamond Grip. The elastic upper provides a smooth and flexible glove. WR foam-laminated spandex fabric on the back of the hand. Bundle: 6 - Carton: 72.

COLOR 98 Assorted.
SIZE 8-12
STANDARD EN 388_2221X, EN 511_11X, CE CAT 2.
MATERIAL Touch diamond PU, WR Spandex, Vat 60 gram, Water barrier.



WORK GLOVES WITH SPECIAL PROTECTION

THE LEATHER USED IS OEKO-TEX® CERTIFIED AND HAS PASSED STRICT REQUIREMENTS FOR HARMFUL CHEMICALS



PROTECTION AGAINST ELECTRIC ARC (ARC RATING AT LEVEL 4 WITH AN ATPV OF 48 CAL/CM²)

CUT PROTECTION LEVEL C

PERFORMANCE GOAT-SKIN WITH WATER AND OIL REPELLENT PROPERTIES



360° PARA ARAMID LINER



WORK GLOVES WITH SPECIAL PROTECTION

Gloves with extraordinary properties Special gloves to special work duties/professions etc. Special protection can for instance entail protection against extreme heat and arcs.

Area of utilisation: Suitable for certain sector, for instance smoke diving, the fire brigade, industry protection, offshore, professions exposed to electric shocks.

Properties may vary from model to model; please always read the product information for additional information.

0-8-250-98 GLOVE WENAAS 250

Multi-purpose arc-classified glove with specially treated goatskin. Oil- and water-repellent treatment prevents oils and liquids from absorbing into the leather. Seamless in 360° Para Aramid fabric for cut protection class C - ANSI level-A3. Protection against electric arc. and has a level 4 arc classification with an ATPV of 48 cal/cm². Bundle: 6 - Carton: 72


COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016+A1:2018_3X22C, EN 407:2020_X121XX, ASTM/ANSI 105-2016 A3 cut, ASTM F2675_4 Arc Flash 48 cal/cm², CE CAT 2.
MATERIAL	Oil & Water Resistant Goatskin Leather, Para Aramid liner.



0-19427-0-75 GLOVE FALCON

Form-stitched, heat-resistant gloves in leather. These fire gloves have expansion panels over the knuckles to provide good fit and improved insulation. Intermediate layer with waterproof Porelle membrane (polyurethane). Knitted cuffs. Reinforcements at critical points for good durability. Carton: 60.

COLOR	75 Khaki.
SIZE	6-11
STANDARD	EN 420, EN 659, CAT 3.
MATERIAL	Moose skin, full-grain cowhide, Porell®, Nomex®.



0-6-9123-98 GLOVE TEX GRIP 3.0

Structurally advanced, heat-resistant gloves in textile material. These fire gloves feature specially designed 3D fingertips and pre-flexed fingers for increased finger dexterity. The Kevlar®/glass material offers thermal and mechanical protection. Unique carbon-fibre system provides good heat distribution. The breathable, microporous membrane prevents entry of blood pathogens, water, and liquid chemicals. Carton: 30.

COLOR	98 Assorted.
SIZE	6-14
STANDARD	EN 659:2003+A1:2008, EN 420:2003+A1:2009, EN 407:2004, EN 388:2016+A1:2008.
MATERIAL	U-coated, WR-impregnated Nomex®, Kevlar®, carbon fibre, Kevlar®, Nomex®, Porelle®.



WORK GLOVES WITH SPECIAL PROTECTION

0-6-5383-98 GLOVE ELITE W

Comfortable work gloves in PVC. Wide cuffs, fitted wrist section, and ergonomic design. Good wet and dry grip. Carton: 75.

COLOR	98 Assorted.
SIZE	8, 9,5, 10, 10,5, 11
STANDARD	EN 388, EN 420, CAT 2.
MATERIAL	PVC, cotton.



0-6-151-98 GLOVE 15L UNLINED

Fully dipped work gloves in PVC. Extra-long, welded cuffs and thin cotton lining. Good wet and dry grip. Ideal for handling fish and fishing equipment. Bundle: 5 - Carton: 75.

COLOR	98 Assorted.
SIZE	8-10
STANDARD	EN 388, EN 420, CAT 2.
MATERIAL	PVC, cotton.



0-15410-1100-80 GLOVE REGELTEX FLASH & GRIP

Electrical insulated gloves in natural rubber. Protect against mechanical damage and electric arc class 0. Flexible, ergonomic design, with excellent grip when oily, wet, or dry. Each pair is supplied with a pair of fingerless cotton liner gloves for improved comfort. Carton: 25.

COLOR	80 Red.
SIZE	7-12
STANDARD	EN 420:2003+A1:2009, EN 60903, IEC 60903, IEC 61482, ASTM F2675, CAT 3.
MATERIAL	Natural rubber.



WORK GLOVES WITH SPECIAL PROTECTION



ELECTRO GLOVE GLEB36-1000 VOLT 0-6-36-10

Electrical Glove GLEB36-1000 Volt. Black latex glove, class 0, length 36 cm. Insulating natural rubber gloves. Carton: 35.

COLOR	10 Black.
SIZE	8-11
STANDARD	EN 60903:2003, IEC 60903:2014.
MATERIAL	Latex.



LEATHER OVERGLOVES 0-6-2337-98

Cover for electrician's glove made of full-grain leather. Water-repellent and siliconized for better flame resistance. Wing thumb, 100-millimeter leather cuff, and tightening strap on the back of the hand.

COLOR	98 Assorted.
SIZE	8-13
STANDARD	EN 388, EN 420.
MATERIAL	Leather.



GLOVE TEGERA 9105 0-9105-0-98

Comfortable, all-round work gloves in synthetic leather. Reinforced seams and fingertips. Ergonomic fit, pre-flexed fingers, and Velcro closure. Reflective for improved visibility. Ideal for assembly tasks. Bundle: 6 - Carton: 60.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016+A1:2018_1121X, EN 420:2003+A1:2009, CAT 2.
MATERIAL	Microthan®, polyester.



GLOVE GUIDE 3570 0-6-3570-30

Thermal gloves in split cowhide of a high quality. The gloves have long cuffs, reinforced in the palm of the hand and cotton lining. Suitable for work in warm environments, suitable for MIG and MAG welding. Heat-resistant kevlar-thread in seams. Bundle: 6 - Carton: 36.

COLOR	30 Yellow.
SIZE	6-13
STANDARD	EN388:2016 4244X, EN407:2020 434244, EN12477: Type A.
MATERIAL	Split cowhide , kevlar.



ARMSLEEVE GUIDE 372 0-7-372-98

Cut protection sleeve designed to protect the upper and lower arm from cuts. Equipped with a soft and ergonomically designed handle part that keeps the sleeve nicely in place. Knitted in 13 gg nylon, polyester, HPPE, and fiberglass. Cut protection level D. Ambidextrous. OEKO-TEX® certified. Approved for food handling. Bundle: 6 - Carton: 36.

COLOR	98 Assorted.
SIZE	M-XL
STANDARD	EN 388_4X4XD, CAT 2.
MATERIAL	HPPE, elastane, polyester, fiberglass.



GLOVE GUIDE 578 0-578-0-4510

Thin all-round gloves in nitrile. High finger sensitivity, snug fit, and touch-screen compatibility. Knitted in nylon and carbon fibre to reduce the risk of static electricity buildup. Good wet and dry grip. Bundle: 12 - Carton: 120.

COLOR	4510 Royal Blue/Black.
SIZE	6-11
STANDARD	EN388:2016 3121X / EN407:2004 X1XXXX / IEC 61340-5-1 R: 5.3 x 10 ⁸ Ω / EN 16350 R: 5,7x10 ⁵ - 3,2x10 ⁶ Ω.
MATERIAL	Nylon, carbon fibre.

WORK GLOVES WITH SPECIAL PROTECTION



GLOVE GUIDE 6225 CPN

0-6-6225-6410

Durable cut protection gloves in PU. Excellent protection against punctures from needles and other sharp objects. 360-degree protection. Good wet and dry grip. Bundle: 6 - Carton: 36.

COLOR	6410 Dark Grey/Black.
SIZE	8-11
STANDARD	EN388:2016 4X42F TDM LEVEL 53,56 / ASTM F 2878-10 25G: 8,7N.
MATERIAL	PU.



GLOVE GUIDE 7506

0-6-7506-98

Flexible heat protection gloves in nitrile. Cut- and heat-resistant. Made from materials that are suitable for use in environments with heat and arc exposure. Bundle: 3 - Carton: 60.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016 4X43D, EN 407:2004 41220X, ARC/ASTM F2675 CAL 10.3 ATPV 2, Cut protection level D (ISO 13997), CE CAT 3.
MATERIAL	Nitrile.



GLOVE GUIDE 6330 CPN

0-6-6330-1060

Needle protection glove in nitrile, with knuckle dipping and a double-dipped palm. The palm features a thin metal weave that provides protection against needles and sharp objects – with 4 layers in the palm and 2 layers on the underside of fingers and over the fingertips. Cut protection level F.

COLOR	1060 Black/Grey.
SIZE	8-11
STANDARD	EN 388:2016-4X43F, EN 420:2003, CE CAT 2.
MATERIAL	Nitrile.



GLOVE GUIDE 6501 CPN

0-7-6501-10

Discreet, black puncture protection glove made of high-quality cowhide. CPN technology. The palm has a thin metal weave protecting against needles and sharp objects – 8 layers in the palm, 4 layers on the undersides of fingers and over fingertips, and 3 layers in index fingers. The back of the glove and sides of fingers have cutprotection material made of Kevlar®. Cut protection level F. Bundle: 6 - Carton: 36.

COLOR	10 Black.
SIZE	7-12
STANDARD	EN388:2016 3X22F.
MATERIAL	Goat Split leather.



TEXTILE GLOVES

LIGHTWEIGHT AND THIN
INNER GLOVES

ABSORB HUMIDITY

MADE OF POLYESTER
AND COTTON



TEXTILE GLOVES

Work gloves that are very thin, flexible and lightweight. Suitable for use as inner gloves under other gloves and provides as high a degree as comfortable as possible.

Area of utilisation: Suitable as inner gloves for all types of sectors and uses, but often used under gloves that protect against chemicals.

Properties may vary from model to model; please always read the product information for additional information.

0-8-620-98

GLOVE WENAAS 620

Comfortable, lightweight, and breathable textile glove made of a cotton blend. PVC dots on the palm for better grip and durability. Well suited for assembly and inspection work. Phthalate-free. Bundle: 12 - Carton: 300.

COLOR 98 Assorted.
SIZE 6-12
MATERIAL Cotton, PVC.



ACCESSORIES



ACCESSORIES

Different accessories for work gloves.

Properties may vary from model to model; please always read the product information for additional information.



GLOVE GRABBER WENAAS 100 PCK 0-55201-12000-45

The Squids® 3400 glove holder keeps your gloves in place. Just clip your gloves to a garment, a D-ring, or other item. Strong gripping power. This holder has a safety function that allows it to be released in emergency situations to avoid catching on other objects. Can be reassembled and used again. All-round double clip version can be used a single or two-piece unit. Bag of 100. Carton: 5 pcs.

COLOR 45 Royal Blue.
SIZE BAG
MATERIAL Acetal Copolymer.



GLOVE GRABBER BELT WENAAS 0-55202-12000-45

Glove holder with Squids® 3405 belt clips. Keeps gloves secure for attachment to a belt or other item. This holder has a safety function that allows it to be released in emergency situations to avoid catching on other objects. Can be reassembled and used again. Carton: 240 pcs.

COLOR 45 Royal Blue.
SIZE One Size
MATERIAL Acetal Copolymer.



WARM PACKS N-FERNO® 6990 PAIR 0-75600-6990-98

Heat pack that helps keep hands warm in cold conditions. Insert the pack into a glove or pocket for warmth that lasts up to 12 hours. Carton: 240 pcs.

COLOR 98 Assorted.
SIZE PAIR
MATERIAL Non-toxic.



PNEUMATIC GLOVE TESTER 0-90102-2870-98

Tester for electric gloves.

COLOR 98 Assortert.
SIZE One Size

MATERIALS

Ox skin - Grained



A natural material that adapts to the surrounding temperature and environment. Very durable, good breathing capabilities and resistant to high temperatures. It absorbs humidity in a very efficient manner. The leather is divided into two layers before it is grained. The outer layer is known as grain or nappa, while the inner layer is known as suede.

Goat skin



Goat skin has a naturally smooth surface making it suitable for use in assembly gloves. The leather is thin, flexible and durable. If the leather gets wet, the glove will remain soft after it dries again. Suitable for demanding tasks. Goat leather gloves provide excellent dexterity.

Ox leather - Slit



Leather with a coarse upper with good physical and mechanical properties. Suitable for rougher work.

Microfiber



Microfibre can feel very similar to natural leather and has many of the same properties. It can either be laminated on a thin textile material or used as a fibre mixed with another material. The material is thin, soft and strong, which provides excellent durability and a good grip and dexterity. Gloves in Microfibre can be used by people with chrome or nickel allergies; leather gloves are often tanned with these heavy metals.

Coating

Gloves can be coated in different material such as nitrile, PU, latex or PVC. There are different levels of coating, depending on the properties you are looking for, for example fully coated, coating on the fingers or just on the fingertips.

Polyurethane (PU)



PU is a material that is often used in everything from textiles, shoes, in construction and as coating on gloves. PU is a thin and elastic material that provides good dexterity on wet and dry surfaces and in low temperatures.

Textile gloves



Lightweight knitted gloves that protect against dust and dirt. Some models are also suitable as inner gloves and for certain jobs where you are not exposed to chemicals or oil-spills.

PVC



A plastic material that is durable and gives a good grip in both wet and dry surroundings. It protects against several water-soluble chemicals, but provides limited protection against organic solvents. PVC can become stiff in cold surroundings.

Nitrile



Synthetic rubber, very durable and gives a good grip in both dry and wet environments. The material is micro-porous allowing water and damp to pass and thus avoiding clammy hands.

Natural rubber (Latex)



Natural rubber/Latex is highly elastic, very elastic and rip-safe, which gives a very good grip in both dry and wet environments. High resistance against alcohol and water-soluble chemicals. Natural rubber (Latex) contains natural protein that can cause allergic reactions.

Neoprene



A synthetic rubber material with good heat-isolating properties. It also provides good protection against oil, fat, organic hydrocarbons and acids when it comes chemical protection.

Cotton




A natural textile fibre with excellent durability and strength. Does not melt when ignites and absorbs humidity.

Synthetic textile



A material that is made from synthetic fibres, such as polyester, polyamide, acrylic, elastane and polypropylene and a mixture of these. The different properties vary according to the composition of fibres.



MAIN OFFICE AND LOCATIONS:

WENAAS WORKWEAR AS,

Bruasetvegen 122,
N-6386 Måndalen.
Tlf: +47 71 22 73 00
Email: post@wenaas.no

UK - Scotland

Wenaas Workwear UK
Unit 1 Hub at Hareness
Hareness Road
Aberdeen
Scotland
AB12 3LE
Email: post@wenaas.com

Netherlands

Wenaas Workwear NL B.V.
Voltastraat 12, 3335KK Zwijndrecht,
Netherlands
Email: post.nl@wenaas.com

Sweden

Wenaas Workwear AB
Processvägen 5.
435 33 Mölnlycke
Sweden
Email: post@wenaas.com

Denmark

Wenaas Workwear Denmark A/S
Amaliegade 47
1256 København K
Denmark
Email: post@wenaas.com

FOLLOW US:

 Wenaas Workwear AS

 Wenaas Workwear AS

 Wenaas Workwear AS

 Wenaas Workwear

 wenaas.com