

# Shipping

2024





# ”Taking Responsibility, being Transparent and Trustworthy”

## OUR ESG AMBITIONS



### PROTECTING ENVIRONMENTAL RESOURCES

Wenaas is committed to eliminating waste and pollution

- By using future-oriented tools to facilitate analysis of sustainable data in cooperation with our strategic and tactical suppliers.
- Our goal is to phase out and replace critical product groups with more recognizable, certified, and environmental programs.
- Wenaas will prioritize, engage, and reduce its carbon (Co2) emission and water footprint in production.



### OUR SOCIAL MANAGEMENT CAPABILITIES

Wenaas is committed to being a safe workplace

- By meeting safety and environmental requirements within its own departments together with an overview of all suppliers.
- We will continue to ensure a decent workplace, increasing social dialog to protect against discrimination and harassment, while encouraging equality and fair wages.
- Wenaas has a pragmatic and holistic approach to deepen its understanding to the needs of our supply chain workers.



### COLLABORATION AND GOVERNANCE REPORTING

Wenaas is committed to transparency

- By market monitoring and by complying with all regulatory requirements, and annually reporting to national and international ESG frameworks.
- Our focus is on identifying green growth opportunities while integrating environmental and social concerns into our chosen SDG's.
- Wenaas will strive to ensure fair trade by continued co-operation with its valuable supplier network partners.

### ”W” STANDS FOR HIGH QUALITY AND SAFETY

“The Wenaas W” has a special meaning to our customers of Work-clothes, Uniforms, Gloves and Safety Footwear. When wearing our products, you can be assured you are as comfortable as possible, protected and cared for. Our logo stands for high quality and safety. The Wenaas W means that you can be sure that our products are well suited for the assignment to be carried out. It also guarantees that the product is certified according to the latest EN-standards. When choosing the Wenaas “W” you are secured for and can focus on your tasks, all while protected from any health and safety risks at work.

### “QUALITY”

Our Workwear and Uniforms are characterized by a high-quality, comfortable, and functional design. Behind every design, seam, choice and detail there is careful work and extensive knowledge. When you buy a product from Wenaas, you can be certain that quality is paramount throughout all production processes - from sketch to approved end-product.

The functionality and durability of the product defines in many cases the quality. High quality products that last longer are adaptable, maintainable, and repairable. A design cared for a

longer product life provides healthy ecosystems with lower consumption of natural and raw materials, environmental production operations and less waste. To lower our impact of textile production and waste on the environment we use environmentally friendly materials such as Lenzing TENCEL™ Lyocell, Lenzing FR®, merino wool, recycled polyester, and organic cotton in our garments production, as well as Blue Sign dyeing process.

We ensure that our entire supply chain and production of Workwear and Uniforms - from raw material to finished product follows international requirements and standards. We are conscious about the quality terms that are important in the production of our products. We therefore emphasize that the right quality for the purpose of the product not only can increase user experience, but also reduce cost and at the same time have a positive impact on the environment. Our Sourcing and Product Development departments works every day to ensure that developments deliver accordingly to the Wenaas “W” by;

- Fiber mixtures and bindings.
- Fit and weight.
- Seams and technical solutions.
- Dying process.
- Test reports that document the level of the quality.

### SUSTAINABLE DEVELOPMENT GOALS



### Membership and cooperation



### Certifications



Read more about sustainability or see [www.wenaas.com/en/sustainability](http://www.wenaas.com/en/sustainability)



**0-80760-114 SHIPPING COVERALL**

Light and comfortable coverall with hidden two-way zipper in the front. Shoulder flaps, fold at the back for improved movement and several practical pockets. Elastic waistband, strings for securing braces on the inside and adjustable sleeves and legs. The coverall is suitable for work in the shipping industry.



**COLOR** 25 Orange, 40 White, 45 Royal Blue, 80 Red.  
**SIZE** C44-C70  
**MATERIAL** 100% cotton, 240 g/m<sup>2</sup>.




**0-80913-10224 FLAMERETARDANT COVERALL**

The model has a standing collar, two-way zipper under a front flap. Expansion pleat at back, elastic waistband, and soft velcro for attaching a name tag on the left chest. Coverall has chest pockets, with zipper and flap, inside pocket, sleeve pocket with a flap, side pockets with grip-opening, back pockets with flaps, tool pocket, knee pad pockets, and one reflective tape around the sleeve, legs, and across the shoulders.



**COLOR** 25 Orange, 40 White, 7 Dark Navy Blue, 80 Red.  
**SIZE** XS-XXXL  
**STANDARD** EN 1149-5:2018, EN ISO 11612:2015 A1+A2 B1 C1 F1, EN ISO 11611 class 1 A1+A2, IEC 61482-2:2018, APC 1 (4 kA).  
**MATERIAL** Main fabric: 99% cotton, 1% antistatic, 220 g/m<sup>2</sup>.





**0-83842-10224-25 MULTINORM COVERALL VENTED**

Multinorm coverall with standing collar, two-way zipper, and back pleat for better mobility. Mesh under the arms for good ventilation options. Elastic at the back, adjustable cuffs, and several practical pockets. Internal knee pad pockets on two levels and the option to use knee protectors of different sizes. Reflective tape around the sleeves, legs, and over the shoulders.



**COLOR** 25 Orange.  
**SIZE** XS-4XL  
**STANDARD** EN ISO 11612:2015, A1+A2, B1, C1, F1, EN 1149-5:2018, EN 17353:2020 Type B2, Material approved according to NFPA 2112, IEC 61482-2 APC 1 ATPV 9,7 cal/cm<sup>2</sup> ELIM 9 cal/cm<sup>2</sup>.  
**MATERIAL** 99% cotton, 1% antistatic, 220g/m<sup>2</sup>.



**0-83794-10202-3210 HIVIS COVERALL**

This model has a standing collar and 2-way zip under a front flap. Yoke at the front, and a pleat in the back for better movement. This coverall has a single, and a double chest pocket with a flap, an ID-card pocket, front pockets with grip-opening, a back pocket, with a hammer-loop under the back pocket tool pocket, with a pen pocket, WEB band, and a metal button for a knife. Double hip pocket with flap, and knee pad pockets with 2 levels for different knee pad sizes. Elastic at the back of the waist, big hammer loops with velcro and belt loops. Adjustable sleeves with cuffs and gusset, adjustable legs, double reflective tape around sleeves, body, legs, and single reflective tape across shoulders.

**COLOR** 3210 Fluorine Yellow/Black.  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 20471:2013+A1:2016, class 3.  
**MATERIAL** 80% polyester, 20% cotton, 300 g/m<sup>2</sup>. Reinforcement: Cordura®.

**0-87855-156-8032 SHIPPING COVERALL**

Durable, flame-retardant coverall with a 2-way zip at front. Straps at chest and back of neck for attaching a Regatta life jacket. Several practical pockets and adjustable waist and cuffs. This coverall is suitable for work requiring protection against flames.

**COLOR** 8032 Red/Fluorescent Yellow.  
**SIZE** C44-C66  
**STANDARD** EN ISO 11612:2015 A1+A2 B1 C1.  
**MATERIAL** 75% cotton, 25% polyester, 290 g/m<sup>2</sup>.

**0-81558-10241 FLAMTECH COVERALL**

Soft flame-retardant coverall with hidden two-way zippers in the front. Adjustable waist in the back and several practical pockets in the front. Velcro fastening on the cuffs. The jacket is suitable to wear when protection is needed against arcs and flames, in addition to being highly visible.

**COLOR** 3204 Yellow Fluorescent/Navy.  
**SIZE** C46-C64  
**STANDARD** EN ISO 20471:2013 class 3, EN 1149-5:2008, EN ISO 11612:2015, A1+A2, B1, C1, F1, IEC 61482-2:2009, Class 1 (4 kA), Material ATPV 12 cal/cm<sup>2</sup>, HAF 82,9%.  
**MATERIAL** 74% cotton, 25% polyester, 1% antistat 290 g/m<sup>2</sup>.

**0-48333-10210-2810 HI-VIS WOMENS STRETCH JACKET, CLASS 2**

Stretch visibility stretch jacket in durable fabric with a slim fit. Front zip with an interior flap and laser holes under the arms provide good ventilation. Reinforcement on the elbows and at the underside of the cuffs. Elasticized cuffs with thumbholes and width adjustment at the cuffs and hem of the jacket. The longer section at the back protects cold from entering. Suitable for use throughout the year if the winter is mild.

**COLOR** 2810 Fluor Orange/Black.  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 20471:2013 Class 2.  
**MATERIAL** 80% polyester, 20% cotton, 300 g/m<sup>2</sup>.  
 Contrasting material: nylon, polyester, elastane, polyamide.

**0-74332-10211-1028 HIVIS STRETCHTROUSERS LADY**

Comfortable visibility overalls with 4-way stretch and segmented reflective sections offer good freedom of movement. Form-stitched for a feminine silhouette. Integrated ventilation panels give an airy feeling to these trousers. Higher waist at back and detachable hanging pockets. Plenty of practical pockets, including knee-pad pockets at two heights. Adjustable leg length (5 cm) and adjustable leg width make these trousers adaptable to most wearers.

**COLOR** 1028 Black/Fluor Orange.  
**SIZE** 32-52  
**STANDARD** EN ISO 20471:2013 class 1.  
**MATERIAL** 65% polyester, 35% bomull, 315 g/m<sup>2</sup>. Contrasting material: Cotton, nylon, polyester, elastane, polyamide.

**0-56810-19101 OFFSHORE WINTER JACKET**

Waterproof and durable winter jacket with padded lining. Hidden zip closure in the front, collar with fleece lining and several practical pockets. Extended back to keep back warm and adjustable hem and cuffs. The jacket is suitable to wear in cold climates, when protection is needed against arcs and flames, in addition to being highly visible.

**COLOR** 28 Fluo Orange.  
**SIZE** XXS-XXXL  
**STANDARD** EN ISO 20471:2013 Cl.3, EN 1149-5:2008, EN ISO 14116:2015 Index 1.3, EN 343:2003+A1:2007 Kl. 3.1.  
**MATERIAL** 99% polyester, 1% carbon, 210 g/m<sup>2</sup>. Lining: 100% cotton.



**0-56855-19101-8032 OFFSHORE SHIPPING JACKET WINT**

Waterproof and warm winter jacket with padded lining. Detachable hood with customized helmet, high neck with fleece and hidden front zipper. Strap to fasten lifejacket, several practical pockets and ribbed cuffs. Suitable as a winter jacket or for wear under harsh weather conditions.

**COLOR** 8032 Red/Fluorescent Yellow.  
**SIZE** XXS-XXL  
**STANDARD** EN ISO 14116:2015, index 1.3, EN 1149-5:2018, EN 343:2003+A1:2007, class 3.1.  
**MATERIAL** 99% polyester, 1% carbon, 210 g/m<sup>2</sup>, Lining: 100% cotton.



**0-29551-12507-7 ACTION TROUSER STANDARD**

Lightweight, comfortable, durable trousers with an anti-crease finish. Many practical pockets, form-stitched knees with reinforcement, and adjustable hem width. These trousers withstand numerous wash and dry cycles. Suitable for use in service professions and as uniform trousers.

**COLOR** 7 Dark Navy Blue.  
**SIZE** C44-C64  
**MATERIAL** 65% polyester, 35% cotton, 215 g/m<sup>2</sup>.



**0-35594-218-3210 SOFTSHELL VISIBILITY JACKET**

Visibility jacket in medium-thick, wind- and water-resistant fabric with comfortable fleece inside. Zip closure, ID-card pocket, and additional practical pockets at front. Elasticated handwarmers at cuffs with thumbhole. Longer section at back of waist protects the lower back from cold. This is an excellent jacket for transitioning between seasons.

**COLOR** 3210 Fluorine Yellow/Black  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 20471:2013/A1:2016 XS-S cl. 2, M> cl. 3  
**MATERIAL** 100 % polyester, 290 g/m<sup>2</sup>.



**0-90700-0-98 BELT WENAAS PROFF**

Nylon belt. 135 cm long. Adjustable length. Snap-lock buckle.

**COLOR** 98 Assorted  
**SIZE** One Size  
**MATERIAL** 100% Nylon



**0-43894-10202-3210 VISIBILITY JACKET**

Visibility jacket in durable fabric with soft fleece inside the collar. Zip closure, ID-card pocket, and additional practical pockets at front. Adjustable cuffs and press-studs at cuffs and hem for width adjustment. Longer section at back of waist protects the lower back from cold. This is an excellent jacket for transitioning between seasons.

**COLOR** 3210 Fluorine Yellow/Black.  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 20471:2013+A1:2016, XS class. 2, S> class 3.  
**MATERIAL** 80 % polyester, 20 % cotton, 300 g/m<sup>2</sup>. Reinforcements: CORDURA®



**0-51594-18807-3210 HIVIS PILOT JACKET WINTER**

Quilted visibility pilot jacket in waterproof fabric with soft fleece inside the collar. Zip closure, ID-card pocket, and additional practical pockets at front. Rib-knit cuffs with thumbhole, as well as adjustable Velcro® tabs at the cuffs and the back of the waist. This jacket is best for winter use, but can also be worn as a transitional garment.

**COLOR** 3210 Fluorine Yellow/Black.  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 20741:2013, XS kl. 2, S> cl. 3, EN 342:2003.  
**MATERIAL** 100% polyester, 230 g/m<sup>2</sup>. Reinforcements: Cordura®.



**0-23596-18807-3210 WINTER VISIBILITY TROUSERS**

Lined visibility work trousers keep you warm in cold weather. Reinforced with CORDURA® at critical points to ensure these trousers will have a long life. The fly with zip closure and button and elastics at the sides of the waist ensure good freedom of movement. Multiple practical pockets at the front and back provide plenty of storage options.

**COLOR** 3210 Fluorine Yellow/Black.  
**SIZE** S-XXXL  
**STANDARD** EN ISO 20471 cl. 2, EN 342.  
**MATERIAL** 100 % polyester, 230 g/m². Reinforcements: CORDURA®.



**0-88355-19101-8032 SHIPPING WINTER COVERALL**

Durable, waterproof, flame-retardant winter coverall with quilted, insulating lining. Adjustable and detachable hood, concealed 2-way zip at front, and several practical pockets. Straps at chest and back of neck for attaching a Regatta life jacket. Adjustable waist, sleeve cuffs, and leg hems. This coverall is ideal for work outdoors or in cold environments, for which flame protection is required.

**COLOR** 8032 Red/Fluorescent Yellow.  
**SIZE** XXS-XXXL  
**STANDARD** EN ISO 14116:2015, index 1.3, EN 1149-5:2018, EN 343:2003+A1:2007, class 3.1.  
**MATERIAL** 99% polyester, 1% carbon, 210 g/m². Lining: 100% cotton.



**0-96494-18807-8710 HI-VIS PARKAS**

Hi-vis parka in durable waterproof outer fabric with lots of practical pockets. Jacket lined with warm and comfortable quilted fabric and fleece collar with hidden detachable hood adapted for helmets. Hidden zip under front flap to protect from wind. Comfortable rib-knit cuff with thumb hole, Velcro® adjustment and waist-width adjustment prevent cold penetration. Ideal for autumn and winter wear

**COLOR** 8710 Red Fluorine/Black.  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 20471:2013 cl. 3, EN 342:2004.  
**MATERIAL** 100% polyester, 230 g/m². Reinforcement: Cordura®.



**0-81594-18807 WINTER VISIBILITY COVERALLS**

Quilted visibility coveralls for cold days. Membrane-coated fabric and taped seams ensure that these coveralls are wind- and water-resistant. Two-way zip at the front and many practical pockets at the front and back. Stand-up collar with soft fleece and large, detachable hood with room for a helmet. Knitted fabric in the torso provides a good fit. Hooks for trouser braces at the inner waist. CORDURA® knee-pad pockets at two heights. Velcro® tabs at hems and cuffs for width adjustment, and ribbing at the cuffs.

**COLOR** 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black.  
**SIZE** XS-XXXL  
**STANDARD** EN 342, EN ISO 20471.  
**MATERIAL** 100% polyester, 230 g/m². Reinforcements: Cordura®.



**0-58302-1990-8010 QUALITEX PILOT JACKET REFL**

Water and wind-repellent pilot jacket with padded lining. High collar, fleece lining in collar and hidden zip fastener under storm flap. Several practical pockets, elastic band in hem and ribbed cuff in sleeve opening. Suitable for use as a winter jacket.

**COLOR** 8010 Red/Black.  
**SIZE** XS-XXL  
**MATERIAL** 100% polyester PU-coated, 200 g/m<sup>2</sup>.



**0-66-8050 COVERALL W50 ECO À25**

Disposable coverall W50 made from breathable, antistatic, silicone-free, laminated material. Minimal lint. Interior seams. Hood designed for use with a mask. Full-length zip closure. Protection type 5 and 6, against dust and particulate matter, as well as non-toxic and harmless liquid spray. Suitable for pharmaceutical industry, production, cleaning, water and electricity plants, electronics, agriculture, emergency services, and spray-painting. Disposable. Sold in packages of 25 units.

**COLOR** 40 White.  
**SIZE** S-XXXL  
**STANDARD** EN 1073-2:2002, EN 1149-5:2008, EN 14126:2003+AC:2004, EN ISO 13982-1:2004 +A1:2010 Type 5B, EN 13034:2005+A1:2009 Type 6B, CAT 3.  
**MATERIAL** Microporous, 62 g/m<sup>2</sup>.



**0-88302-1990-8010 QUALITEX COVERALL REFLECTIVE**

Water- and wind-repellent coverall with quilted lining. Adjustable and detachable hood, fleece lining in collar and hidden two-way zip closure in the front. Several practical pockets and ventilation under sleeves provide increased comfort. Adjustment in waist and belt in addition to cuffs at the end of the sleeves. This coverall with isolation is suitable for those who must work outdoors in cold conditions.

**COLOR** 8010 Red/Black  
**SIZE** XS-XXXL  
**MATERIAL** 100% PU-covered Polyester, 200 g/m<sup>2</sup>, Quilted lining 100% Polyester 160 g/m<sup>2</sup>, Fleece: 100% Polyester.



**0-6-8045-60 SUIT TYCHEM 6000F**

Tychem® chemical coverall with hood. Protection against type 3B, 4B, 5B and 6B and against many toxic organic industrial chemicals, highly concentrated inorganic chemicals, and biohazards. Elastic around face and at wrists, waist and ankles for optimal fit. Thumbholes at cuffs ensure that sleeves stay in place. Self-adhesive panel at chin to seal coverall with the mask. Stitched and taped protective seams that offer the same protection as the fabric. Double self-adhesive panel over the zip offers increased protection. Suitable for a variety of applications, such as chemical removal, preparedness, petrochemical work, and much more. Package containing 25 units.

**COLOR** 60 Grey.  
**SIZE** S-XXXL  
**STANDARD** EN 1149-5, EN 1073-2, EN 14126, CAT 3, Type 3B, 4B, 5B, 6B.  
**MATERIAL** Tychem®, 120 g/m<sup>2</sup>.



**0-26005-0 KNEEPAD STANDARD**

Upgraded material that provides improved protection and more durable than earlier versions. The kneepad comes with instructions about how to place it (this side towards knee). If it is not placed with the right side towards the knee, it will not protect the knee. Width: 15 mm., height: 198 mm., thickness: 19 mm.

**COLOR** 98 Assorted.  
**SIZE** PAIR  
**MATERIAL** Etylenvinylacetat (EVA).





**OFFSHORE RAIN BIB 'N BRACE 0-95300-18103**

Rain overall in lightweight, comfortable, PVC-coated polyester knit. PU provides optimal wind and weather protection. Rain dungarees are flexible and comfortable. Good fit thanks to elasticsation at waist and adjustable braces. Suitable for use all year round.

**COLOR** 25 Orange.  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 14116:2015 index 1, EN 343:2003+A1:2007 class.3.1.  
**MATERIAL** 65% polyester, 35% polyurethane, 220 g/m<sup>2</sup>.



**OFFSHORE RAIN JACKET 0-95200-18103**

Comfortable and practical rain jacket. Adjustable hood with string and front pockets with flaps, hidden double fastening. Hidden double buttoning .

**COLOR** 25 Orange.  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 14116:2015 index 1, EN 343:2003+A1:2007 class.3.1.  
**MATERIAL** 65% polyester, 35% polyuretan, 220 g/m<sup>2</sup>.



**RAIN JACKET FLAME RETARDANT 0-95055-0-32**

Waterproof visibility rain jacket with flame-retardant properties. Adjustable hood with string, hidden zipper and front pockets with snap fastening.

**COLOR** 32 Flouresent yellow.  
**SIZE** XS-5XL  
**STANDARD** EN ISO 14116, EN ISO 20471, EN 343 kl. 3.1, EN 1149-5, EN 13034.  
**MATERIAL** 50% polyester, 50% polyurethane, 210 g/m<sup>2</sup>.



**RAIN BIB 'N BRACE FLAME RET 0-95059-0-32**

Microflex flame-retardant Hi-Viz bib trousers. Elasticated shoulder straps with buckles. High frequency welded seams. Press stud adjustments by the ankles. Reflective tape. Waterproof: 8000 mm.

**COLOR** 32 Flouresent yellow.  
**SIZE** S-4XL  
**STANDARD** EN ISO 14116 index 1, EN 1149-5, EN ISO 20471, EN 343 3.1.  
**MATERIAL** 50% polyester, 50% polyurethane, 170 g/m<sup>2</sup>.



## SHIPPING

### 0-99100-125-40 UNIFORM SHIRT LS

Soft, comfortable, and durable uniform shirt with anti-crease characteristics. This shirt has long sleeves, shoulder tabs, and two chest pockets with flap. Ideal for wear as e.g. a uniform shirt.

**COLOR** 40 White.  
**SIZE** 36-52  
**MATERIAL** 65% polyester, 35% cotton, 245 g/m<sup>2</sup>.



### 0-99200-125-40 UNIFORM SHIRT SS

Soft, comfortable, and durable uniform shirt with anti-crease characteristics. This shirt has short sleeves, shoulder tabs, and two chest pockets with flap. Ideal for wear as e.g. a uniform shirt.

**COLOR** 40 White.  
**SIZE** 36-52  
**MATERIAL** 65% polyester, 35% cotton, 245 g/m<sup>2</sup>.



### 0-32100-111-5 NATO SWEATER ROUND NECK

NATO rib-knit wool jumper with a round neck, reinforcements on shoulders and elbows, and shoulder tabs. The rib-knit wool fabric retains warmth under cold conditions. Ideal for wear as e.g. a uniform jumper.

**COLOR** 5 Navy Blue.  
**SIZE** 48-64  
**MATERIAL** 100% wool.



**0-38502-207 BODYSHELL 1/2 ZIP FLAME RETARD**

Antistatic, flame-retardant and arc flash-protection zip polo shirts made from a soft, rib-knit material. High rib-knit neck with reverse zip fastening and long raglan sleeves with rib-knit sleeve cuff. The shirts are ideal if you have to be in hot environments and still require underwear that protects against flames and arc flash.

**COLOR** 10 Black.  
**SIZE** XS-XXXL  
**STANDARD** EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, ETB 6 cal / cm<sup>2</sup> APC 1 (4 kA).  
**MATERIAL** 60% modacrylic, 39% cotton, 1% antistat. 180 g/m<sup>2</sup>.



**0-38702-207 BODYSHELL LONGS FLAME-RETARDANT.**

Anti-static, flame-retardant and arc-protecting long in a soft, ribbed, modacrylic and cotton for protection and comfort. The longs have an elastic waistband and ribbed cuffs at the hems. Combine the longs with other garments with the same level of protection for added protection.

**COLOR** 10 Black.  
**SIZE** XS-XXXL  
**STANDARD** EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, ETB 6 cal / cm<sup>2</sup> APC 1 (4 kA).  
**MATERIAL** 60% modacrylic, 39% cotton, 1% antistat. 210 g/m<sup>2</sup>.



**0-38202-207 BODYSHELL BALACLAVA FLAME RET.**

Antistatic, flame retardant and arc protective balaclava made from a soft, ribbed material of modacrylic and cotton. The balaclava provides good protection and good comfort for the head, face and neck with a long neck cape and opening only for the eyes.

**COLOR** 10 Black.  
**SIZE** One Size  
**STANDARD** EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, APC 1 (4 kA) ETB 6, 4 cal /cm<sup>2</sup>. This balaclava has to be used ensembled with other garments that give at least the same level of protection.  
**MATERIAL** 60% modacrylic, 39% cotton, 1% antistat, 210 g/m<sup>2</sup>.



**UNDERWEAR RIBSTOP SET 0-38000-214-60**

Warm and comfortable underwear set. Jumper has a round neck, long sleeves and extended back. Longjohns have a knitted waist and fly at the front. The set is ideal when you have to be outdoors or in generally cold environments.

**COLOR** 60 Grey.  
**SIZE** XS-XXL  
**MATERIAL** 100% Polyester Ribstop Fleece, 150 g/m<sup>2</sup>.



**PADDED JACKET 0-31080-19580**

Quilted bomber jacket with a comfortable collar and elastic cuffs on the sleeve. Zip closure at the front and elastic at the hem for a better fit.

**COLOR** 10 Black.  
**SIZE** XXS-XXXL  
**MATERIAL** 100% polyester shell 240T, polyester + lining 210T 260 g/m<sup>2</sup>.



**PADDED TROUSER 0-30580-19580**

Padded trousers with a folded elastic waistband. Rib-knit elastic cuff at the bottom of the leg.

**COLOR** 10 Black.  
**SIZE** XXS-XXXL  
**MATERIAL** 100% polyester, shell 240T, polyester+padding+lining 210T, 260g/m<sup>2</sup>.



**SOCK WENAAS ENDURE WOOL 0-5710-0-10**

Warm, durable and comfortable socks. Sizes: 36-39, 40-44, 45-48.

**COLOR** 10 Black.  
**SIZE** 36-39, 40-44, 45-48  
**MATERIAL** 70% wool, 27% polyamid, 3% lycra.





**LEATHER WELDING APRON** 0-70750-0-50

Leather welding apron. Long waist straps and a neck strap with buckles give the user good adjustment options.

**COLOR** 50 Brown.  
**SIZE** One Size  
**MATERIAL** Leather.



Ansell

**APRON PVC 45** 0-6-45

Heavy duty PVC aprons feature 18mil die cut PVC and offer users a combination chemical splash protection and flexible comforts

**COLOR** 15 Green, 40 White.  
**SIZE** One Size  
**MATERIAL** PVC.



EN 11612

**CHEFS TROUSERS FR** 0-77155-10922

Comfortable, flame-retardant kitchen trousers in cotton with an elasticated waist. Practical pockets at front and back.

**COLOR** 4 Sailor Blue.  
**SIZE** XXS-4XL  
**STANDARD** EN ISO 11612:2015, A1+A2, B1 C1 F1.  
**MATERIAL** 100% cotton, 220g/m<sup>2</sup>.



**BANDANA M805** 0-3805-0

Cotton hat with closure.

**COLOR** 10 Black, 5 Marine, 40 White.  
**SIZE** One Size  
**MATERIAL** 100% cotton twill.



**APRON W/POCKET POL/COT 70X90** 0-3313-601

Durable waist apron with a pocket on the right side, ties that fit many sizes.

**COLOR** 10 Black.  
**SIZE** One Size  
**MATERIAL** 65% polyester, 35% cotton, comfort stretch, 205 g/m<sup>2</sup>.



EN 11612

**CHEFS JACKET FR** 0-76155-10922

Flame-retardant chef's jacket with Mandarin collar Double-breasted, partitions on the back and vent at the cuffs for folding.

**COLOR** 40 White.  
**SIZE** XXS-4XL  
**STANDARD** EN ISO 11612:2015, A1+A2,B1 C1 F1.  
**MATERIAL** 100% cotton, 220g/m<sup>2</sup>.





**OFFSHORE BAG DUFFLE**

**0-10155-0-10**

Offshore bag with straps, water repellent, suitable for offshore flights. 60x30x30 cm.

**COLOR** 10 Black  
**SIZE** One Size  
**MATERIAL** PVC



**SOCKET 3 STRIPES + DIAMOND**

**4-98413-1-10**

**COLOR** 10 Black  
**SIZE** PAIR



**SOCKET 3 STRIPES + PROPELLER**

**4-98423-1-10**

**COLOR** 10 Black  
**SIZE** PAIR

**0-35010-0 T-SHIRT GOLDEN**

Comfortable, lightweight T-shirt with a round neck. Pre-shrunk. Suitable for promotional wear.



**COLOR** 10 Black, 102 Denim, 15 Green, 17 Dark Green, 19 Lime, 200 Light Green, 22 Bottle Green, 30 Yellow, 37 Creme, 40 White, 41 Offwhite, 45 Royal Blue, 5 Navy Blue, 500 Aqua Blue, 55 Olive Green, 61 Light Grey Melange, 64 Dark Grey, 73 Sand, 75 Khaki, 80 Red, 84 Bordeaux, 89 Dark Brown, 90 Sky Blue, 95 Apple Green, 96 Lilac  
**SIZE** S-XXXL  
**MATERIAL** 100% combed cotton, 185 g/m<sup>2</sup>.



**0-35056-10401-10T-SHIRT SUNSET LADY**

Comfortable, lightweight T-shirt with a round neck. Fitted design that is suitable for most women. Suitable for promotional wear.



**COLOR** 10 Black.  
**SIZE** XS-XL  
**MATERIAL** 100% cotton, 150 g/m<sup>2</sup>.



**0-1250-0-10 SHOE BERSERK TYR EH**

Electrically insulating. Water resistant and breathable shoes in a modern design, quick lace system with smart tightening mechanism, full grain leather upper and light and soft rubber/PU outsole. Very comfortable shoes with excellent anti-slip properties as well as energy absorption and return.



**COLOR** 10 Black.  
**SIZE** 36-47  
**STANDARD** EN ISO 20345:2022, SB FO E PL WR HRO SR// ASTM F2413-18 M/I/C EH PR// UKCA.  
**MATERIAL** Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: Waterproof HDry. Protective toe cap: Glass fibre.



**0-75-957-10 ANKLE BOOT BERSERK BURR**

ESD-approved ankle boots with 3D mesh with breathable fabric lining and lacing. Very comfortable boots with good antislip and supporting properties.



**COLOR** 10 Black.  
**SIZE** 36-47  
**STANDARD** EN ISO 20345:2022, S3L HRO, FO, CI, SR, ESD // ASTM F2413-18 M/I/C SD 35 PR// UKCA.  
**MATERIAL** Upper material: PU-coated leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Lining: 3D Mesh fabric. Protective toe cap: Glass fibre.



**0-75-955-10 BOOT BERSERK BORG**

Comfortable boots with 3D mesh with breathable fabric lining and side zip and lacing. The boots offers good anti-slip and shock absorbing properties. 100% metal free



**COLOR** 10 Black.  
**SIZE** 36-47  
**STANDARD** EN ISO 20345:2022, S3L HRO, FO, CI, SR, ESD // ASTM F2413-18 M/I/C SD 35 PR// UKCA.  
**MATERIAL** Upper material: PU-coated leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Lining: 3D Mesh fabric. Protective toe cap: Glass fibre.



Foto: Nanco Hoogstad



**SHOE PANACEA APOLLO 2152**      **0-2152-1-10**

Shoes in full-grain leather with slip-resistant PU/PU outsole, fiberglass toe cap, and soft puncture protection. PU toe protector as well as TPU heel protector for extended lifespan. Removable insole.

**COLOR** 10 Black.  
**SIZE** 36-48  
**STANDARD** EN ISO 20345:2022, S3L FO SR.  
**MATERIAL** Upper: Full grain leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Fiberglas. Puncture resistance: Soft.



**ANKLE BOOT PANACEA APOLLO 2154**      **0-2154-1-10**

Ankle boot in full-grain leather with slip resistant PU/PU outsole, fiberglass toe cap, and soft puncture resistant mid-sole. PU toe protector and TPU heel protector for increased longevity. Removable insole.

**COLOR** 10 Black  
**SIZE** 36-48  
**STANDARD** EN ISO 20345:2022, S3L FO SR  
**MATERIAL** Upper: Full grain leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Fiberglas. Puncture resistance: Soft.



**BOOT PANACEA PULL ON**      **0-2166-0-50**

Boot in full-grain leather. The model has an anti-slip PU/PU outsole, fiberglass toe cap, soft puncture protection, and PU toe protector for extended durability. Removable insole.

**COLOR** 50 Brown.  
**SIZE** 37-48  
**STANDARD**  
**MATERIAL** Full-grain leather.



**BOOT PVC ARISAN S5**      **0-9505-0**

Allround boots in PVC. High model, good cushioning and light weight ensure high comfort.

**COLOR** 15 Green.  
**SIZE** 37-47  
**STANDARD** EN ISO 20345:2011, S5 SRC.  
**MATERIAL** Upper material: Leather. Outer sole: PU. Puncture resistant mid-sole: Steel. Protective toe cap: Steel.



**SHOE VERNER CALYPSO**      **0-14200-0**

Traditional shoes in a modern design with a microfiber upper. ESD-approved, lightweight and metal-free with a soft puncture resistant mid-sole making the shoes very comfortable. Comfortable, removable Work Comfort EVO insole.

**COLOR** 10 Black.  
**SIZE** 35-48  
**STANDARD** EN ISO 20345:2011, S3 SRC//UKCA.  
**MATERIAL** Upper material: Microfibre. Outsole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.



**ANKLE BOOT VERNER SCOTIA**      **0-14300-0-10**

Traditional ankleboot in a modern design with a microfiber upper. ESD-approved, lightweight and metal-free with a soft metal-free puncture resistant mid-sole making the ankle boot very comfortable. Comfortable, removable Work Comfort EVO insole.

**COLOR** 10 Black.  
**SIZE** 35-48  
**STANDARD** EN ISO 20345:2011, S3 SRC, UKCA.  
**MATERIAL** Upper material: Microfibre Outer sole: PU/PU. Puncture resistance: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.



**SLIP ON SHOE GIADA 20 S2**      **0-1611-4204-40**

Lightweigh moccasin with stylish, blue contrasting details. The upper is breathable and water-repellent with microfibre. These shoes are ideal for people who work in a profession that requires the use of white shoes. Can be machine washed.

**COLOR** 40 White.  
**SIZE** 36-48  
**STANDARD** EN ISO 20345:2011, SRC S2.  
**MATERIAL** Upper material: Microfibre. Outer sole: PU/PU. Lining: Breathable fabric. Protective toe cap: Composite.



**SHOE COVER 100 PCK**      **0-75100-21060-45**

Disposable shoe covers in CPE-plastic, 16". Thickness: 36 my. Suitable for use on construction sites, janitor services, laboratories and pharmacy. Weight: 4.4 g.

**COLOR** 45 Royal Blue.  
**SIZE** Bag  
**STANDARD** EN 1186  
**MATERIAL** CPE-plastic.



**0-6-37675 GLOVE ALPHATEC SOLVEX 37-675**

Very durable chemical protection gloves in nitrile. Good comfort and protection against chemicals. An ideal choice for work in wet or dry production areas where protection from corrosive substances is important. Patterned, rough surface provides good wet and dry grip. Bundle: 12 - Carton: 144.



**COLOR** 15 Green.  
**SIZE** 6-11  
**STANDARD** EN ISO 374-1:2016\_JKLOPT, EN 388:2016+A1:2018\_4101X, EN 420:2003+A1:2009, CAT 3.  
**MATERIAL** Nitrile, flocked cotton.



**0-6-37185 GLOVE ALPHATEC SOLVEX 37-185**

Very durable chemical protection gloves in nitrile. Long, over-elbow gloves with good comfort and protection against chemicals. An ideal choice for work in production areas with exposure to harmful substances. Patterned, rough surface provides good wet and dry grip. Carton: 12.




**COLOR** 15 Green.  
**SIZE** 7-11  
**STANDARD** EN ISO 374-1:2016\_AGJKLPT, EN 388:2016+A1:2018\_4102X, EN 420:2003+A1:2009, CAT 3.  
**MATERIAL** Nitrile.



**0-6-92600 GLOVE TOUCHNTUFF 92-600**

Disposable glove TouchNTuff® 92-600, very versatile, suitable for various applications. Soft nitrile blend offers a high level of comfort. Robust design for good durability. Does not contain natural rubber proteins, eliminating the risk of Type I allergies. Silicone-free. Suitable for transferring liquids and solids, processing, handling meat, fish, and food, industrial production, maintenance, laboratories, and chemical handling. Sales unit: 1 box of 100 pcs. Carton: 10 boxes of 100 pcs.



**COLOR** 98 Assorted.  
**SIZE** S-XL  
**STANDARD** EN ISO 374-1:2016\_JKPT, EN 420:2003+A1:2009, CAT 3.  
**MATERIAL** Coating: Nitrile.



**GLOVE WENAAS 715 0-8-715**

Cowhide split leather base palm, thumb, nail tips & knuckle. Cotton drill fabric back of hand with shirred elastic wrist. CVC fleece fabric lining on front palm only. Rubberized safety cuff with cotton fabric binding.

**COLOR** 98 Assorted.  
**SIZE** 8-12  
**STANDARD** EN 388:2016+A1:2018\_3121X, CE CAT 2.  
**MATERIAL** Cowhide split leather, cotton, CVC-fleece.



**GLOVE WENAAS 700 0-8-700-98**

Durable all-round glove in goatskin. High finger sensitivity and ergonomic fit. Knit in the wrist for greater comfort.

**COLOR** 98 Assorted.  
**SIZE** 7-12  
**STANDARD** EN 388:2016+A1 2018 2x22A, CE CAT 2.  
**MATERIAL** OEKO-TEX® certified goat leather.



**GLOVE WENAAS 127 0-8-127-98**

High-quality goatskin glove. Provides excellent sensitivity and protection against wear. The back of the hand is made of elastic polyester for a better fit. Velcro at the wrist for better closure and protection. Bundle: 6 - Carton: 72.

**COLOR** 98 Assorted.  
**SIZE** 8-12  
**STANDARD** EN 388\_2111X, CE CAT 2.  
**MATERIAL** Goatskin, spandex.



**GLOVE WENAAS 100 0-8-100**

Airy gloves in ultrathin nitrile with 360-degree breathability. Snug fit, touch-screen compatibility, and knitted cuff. Thin TFT coating offers good finger dexterity and good grip when wet or dry. OEKO-TEX® STANDARD 100 certified. Bundle: 12 - Carton: 120.

**COLOR** 98 Assorted.  
**SIZE** 6-11  
**STANDARD** EN ISO 21420: 2020, EN 388 4121X, EN 407 X1XXXX, CE- OEKO-TEX®, CE cat.2.  
**MATERIAL** Nitrile, nylon, spandex, elastane.

## SHIPPING

### 0-8-200-98 GLOVE WENAAS 200

Comfortable, cut-resistant gloves (Cut C) in PU. Snug fit, lightweight, with a knitted cuff. Durable work gloves with high flexibility. Exceptional grip when wet, oily, or dry. Bundle: 12 - Carton: 120.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN EN 388:2016 4X44C, EN 407:2020 X1XXXX, ANSI A3, CE CAT 2, Sanitize.
<b>MATERIAL</b>	Polyurethane, glass, polyester, spandex.



### 0-8-225-98 GLOVE WENAAS 225

Cut-resistant gloves (Cut D) in premium WFT nitrile foam. Very comfortable, with reinforced section between thumb and index finger. Touchscreen compatible. The liner is made from environmentally friendly TENCEL™, which consists of 48 % recycled materials. Bundle: 12 - Carton: 120.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN 388:2016 +A1:2018 4X41D, ANSI A5, CE CAT 2, Sanitize.
<b>MATERIAL</b>	Nitrile, polyester, TENCEL™, nylon, elastane.



### 0-8-300 GLOVE WENAAS 300

Warm, comfortable thermal gloves in nitrile. Snug fit, terry lining, and a knitted cuff. The back shell is made from Hi-Vis material for good visibility. Good wet and dry grip. Bundle: 12 - Carton: 120.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	7-11
<b>STANDARD</b>	EN 388:2016 A1 2018 4231B, EN 407 :2020 X2XXXX, EN 511:2006 X1X, CE CAT 2, Sanitize
<b>MATERIAL</b>	Nitrile, polyester, elastane



## LEATHER STANDARD BY OEKO-TEX®

- Wenaas Work gloves is granted the OEKO-TEX® LEATHER STANDARD certification!

This certification is a significant recognition of our commitment to the Wenaas "W" that stands for high quality and safety. The certificate enables everyone to make responsible decisions and implement high human-ecological product safety. All components are approved by a third party for harmful substances and assures that the leather product therefore is harmless for human health. This important milestone inspires us to continue creating safe and sustainable workwear.



**Our gloves for clinical and non-clinical settings are sanitized®**

Many of Wenaas' close-fitting work gloves are treated with Sanitized®. This means they are permanently treated to maintain the safety and hygiene of the gloves by eliminating or reducing the presence and growth of bacteria.



## SYMBOL DESCRIPTION



**TOUCHSCREEN:** Compatible with touchscreen.



**SANITIZED®:** The glove has undergone sanitized® treatment for enhanced protection against bacteria and odor.



**OEKO-TEX® STANDARD 100 FOR TEXTILES:** Every item bearing the OEKO-TEX® STANDARD 100 label is certified as having passed safety tests for the presence of harmful substances, from yarn to finished product.




**OEKO-TEX® LEATHER STANDARD:** ensures that textiles- and leather products have been tested against a long list of numerous regulated and non-regulated substances.



**DERMATEST®:** The glove is manufactured following strict guidelines on chemical use, and it does not contain chemicals harmful to the skin.



**WATER AND OIL REPELLENT:** The glove is water and oil repellent/ possesses water and oil repellent properties.



**0-8-320 GLOVE WENAAS 320**

Warm, comfortable, double-dipped thermal gloves in latex. Snug fit. Lined. Additional coating provides excellent wet and dry grip, along with good protection against water. Warm, very comfortable work gloves for outdoor and winter use. Bundle: 6 - Carton: 72.

**COLOR** 98 Assorted.  
**SIZE** 7-11  
**STANDARD** EN 388:2016+A1:2018 2242C, EN 407:2020 X2XXXX, EN 511:2006 12X, CE CAT 2, Sanitize.  
**MATERIAL** Latex, elastane.



**0-8-325-98 GLOVE WENAAS 325**

Fully dipped and lined winter glove with double dipped palm for better grip. Very flexible glove that retains its flexibility even in lower temperatures, as well as being waterproof. Fluted interior of insulating acrylic. Bundle: 12 pairs, Carton: 120 pairs.

**COLOR** 98 Assorted  
**SIZE** 6-12  
**STANDARD** EN 388\_2142X, EN 511:2006 X1X, CE CAT 2.  
**MATERIAL** Latex, acrylic.



**0-8-289 GLOVE WENAAS 289**

Premium cut-resistant glove with Impact and pinch protection in WFT-nitrile foam. Cut protection level D, double-dipped, and waterproof ensuring excellent protection against liquids. Exceptionally good grip in both dry and oily environments. Touchscreen compatibility. Bundle: 6 - Carton: 60.

**COLOR** 98 Assorted  
**SIZE** 6-12  
**STANDARD** EN 388:2016+A1:2018 4X42DP, EN 420, CAT 2.  
**MATERIAL** WFT-nitrile foam, Nylon, PVC



**0-8-420-98 GLOVE WENAAS 420**

Synthetic leather base palm. Electro conductive synthetic leather index & thumb tips. Foam laminated spandex fabric back of hand and thumb. Stitched vinyl back of hand and thumb protections. Aramid / glass Cut A4 lining on front palm only. Touch function on finger. Bundle: 6 - Carton: 72.

**COLOR** 98 Assorted.  
**SIZE** 7-12  
**STANDARD** EN 388:2016+A:2018\_3542DP, ANSI/ISEA 138-1, ANSI A4 cut, CE CAT 2.  
**MATERIAL** Synthetic leather, elastane.



**0-8-400-98 GLOVE WENAAS 400**

Performance impact gloves in goatskin, with oil block-treated palms. Snug fit, cut resistance level D. Elastic cuff. Kevlar reinforcements on inner thumbs for increased protection and exceptional grip. Back shell in anti-moisture treated Spandex with 4-way stretch. A tough, durable work glove that stands up to hard work. Bundle: 6 - Carton: 72.

**COLOR** 98 Assorted.  
**SIZE** 6-12  
**STANDARD** EN 388:2016 +A1:2018 2X23DP, EN 407:2020 X1XXXX, ANSI A4, CE CAT 2.  
**MATERIAL** Oil & water resistant goatskin leather. Kevlar, elastane.





**GLOVE WENAAS 620**

**0-8-620-98**

Comfortable, lightweight, and breathable textile glove made of a cotton blend. PVC dots on the palm for better grip and durability. Well suited for assembly and inspection work. Phthalate-free. Bundle: 12 - Carton: 300.

**COLOR** 98 Assorted.  
**SIZE** 6-12  
**MATERIAL** Cotton, PVC.



**GLOVE WELDING PRO**

**0-20100-1010-10**


Welding gloves in cowhide. Cowhide palms and split-leather back shell. Fully lined in cotton. Seams in Kevlar®, knitted material at wrists, and long cuffs for extra protection. Super-heavy-duty welding gloves.

**COLOR** 10 Black.  
**SIZE** 10-12  
**STANDARD** EN 388:2016+A1:2018\_3122A, EN 407:2004\_423244, EN 420:2003+A1:2009, CAT 3.  
**MATERIAL** Cowhide, split leather, cotton.

**0-28-100-5 BUMP CAP CENTURION COOLCAP S28**

Bump cap with 50 mm standard peak, that combines high ventilation, high flexibility and reassuring against minor bumps and scrapes to the head, whilst also doubling as a fashionable and comfortable piece of workwear. Corporate badging via embroidery or transfer print. Weight 150 gr. Size 54-59 cm. Carton: 20 pcs.

**COLOR** 5 Navy Blue.  
**SIZE** One Size  
**STANDARD** EN 812.  
**MATERIAL** ABS plastic and textile.



**CHAIN GLOVE NIROFLEX FIX 15 CM**

**0-14381-15000**

Chainmill glove with protection against knife cuts. 15 cm cuff. Self adjusting patented tension spring system made of stainless steel. Light weight micro plasma welded stainless steel chainmail for best hygiene conditions. Perfect choice for cleaning in drum washing machines. Easy to put on and take off. Coloured enforcements for quick size identification. Fits both left and right hand. Sold as eaches, and packed in a PE bag. Weight from 290-350 gr, dependent on size.

**COLOR** 141 Steel.  
**SIZE** S-XL  
**STANDARD** EN 1082-1.  
**MATERIAL** Stainless steel.



**GLOVE REGELTEX FLASH & GRIP**

**0-15410-1100-80**

Electrical insulated gloves in natural rubber. Protect against mechanical damage and electric arc class 0. Flexible, ergonomic design, with excellent grip when oily, wet, or dry. Each pair is supplied with a pair of fingerless cotton liner gloves for improved comfort. Carton: 25.

**COLOR** 80 Red.  
**SIZE** 7-12  
**STANDARD** EN 420:2003+A1:2009, EN 60903, IEC 60903, IEC 61482, ASTM F2675, CAT 3.  
**MATERIAL** Natural rubber.

**0-10016-10000-40 HELMET NEXUS SP 1000V REFLEX**

Unventilated 1000-volt helmet with a 6-point ratchet suspension. Short peak. Silver-coloured reflectors at front, on sides, and at top. Comfort band in polyester and 4-point chin strap. Protection against lateral deformation (LD). 30-mm slot for attachment of accessories. Size 52-64 cm. Weight 415 g. Package containing 5 units.

**COLOR** 40 White.  
**SIZE** One Size  
**STANDARD** EN 397, EN 50365, LD, MM, -40°C.  
**MATERIAL** ABS.



**0-10200-20000-40 HELMET PETZL VERTEX 1000V**

Unvented 1000-volt helmet with a short peak. For rescue work and work at heights. Protects against electrical current in low-voltage systems, molten metal, and flame. DUAL chin strap allows adjustment for incline work (EN 397 < 25 daN) and work at heights (EN 12492 > 50 daN). Adjustable 6-point ratchet harness with fabric bands. Protection against lateral deformation (LD). 30-mm slot for attachment of accessories. 10-year lifetime. Size 53-63 cm. Weight 490 g. Package containing 8 units.

**COLOR** 40 White.  
**SIZE** One Size  
**STANDARD** EN 397, EN 12492, EN 50365, ANSI Z89.1 Type I, Class E.  
**MATERIAL** ABS.





### 0-3806-9001-40 HELMET ZEKLER ZONE VENT

Zekler Zone is a multifunctional helmet that is certified for both construction work on the ground and for work at height as a climbing helmet. Comfortable and lightweight safety helmet with integrated click mounts for accessories. Twelve air holes provide efficient ventilation for a comfortable work environment.

<b>COLOR</b>	40 White.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 397, EN 12492.
<b>MATERIAL</b>	Outer shell: Polypropylene, Inner shell: EPP.

ZEKLER



### 0-112-10 HELMET V-GARD 1000V

Unventilated 1000 volt allround helmet, with 4-point Fas-Trac III ratchet suspension with PVC comfort band. Integrated brim. Protect to -30° C, 440 V AC, and 1000 V AC. 30 mm slot for attachment of accessories. Weight 360 gr. Size 52-64 cm.

<b>COLOR</b>	25 Orange, 40 White, 45 Royal Blue, 80 Red.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 397, -30° C, LD, 440 VACEN 50365EN ISO 80079-36.
<b>MATERIAL</b>	HDPE Plastic.

MSA



### 0-10090-12826-32 HELMET CONCEPT CORE VENT

The Centurion Concept Core is a light, strong and comfortable helmet made of high quality ABS material. The helmet has a 6-point harness, Dry-Tech sweatband, wheel ratchet adjustment and 30 mm slot for mounting earmuffs and accessories.

<b>COLOR</b>	32 Fluorescent yellow.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 397, LD, -40°C, MM.
<b>MATERIAL</b>	Shell: ABS (Acrylonitrile-Butadiene-Styrene).





**CHINSTRAP ELASTIC 2-PT 0-10090-34120-98**

Adjustable elasticated 2-points chinstrap. For use with Centurion Nexus SecurePlus and Concept helmets.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**MATERIAL** Elasticated, Polyester/Nylon/. Spandex Mix.



**EARMUFFS SANA 34 HELMET 0-10090-43639-98**

Centurion Sana 34 Earmuffs for helmet mounting is compatible with the full range of Centurion safety helmets and face protection. Carton: 10 pcs.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 352-3, SNR: 34 dB.  
**MATERIAL** ABS, PU, Steel, P/N.



**CLAMP HARD HAT LANYARD 0-25-3155-98**

Squids® 3150 elastic hard hat lanyard in fluorescent green. to prevent e.g. helmets, hand tools, mobile phones etc from falling to the ground. For use with objects weighing up to 0.9 kg. Easy-to-use release clip that can be attached to a harness, belt, D-ring, wrist, or the like. Ideal for both work and leisure use.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**MATERIAL** Stretch.



**HEADGEAR VISOR MSA 0-1012-7061**

Headgear for wearing a face shield without a helmet. Metal-free. Compatible with all MSA face shields. Package contains 10 units.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**MATERIAL** Plastic.



**HYGIENE KIT SANA 34/36 0-10090-46469-98**

Hygiene Kit to Centurion Sana 34 and 36

**COLOR** 98 Assorted.  
**SIZE** One Size



**VISOR CARRIER CONTOUR 0-10090-34133-98**

The Contour carrier is designed to fit the Contour visors to a Nexus or Concept safety helmets.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**MATERIAL** Nylon.



**VISOR PC CLEAR MSA 26CM 2,5MM 0-1011-5853**

Clear polycarbonate face shield. Anti-scratch and anti-fog. Protects against impact, liquid splashing, molten metal and arc flash. Thickness 2.5 mm. 264 x 432 mm. Weight 233 g. Can be combined with the MSA face-shield holder. Attaches to a 30-mm slot on a helmet or to ear protection. Package containing 5 units.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166, GS-ET29 Class 1, Lens Marking: 2C-1.2 1BT 389 KN.  
**MATERIAL** Polycarbonate.



**COMFORT BAND MSA 10PCK 0-696-688-98**

Comfort band to protect eyes and face from sweat and moisture. Easy to attach to all MSA industrial helmets. Also improves helmet fit. Machine washable.

**COLOR** 98 Assorted.  
**SIZE** Package  
**MATERIAL** Terry.



**VISOR CONTOUR X CLEAR 0-10090-34463-98**

Easy fit moulded polycarbonate face screen for helmet mounted face protection. Contour Carrier is compatible with Centurion Nexus and Concept helmets. Length 20 cm.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166 B139T 2C-1,2,ANSI Z87.1+(Impact Rated)  
**MATERIAL** Polycarbonate.



**NECK SHADE HI-VIS LIME GLOWEAR 0-25-29053-19**

The GloWear 8005 Hi-Vis Hard Hat Neck Shade stretches around hard hat brims to provide breathable neck and ear protection from sun damage. Made with ANSI 107-approved polyester mesh and reflective, it enhances worker safety and visibility when worn as an accessory with other hi-vis clothing. This high-visibility neck shade is ideal for those wearing head protection while working in road construction, transportation, municipalities and more.

**COLOR** 19 Lime.  
**SIZE** One Size  
**MATERIAL** Polyester.



**CHINSTRAP 2PT MSA 0-9100-1-98**

2 point chinstrap for MSA V-Gard, V-Gard 200, 500, 520 and 930 helmets. Metal free. Compatible with earmuff. Width 18 mm. Weight 10 gr. Carton: 20 pcs.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 397 (together with helmet).  
**MATERIAL** Polyester.



**CHIN STRAP UNIVERSAL 4PT MSA 0-11012-90047-10**

4-point universal chin strap for MSA V-Gard 200, 500, 520 and 900 helmets, with Fas-Trac III or Push key harness. Metal-free. Can be used with ear protection. Width 15 mm. Weight 46 g. Package containing 20 units.

**COLOR** 10 Black.  
**SIZE** One Size  
**STANDARD** EN 397 (together with helmet)  
**MATERIAL** Polyester.

**0-6-10000 EARMUFF 3M OPTIME3 HEADBAND**

Passive ear defenders Optime™ III with head band. Black and red colours. Large space inside the cups helps reduce moisture and heat build-up. Soft wide cushions help reduce pressure around the ears and improve comfort and wearability for long periods. With a noise reduction of up to 35 dB, these ear defenders are ideal for extremely noisy environments like airports, marine engine rooms, power stations and print works. The cushions and foam rings are available as a hygiene set, and they are easy to replace as necessary, thus extending the lifespan of the product. Package containing 20 units.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 352-1:2002, Attenuation: SNR=35dB H=40dB M=32dB L=23dB.



**0-6-10001 EARMUFF 3M OPTIME3 HELMET P3E**

Optime™ III passive ear defenders with P3E 30-mm helmet attachment. Black and red colours. Large space inside the cups helps reduce moisture and heat build-up. Soft wide cushions help reduce pressure around the ears and improve comfort and wearability for long periods. With a noise reduction of up to 35 dB, these ear defenders are ideal for extremely noisy environments like airports, marine engine rooms, power stations and print works. The cushions and foam rings are available as a hygiene set, and they are easy to replace as necessary, thus extending the lifespan of the product. Package containing 20 units.


**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 352-3:2002, Attenuation: SNR=34dB H=40dB M=32dB L=22dB.



**0-6-10001 EARMUFF SANA 36 HEADBAND**

Centurion Sana 36 hearing protection with head band. Noise reduction with SNR value of 36 dB. Carton: 10 pcs.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 352-1, SNR: 36 dB  
**MATERIAL** ABS, PU, Steel, Polyamide/Nylon.



**EARPLUG FIRMFIT 200PAIR 0-1033-10**

Earplug Howard Leight FirmFit, orange color for easy identification. Classic firm comfortable design of soft foam gain a sense of security from feeling the earplug in the ear. Requires less pressure to roll down, slow recovery rate gives plenty of time to insert. One pair single packed in bag. Carton: 10 boxes of 200 pair.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 352-2, Attenuation: SNR 37db H=37db M=34db L=31db.  
**MATERIAL** PVC.



**EARPLUG REFILL L LITE 200PAIR 0-1013-47**

Earplug Howard Leight Laser Lite as refill bag, with fluorescent colors yellow and magenta for easy identification, that expands softly in the ear canal, giving a good fit over time. T-shape for easy entry and exit. Carton: 10 bags of 200 pair.

**COLOR** 98 Assorted.  
**SIZE** BAG  
**STANDARD** EN 352-2, Attenuation: SNR 35db H=34db M=32db L=31db  
**MATERIAL** Polyurethane.



**EARPLUG LASER LITE 200PAIR 0-330-1105**

Howard Leight Laser Lite ear plugs in a refill bag, in hi-vis yellow and magenta for easy identification. Expand softly in the ear canal for an excellent fit over time. T-shaped for easy insertion and removal. One pair per bag. Package with 10 boxes containing 200 pairs.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 352-2, Attenuation: SNR 35db H=34db M=32db L=31db.  
**MATERIAL** Polyurethane.



**REUSABLE EARPLUGS RP3001 Å50 0-16530-3001**

Reusable corded earplugs with three flanges of flexible rubber. Superb comfort. Can be cleaned with soap and water. Carton: 20 boxes of 50 pair.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 352-2, SNR: 30 dB.  
**MATERIAL** TPE rubber, nylon.



**0-6-100-98 HALF MASK SR100 M/L**

Half mask SR 100 is made of silicone in three sizes, S/M, M/L and L/XL. It is equipped with two exhalation valves, which ensure very low breathing resistance. The valve covers effectively protect the exhalation membrane from dust and paint mist. The mask house's material and pigment are approved by the FDA and BGA for food, which minimizes the risk of contact allergies. The mask's easily adjustable elastic headband straps are designed as a V-shaped loop and have a large plate, which contributes to a comfortable and secure fit. The mask is used either as filtration equipment in combination with filters, or in combination with SR 307 compressed air regulator, which then functions as a breathing unit with continuous air flow for connection to a compressed air source. A pre-filter holder is included. Carton: 10 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	S/M, M/L and L/XL.
<b>STANDARD</b>	EN 140:1998.
<b>MATERIAL</b>	Silicone.



Sundström

**0-6-101-98 HALF MASK SR100 S/M**

Half mask SR 100 is made of silicone in three sizes, S/M, M/L and L/XL. It is equipped with two exhalation valves, which ensure very low breathing resistance. The valve covers effectively protect the exhalation membrane from dust and paint mist. The mask house's material and pigment are approved by the FDA and BGA for food, which minimizes the risk of contact allergies. The mask's easily adjustable elastic headband straps are designed as a V-shaped loop and have a large plate, which contributes to a comfortable and secure fit. The mask is used either as filtration equipment in combination with filters, or in combination with SR 307 compressed air regulator, which then functions as a breathing unit with continuous air flow for connection to a compressed air source. A pre-filter holder is included. Carton: 10 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	S/M, M/L and L/XL.
<b>STANDARD</b>	EN 140:1998.
<b>MATERIAL</b>	Silicone.



Sundström



**PRE FILTER SR221 80PCK 0-221-0**

SR 221 pre-filter that protects the main filter against premature blockage from by larger particles. Should always be used with particle, gas, and combi filters. Fits all Sundström half- and full-face masks, and fans. Package: 10 boxes containing 80 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>MATERIAL</b>	Aluminium.



**COMBI FILTER SR299-2 3PCK 0-299-0**

Combi filter SR 299 ABEK1 HG P3R that protects against organic compounds with a boiling point above 65°C, inorganic and acid gases/ vapours, ammonia, mercury vapour and all types of particles. Warning! Maximum use time 50 hours (mercury vapour) . Fits on all Sundström half- and full masks. Carton: 10 boxes of 3 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 14387.



**PARTICLE FILTER P3 SR510 5PCK 0-510-3**

Particle filter SR 510 P3 R that protects against all types of particles (dust, smoke, fog, spray, asbestos), including bacteria, viruses and radioactive deposits. Very high efficiency. Fits on all Sundström half- and full masks, and fan system. If gas/vapors and particles are present at the same time, combine the particle filter with appropriate gas filter. Carton: 10 boxes of 5 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 143, EN 12941, EN 12942.



**GAS FILTER ABE1 SR315 5PCK 0-315-0**

Gas filter SR 315 ABE1 that protects against compounds with a boiling point above 65 °C, inorganic compounds, and acid gases/vapours. Fits all Sundström half- and full-face masks. Package: 10 boxes containing 5 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 14387.
<b>MATERIAL</b>	PVC/polyester.

**0-40123-54220 FLASHLIGHT XPP-5422GMXA**

A powerful Cree LED Torch with double magnets. 210 lumen. 7970 candela. ATEX zone 0. Water/dustproof IP-67- Spotlight, flowing light and Dual-Light™. 187 m range. Battery 14 hours. Weight 196 grams. Belt-/pocketclasp Includes a torch and strap. Requires 3xAA batteries (not included). Lifetime guarantee (see terms) - Package containing 4 pieces.



**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** Ex II 1 G Ex ia op is IIC T3 Ga.  
**MATERIAL** Polymer.

LIGHTSTICK

**0-40125-55800-98 WORK LANTERN XPR-5580G**

A powerful rechargeable Cree LED light. 300 lumen. 101.000 candela. ATEX zone 0. Water/dustproof IP-67- Spotlight and flowing lights i high/medium/low and Dual-Light™. Green security light in the back. 635 m range. Battery up to 65 hours. Weight 936 grams. Solid handle, hooks for hanging up. Contains a light, shoulder strap, a rechargeable lithium ion battery, charger to both 12V and socket charging. Room for both 2 and 3 batteries, which will increase the battery lifespan. Lifetime guarantee (see terms)



**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** Ex II 1 G Ex ia op is IIC T3 Ga  
**MATERIAL** Polymer.

LIGHTSTICK

**0-40101-54540 HEADLAMP BAND XPP-5454G**

A lightweight, sturdy and versatile Cree LED headlight, head band. 160 lumen. 1711 candela. ATEX zone 0. Water/dustproof IP-67- 5 modes: High/low spotlight, high/low floodlight and Dual-Light™. 94 m range. Battery time: 5-16.75 hrs. Weight 97 gr. Adjustable angle. Includes a light, 3xAA batteries, elastic head band and rubber head band. Lifetime guarantee (see terms) - Package containing 4 pieces.



**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** Ex II 1 G Ex ia IIC T3 Ga.  
**MATERIAL** Polymer.

LIGHTSTICK

MSA



**MASK FFP2 MSA 1121 Å10 0-1012-8850**

Disposable dust mask FFP2, convex shape, FFP2 NR D with yellow valve. Protection from particles and aerosols. Two earloops and shaped nose panel. Package containing 12 boxes with 10 units each.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 149:2001+A:2009, EN 143:2000+A1:2006.  
**MATERIAL** Polyurethane.

MSA



**MASK FFP3 MSA 1131 Å5 0-1012-8871-98**

Disposable dust mask FFP3, convex shape, NR D with red valve. Protection from particles and aerosols. Two adjustable straps, face seal, and shaped nose panel. Package containing 12 boxes with 5 units each.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 149:2001+A:2009, EN 143:2000+A1:2006.  
**MATERIAL** Polyurethane.




Foto: Nanco Hoogstad

**0-20100-15000 GLASSES BOLLÉ RUSH+ CLEAR**

Glasses in a two-toned, sporty design with clear lens and a wide field of vision. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Metal-free. Flexible, ventilated temples and adjustable, non-slip nose bridge. Weight 26 g. Package containing 24 boxes with 10 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 170, Lens marking: 2C-1.2 Bollé 1 FT KN CE.
<b>MATERIAL</b>	Polycarbonate.



bollé

**0-20101-15000 GLASSES BOLLÉ RUSH+ GREY**

Glasses in a two-toned, sporty design with a grey lens and a wide field of vision. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Metal-free. Flexible, ventilated temples and adjustable, non-slip nose bridge. Weight 26 g. Package containing 24 boxes with 10 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 172, Lens marking: 5-3,1 Bollé 1 FT KN CE.
<b>MATERIAL</b>	Polycarbonate.



bollé

**0-20103-15000-98 GLASSES BOLLÉ RUSH+ IO**

Glasses in a two-toned sporty design with indoor/outdoor CSP lens and a wide field of vision. Slightly tinted lens for good vision in changing lighting conditions with both low and intense illumination. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Metal-free. Flexible, ventilated temples and adjustable, non-slip nose bridge. Ideal for working environments with changing lighting, extreme heat and extreme cold. Weight 26 g. Package containing 24 boxes with 10 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 172, Lens marking: 5-1,4 Bollé 1 FT KN CE.
<b>MATERIAL</b>	Polycarbonate.



bollé



**0-20105-15000 GLASSES BOLLÉ RUSH+ BRONZE**

Glasses in a two-toned, sporty design with bronze-coloured B-Twilight lens and a wide field of vision. The lens is ideal in early-morning and late-afternoon outdoor environments. Improves contrasts and filters away 76 % of blue light. Antiscratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Flexible, ventilated temples and adjustable, non-slip nose bridge. Weight 26 g. Package containing 24 boxes with 10 units each.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166, EN 172, Lens Marking: 5-2 Bollé 1 FT KN CE.  
**MATERIAL** Polycarbonate.



**0-6600-666-98 GLASSES BOLLÉ SOLIS II BLUE**

Meeting all protective requirements, non-slip nosebridge and temples for permanent wears. Norm: EN 166.

**COLOR** 98 Assorted  
**SIZE** One Size  
**STANDARD** EN 166 Lens marking: 5-3.1 Bollé 1 F CE



**0-6623-3 GLASSES BOLLÉ IRI-S +2,5**

Spectacle with reading area. Anti-scratch, anti-fog. Nose bridge are adjustable in 3 heights, for perfect fit of reading area. Tilting temples. Adjustable cord are included. Weight 27 gr. Carton: 24 boxes of 10 pcs.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166, EN 170, Lens Marking: 2C-1,2 Bollé 1 FT CE.  
**MATERIAL** Polycarbonate.



**GLASSES BOLLÉ IRI-S +3,0 0-6623-4**

Spectacle with reading area. Anti-scratch, anti-fog. Nose bridge are adjustable in 3 heights, for perfect fit of reading area. Tilting temples. Adjustable cord are included. Weight 27 gr. Carton: 24 boxes of 10 pcs.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166, EN 170, Lens Marking: 2C-1,2 Bollé 1 FT CE.  
**MATERIAL** Polycarbonate.



**GLASSES INTRUDER CLEAR 12PCK 0-6-4110**

Safety glasses with clear lens. Lightweight, anti-scratch, and good side protection. Suitable for wear with ear protection and a safety helmet. Package containing 25 packages boxes with 12 units each.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 166, EN 170, Lens Marking: 2C-1.2 P 1F CE.  
**MATERIAL** Polycarbonate.



**GLASSES INTRUDER GREY 12PCK 0-6-4120**

Bollé safety glasses with a grey lens. Lightweight, anti-scratch, and good side protection. Suitable for wear with ear protection and a safety helmet. Package containing 25 packages boxes with 12 units each.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 166, EN 172, Lens Marking: 5-2.5 P 1F CE.  
**MATERIAL** Polycarbonate.



**GLASSES INTRUDER YELLOW 12PCK 0-6-4130**

Bollé safety glasses with a yellow lens. Lightweight, anti-scratch, and good side protection. Suitable for wear with ear protection and a safety helmet. Package containing 25 packages boxes with 12 units each.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 166, EN 170, Lens Marking: 2-1.2 P 1F CE.  
**MATERIAL** Polycarbonate.



**GLASSES EVER-LITE CLEAR 12PCK 0-4-8610-98**

Ever-Lite safety glasses with clear lenses. Wide field of vision, light weight, and good side protection. Anti-scratch and anti-fog. Package containing 25 boxes with 12 units each.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 166, EN 170, Lens Marking: 2C 1.2 P 1 F N CE.  
**MATERIAL** Polycarbonate.



**GLASSES EVER-LITE GREY 12PCK 0-4-8620-98**

Ever-Lite safety glasses with grey lenses. Wide field of vision, light weight, and good side protection. Anti-scratch and anti-fog. Package containing 25 boxes with 12 units each.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 166, Linsemerking: 2C-1.2 P 1 F N CE.  
**MATERIAL** Polycarbonate.



**0-20335-15105 SPOGGLE PYRAMEX I-FORCE CLEAR**

Glasses in a sporty design with clear lenses. Double lens with air pocket ensures very good fog resistance. Anti-scratch and anti-fog H2MAX® coating. Outer lens in polycarbonate, inner lens in acetate. Supplied with both temples and an adjustable headband; easy to switch. The soft, ventilated foam frame prevent ingress of particles. Weight 48 g. Package containing 12 boxes with 12 units each.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166, EN 170, Lens Marking: 2C - 1.2 P 1 F N CE  
**MATERIAL** Outer lens: polycarbonate. Inner lens: Acetate.



**0-9302-245 GOGGLE UVEX ULTRASONIC CLEAR**

Goggles with headband in a modern design. Ideal for use in sanding and chemical environments. Permanent Supravision Excellent 'spread-coating, which translates into anti-scratch and chemical-resistant coating on the outside. Anti-fog coating on the inside (16 seconds). Package containing 18 boxes with 4 units each.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166, EN 170, Lens Marking: 2-1.2 W 1 B9 KN DIN CE.  
**MATERIAL** Polycarbonate.



**0-6-704-98 GOGGLE EG704T CLEAR 12PCK**

Lightweight goggles with a headband and soft frame in a modern design. Ventilated. Anti-scratch/anti-fog coating. Protection against chemical splashing. Package containing 12 boxes with 12 units each.

**COLOR** 98 Assorted.  
**SIZE** BOX  
**STANDARD** EN 166, EN 170, Lens Marking: 2C-1.2 P 1 BT CE.  
**MATERIAL** Polycarbonate.



**GLASSES OTG PYRAMEX SOLO CLEAR 0-20320-51000**

Spectacle for wearers for of prescription spectacles, and site visitors. Ventilated temples to reduce fogging. Good side protection. Weight 46 gr. Carton: 25 boxes of 12 pcs.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166, EN 170, Lens Marking: 2C-1.2 P 1 F CE .



**GOGGLE WELDING AMIGO**

**0-6-9400-98**

Welding goggle with replaceable tilt glasses. Soft vinyl frame. Adjustable headband. 4 indirect ventilation holes. DIN 5. Ø 50 mm Xantos 5 welding glass. Can be worn over other glasses. Weight 125 gr. Carton: 24 pcs.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 175. Lens Marking: EN 175 F. Frame Marking: EN 166 34 F.





**WELDING SCREEN 3M 9100-QR 0-17-582-98**

Welding shield Speedglas 9100-QR 582600 with QR rail for quick release, without welding glass. Designed to fit many of the most popular safety helmets in the industry. 100% compatible with all Speedglas welding glasses in series 9100, including the best welding glass, 9100XX. With the QR rail fitted, one can easily remove the welding visor and keep the safety helmet on while tasks other than welding are performed.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166, EN 169, EN 170.



**WELDING GLAS SPEEDGLAS 9100X 0-22006-50015-98**


Welding glass 9100X with automatic self-blending, for use in the Speedglas range for professional welders. It has seven variable degrees of darkness (DIN 5, 8 and 9-13). Suitable for most types of arc welding. Field of view 54 x 107 mm. It has smooth dimming and minimal distortion throughout the field of view. Delay function with timed transition from dark to light. All DIN levels can be "locked", such as DIN 3 during grinding. Transition from bright to dark in 0.1 millisecond. Comfort mode for spot welding helps reduce eye strain during prolonged spot welding.

**COLOR** 98 Assorted.  
**SIZE** One Size



**GLAS OUTER 3M SPEEDGLAS 10PCK 0-52-6000-98**

**COLOR** 98 Assorted.  
**SIZE** BOX



**GLAS INNER SPEEDGL 9100X 5PCK 0-52-8015-98**

Inner protective glass Speedglas 9100X 528015, protects the inside of the welding glass from sparks and splashes. Used if the original protective glass is notched or scratched. The guarantee does not apply if the welding glass is damaged by sparks or splashes, and you have not used outer protective glass. Clean regularly with a soft cloth, and replace if notches or scratches are detected.

**COLOR** 98 Assorted.  
**SIZE** BOX



**WELD SCREEN 3M SPEEDGL 9100V 0-22050-1805-98**

Welding screen with side window and welding glass. Harness with ergonomic design. Wider field of view thanks to the side windows (with DIN 5). Covers are included as accessories. Variable darkness (DIN 5, 8 and 9-13) suitable for most types of arc welding. Battery, Lithium 3V + solar cell.

**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** EN 166:BT, EN 175:B, EN 379.



**WELD GLASS 3M SPEEDGL 9100XX 0-5000-25-98**

Welding glass for 3M Speedglas in the 9100 series. It is designed for professional welders and has seven variable degrees of darkness (DIN 5, 8 and 9-13). View field 73 x 107 mm. Auto darkening. With delay function with timed change from dark to light. DIN level can be set for grinding. The sensitivity of the light detection can be adjusted.

**COLOR** 98 Assorted.  
**SIZE** One Size



**FINGERSAVER STANDARD 375MM 0-55100-10000-25**

FingerSaver standard version, 375 mm, 230 gr. It is, for example, intended to securely support/hold large spanners or flogging spanners in place during the removal of nuts and bolts. When using it you are able to keep your hands away from any potential danger of impact. It is designed to be held by you, or it can be held in position by a work colleague to further reduce the risk of injury. Includes strap in polypropylene webbing, and carabiner of galvanised steel.

**COLOR** 25 Orange.  
**SIZE** One Size  
**MATERIAL** Polypropylene.



**FINGERSAVER LONG 850MM 0-55101-10000-25**

FingerSaver standard version, 850 mm, 680 gr. It is, for example, intended to securely support/hold large spanners or flogging spanners in place during the removal of nuts and bolts. When using it you are able to keep your hands away from any potential danger of impact. It is designed to be held by you, or it can be held in position by a work colleague to further reduce the risk of injury. Includes strap in polypropylene webbing, and carabiner of galvanised steel.

**COLOR** 25 Orange.  
**SIZE** One Size  
**MATERIAL** Polypropylene.



MSA

**HARNESS MSA  
GRAVITY® SUSPENS M 0-30017-50442-10**

Harness MSA Gravity® Suspension, size medium. V shape, polyester, back D-ring, 2 side D-ring, front D-ring, ventral D-ring, waist pad, leg pad, shoulder pad, triple locking aluminium carabiner. RFID for easy tracking. Carton: 6 pcs.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 358, EN 361, EN 813
<b>MATERIAL</b>	Polyester



MSA

**HARNESS MSA  
GRAVITY® SUSPENS L 0-30017-50443-10**

Harness MSA Gravity® Suspension, size large. V shape, polyester, back D-ring, 2 side D-ring, front D-ring, ventral D-ring, waist pad, leg pad, shoulder pad, triple locking aluminium carabiner. RFID for easy tracking. Carton: 6 pcs.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 358, EN 361, EN 813
<b>MATERIAL</b>	Polyester



CRESTO

**WIRE SLING CRESTO 9103 1M 0-30135-23710-98**

Anchor wire (1 m) in galvanized steel. The wire is covered in protective plastic. The anchor wire is supplied with a steel carabiner. Breaking strength 25 kN.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 795
<b>MATERIAL</b>	Galvanized steel



MSA

**FALL LIMITER MSA V-TEC STD 6M 0-30017-63206-98**

Fall limiter MSA V-TEC® Standard. 6 meter galvanized cable. Steel twist-lock carabiner at top, steel swivel snap hook at end. Clear out housing for easy inspection. Spiral radial energy-absorbing technology requires zero calibration or adjustment. Retraction dampening features control the cable speed to 3 m/s. Carry handle included for easy transportation.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 360
<b>MATERIAL</b>	Stainless steel. Engineered plastics.



**HARNESS SAR KESTREL 2 0-30009-21241-98**

Full body harness Kestrel 2 with anchorage point both front and rear. Blue/black color. Shoulder buckles. Standard size to fit S, M and L. Weight 960 gram.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 361



MSA

**LANYARD WEB MSA 1,5M 0-30021-85614-10**

Energy absorbing lanyard MSA 10185614, 1.8m. Kernmantel rope, single leg, steel twist lock carabiner, aluminium scaffold hook, leading edge tested.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 355
<b>MATERIAL</b>	Kernmantel rope



MSA

**FALL LIMITER MSA  
V-TEC STD 10M 0-30018-63210-98**

Fall limiter MSA V-TEC® Standard. 10 meter galvanized cable. Steel twist-lock carabiner at top, steel swivel snap hook at end. Clear out housing for easy inspection. Spiral radial energy-absorbing technology requires zero calibration or adjustment. Retraction dampening features control the cable speed to 3 m/s. Carry handle included for easy transportation.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 360
<b>MATERIAL</b>	Stainless steel. Engineered plastics.



MSA

**FALL LIMITER MSA  
V-TEC STD 15M 0-30019-63215-98**

Fall limiter MSA V-TEC® Standard. 15 meter galvanized cable. Steel twist-lock carabiner at top, steel swivel snap hook at end. Clear out housing for easy inspection. Spiral radial energy-absorbing technology requires zero calibration or adjustment. Retraction dampening features control the cable speed to 3 m/s. Carry handle included for easy transportation.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 360
<b>MATERIAL</b>	Stainless steel. Engineered plastics.



MSA

**SUPPORT LANYARD  
MSA WORKMAN 2M 0-30022-15800-30**

Support lanyard MSA Workman, 2 m. Webbing, adjustable length, aluminium screwgate carabiner.

<b>COLOR</b>	30 Yellow
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 358
<b>MATERIAL</b>	Webbing



MSA

**LANYARD TWIN WEB MSA 1,5M 0-30101-85612-98**

Energy absorbing twin lanyard MSA 10185612, 1.5m. Webbing, steel screw-gate carabiner, steel scaffold hook.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 355
<b>MATERIAL</b>	Webbing



Miller

**FALL LIMITER MILLER FALCON 20M 0-1011-751-98**

Fall arrest block for vertical use, with a stainless-steel cable. Screw gate carabiners and carabiner hook in stainless steel. Rated for a user weight up to 136 kg in fall factor 0 and a user weight up to 100 kg in fall factor 1+2.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 360



MAIN OFFICE AND LOCATIONS:

**WENAAS WORKWEAR AS,**

Bruasetvegen 122,  
N-6386 Måndalen.  
Tlf: +47 71 22 73 00  
Email: [post@wenaas.no](mailto:post@wenaas.no)

**UK - Scotland**

Wenaas Workwear UK  
Unit 1 Hub at Hareness  
Hareness Road  
Aberdeen  
Scotland  
AB12 3LE  
Email: [post@wenaas.com](mailto:post@wenaas.com)

**Netherlands**

Wenaas Workwear NL B.V.  
Voltastraat 12, 3335KK Zwijndrecht,  
Netherlands  
Email: [post.nl@wenaas.com](mailto:post.nl@wenaas.com)

**Sweden**

Wenaas Workwear AB  
Processvägen 5.  
435 33 Mölnlycke  
Sweden  
Email: [post@wenaas.com](mailto:post@wenaas.com)

**Denmark**

Wenaas Workwear Denmark A/S  
Amaliegade 47  
1256 København K  
Denmark  
Email: [post@wenaas.com](mailto:post@wenaas.com)

FOLLOW US:

 Wenaas Workwear AS

 Wenaas Workwear AS

 Wenaas Workwear AS

 Wenaas Workwear

 [wenaas.com](http://wenaas.com)