

Shipping

2024





"Taking Responsibility, being Transparent and Trustworthy"

OUR ESG AMBITIONS



Environment



12 RESPONSIBLE CONSUMPTION AND PRODUCTION



13 CLIMATE ACTION



Social



8 DECENT WORK AND ECONOMIC GROWTH



10 REDUCED INEQUALITIES



Governance



17 PARTNERSHIPS FOR THE GOALS

PROTECTING ENVIRONMENTAL RESOURCES

Wenaas is committed to eliminating waste and pollution

- By using future-oriented tools to facilitate analysis of sustainable data in cooperation with our strategic and tactical suppliers.
- Our goal is to phase out and replace critical product groups with more recognizable, certified, and environmental programs.
- Wenaas will prioritize, engage, and reduce its carbon (Co2) emission and water footprint in production.

OUR SOCIAL MANAGEMENT CAPABILITIES

Wenaas is committed to being a safe workplace

- By meeting safety and environmental requirements within its own departments together with an overview of all suppliers.
- We will continue to ensure a decent workplace, increasing social dialog to protect against discrimination and harassment, while encouraging equality and fair wages.
- Wenaas has a pragmatic and holistic approach to deepen its understanding to the needs of our supply chain workers.

COLLABORATION AND GOVERNANCE REPORTING

Wenaas is committed to transparency

- By market monitoring and by complying with all regulatory requirements, and annually reporting to national and international ESG frameworks.
- Our focus is on identifying green growth opportunities while integrating environmental and social concerns into our chosen SDG's.
- Wenaas will strive to ensure fair trade by continued co-operation with its valuable supplier network partners.

SUSTAINABLE DEVELOPMENT GOALS



Read more about sustainability or see www.wenaas.com/en/sustainability

"W" STANDS FOR HIGH QUALITY AND SAFETY

"The Wenaas W" has a special meaning to our customers of Work-clothes, Uniforms, Gloves and Safety Footwear. When wearing our products, you can be assured you are as comfortable as possible, protected and cared for. Our logo stands for high quality and safety. The Wenaas W means that you can be sure that our products are well suited for the assignment to be carried out. It also guarantees that the product is certified according to the latest EN-standards. When choosing the Wenaas "W" you are secured for and can focus on your tasks, all while protected from any health and safety risks at work.

"QUALITY"

Our Workwear and Uniforms are characterized by a high-quality, comfortable, and functional design. Behind every design, seam, choice and detail there is careful work and extensive knowledge. When you buy a product from Wenaas, you can be certain that quality is paramount throughout all production processes - from sketch to approved end-product.

The functionality and durability of the product defines in many cases the quality. High quality products that last longer are adaptable, maintainable, and repairable. A design cared for a

longer product life provides healthy ecosystems with lower consumption of natural and raw materials, environmental production operations and less waste. To lower our impact of textile production and waste on the environment we use environmentally friendly materials such as Lenzing TENCEL™ Lyocell, Lenzing FR®, merino wool, recycled polyester, and organic cotton in our garments production, as well as Blue Sign dyeing process.

We ensure that our entire supply chain and production of Workwear and Uniforms - from raw material to finished product follows international requirements and standards. We are conscious about the quality terms that are important in the production of our products. We therefore emphasize that the right quality for the purpose of the product not only can increase user experience, but also reduce cost and at the same time have a positive impact on the environment. Our Sourcing and Product Development departments works every day to ensure that developments deliver accordingly to the Wenaas "W" by;

- Fiber mixtures and bindings.
- Fit and weight.
- Seams and technical solutions.
- Dying process.
- Test reports that document the level of the quality.

Partnerships

CEMAsys

SINTEF

RENAS

Norsk Industri

Grønt Punkt Norge

Memberships

ethical
trade
norway

better
cotton
member

amfori

Member of amfori, the leading global business
association for open and sustainable trade.
For more information visit www.amfori.org

Product certifications

WOOLMARK
CERTIFIED

FAIRTRADE
NORWEGE

OEKO
TEX[®]
MADE IN
GREEN

OEKO
TEX[®]
LEATHER
STANDARD

Certifications

ISO
14001
CERTIFIED

ISO
9001
CERTIFIED

Recognitions

magnet | qs
registered

Achilles
Network
SILVER

Achilles
StarBANK
REGISTRATION

im
pa
International
Marine
Purchasing
Association

SHIPSERV
Part of DASCURA




0-80760-114

SHIPPING COVERALL

Light and comfortable coverall with hidden two-way zipper in the front. Shoulder flaps, fold at the back for improved movement and several practical pockets. Elastic waistband, strings for securing braces on the inside and adjustable sleeves and legs. The coverall is suitable for work in the shipping industry.

COLOR 25 Orange, 40 White, 45 Royal Blue, 80 Red.
SIZE C44-C70
MATERIAL 100% cotton, 240 g/m².





0-80913-10224

FLAMERETARDANT COVERALL

The coverall has a stand-up collar, two-way zip under a front flap. Folds in the back and elastic at the back of the waist mean you have good mobility while the suit fits snugly around the waist. The suit has soft velcro to attach a name tag on the left chest. Coveralls have chest pockets with zip and flap, inner pocket, sleeve pocket with flap, side pockets with pull-through, back pockets with flap, tool pocket, knee pad pockets and reflective tape around the sleeves, legs and over the shoulders.

COLOR 25 Orange, 40 White, 45 Royal Blue, 7 Dark Navy Blue, 80 Red.
SIZE XS-XXXL
STANDARD EN 1149-5:2018, EN ISO 11612:2015 A1+A2 B1 C1 F1, EN ISO 11611 class 1 A1+A2, IEC 61482-2:2018, APC 1 (4kA), fabric approved according ATPV 9,7 cal/cm²
MATERIAL Main fabric: 99% cotton, 1% antistatic, 220 g/m².




0-80914-10224

FLAMERETARDANT COVERALL LADY

Coverall with stand-up collar, two-way zip under front flap, pleats on the back, elastic at back waist, velcro for name tag attachment, and radio loops at both chests. Chest pockets with zip and flap, inner pocket, sleeve pocket with flap, side pockets with grip opening, back pockets with flap, ruler pockets and knee pad pocket. Reflective tape around the sleeves, legs and over the shoulders.

COLOR 25 Orange, 40 White, 45 Royal Blue, 80 Red.
SIZE XS-XXXL
STANDARD EN 1149-5:2018, EN ISO 11612:2015 A1+A2 B1 C1 F1, EN ISO 11611 class 1 A1+A2, IEC 61482-2:2018, APC 1 (4kA) fabric approved according ATPV 9,7 cal/m².
MATERIAL 99% cotton, 1% antistatic, 220 g/m².



FLAMERETARDANT

0-80912-44530-25 FLAMERETARDANT COVERALL

The model has a collar with a press stud at the top, a 2-way zipper under the front flap that closes with hidden press studs, an expansion pleat at the back, and elastic at the back of the waist. The coverall has chest pockets with hidden zippers under the flap, a radio loop at each chest, a 20x130mm soft velcro above the left chest pocket, an inside pocket, a sleeve pocket with pen pocket and flap, cross pockets in front with grip-opening, back pockets, and a tool pocket. Knee pad pockets, hidden press studs for adjustment at the bottom sleeves, and back of the legs, reflex around sleeve, legs, and over shoulders.

COLOR	25 Orange.
SIZE	XS-4XL
STANDARD	EN 1149-5:2018, EN ISO 11612:2015 A1+A2 B1 C1 F1, IEC 61482-2:2018 ELIM 7,6 cal/cm ² , ATPV 9,3 cal/cm ²
MATERIAL	36% lenzing FR, 28% modacrylic, 24% cotton, 10% para-aramid, 2% antistatic, 185 g/m ²



0-89888-125-60 DE LUXE BOILER SUIT SHORT SLEEVES *

Short-sleeved boiler suit with a shirt collar and concealed zipper under flap. Pleated back and stretch waistband makes it comfortable and easy for the wearer to move around. Many practical pockets, among others side pockets with grip opening, double tool pocket and knee-pad pockets. Adjustable leg width.

COLOR	60 Grey.
SIZE	C44-C68
MATERIAL	65% polyester, 35% cotton, 245 g/m ² .



* Not in stock in UK, NL

0-83842-10224-25 MULTINORM COVERALL VENTED

Multinorm coverall with standing collar, two-way zipper, and back pleat for better mobility. Mesh under the arms for good ventilation options. Elastic at the back, adjustable cuffs, and several practical pockets. Internal knee pad pockets on two levels and the option to use knee protectors of different sizes. Reflective tape around the sleeves, legs, and over the shoulders.

COLOR	25 Orange
SIZE	XS-4XL
STANDARD	EN ISO 11612:2015, A1+A2, B1, C1, F1, EN 1149-5:2018, EN 17353:2020 Type B2, Material approved according to NFPA 2112, IEC 61482-2 APC 1 ATPV 9,7 cal/cm ² ELIM 9 cal/cm ² .
MATERIAL	99% cotton, 1% antistatic, 220g/m ²



0-80920-15511 OFFSHORE COVERALL 350A DALET *

Comfortable flame-retardant coverall with hidden two-way zippers in the front. Standing collar, fold in the back for better mobility. Many practical pockets, including knee-pad pockets. Elastication at the waist ensures a good fit. Adjustable cuffs on sleeves. This coverall is suitable for work requiring protection against arcs and flames.

COLOR	25 Orange, 7164 Green, 80 Red
SIZE	C40-C70
STANDARD	EN ISO 11612:2015 A1+A2, B1, C1,F1, EN 1149-5:2018, IEC 61482-2:2009 cl. 1. (4 KA) fabric, ATPV 11 cal/cm²
MATERIAL	99% cotton, 1% antistat, 350 g/m²



* Not in stock in SG

0-80934-15535-532 MOLTENGUARD COVERALL *

This model has a standing collar, a zipper between the front flaps, an expansion pleat in the back, chest pockets with flaps and expansion on both sides, an ID card pocket, a large inside pocket at the left chest for lpad, with an inside loop for fastening a security line to the lpad. The pocket entrance is hidden behind the front flap. Front pockets with grip opening, back pockets with flaps, tool pockets with flap, hip pocket with flap, and knee pad pockets with 14 cm opening. Adjustment at the sleeves and leg opening, and reflex around sleeves, legs, body, and across shoulders.

COLOR	532 Navy/Fluorescent Yellow.
SIZE	XS-XXXL
STANDARD	EN 1149-5:2018, EN ISO 20471:2013 class 2, EN ISO 11612:2015 A1+A2 B1 C1 E3 F1IEC 61482-2:2018 ATPV 14 cal/cm², APC 1 (4 kA) EN ISO 11611:2015 Class 1 A1+A2.
MATERIAL	99% cotton, 1% antistatic, 350 g/m².



* Not in stock in NL, SG

0-87855-156-8032 SHIPPING COVERALL

Durable, flame-retardant coverall with a 2-way zip at front. Straps at chest and back of neck for attaching a Regatta life jacket. Several practical pockets and adjustable waist and cuffs. This coverall is suitable for work requiring protection against flames.

COLOR	8032 Red/Fluorescent Yellow
SIZE	C44-C66
STANDARD	EN ISO 11612:2015 A1+A2 B1 C1
MATERIAL	75% cotton, 25% polyester, 290 g/m²



FLAMERETARDANT

0-88355-19101

SHIPPING WINTER COVERALL

Durable, waterproof, flame-retardant winter coverall with quilted, insulating lining. Adjustable and detachable hood, concealed 2-way zip at front, and several practical pockets. Straps at chest and back of neck for attaching a Regatta life jacket. Adjustable waist, sleeve cuffs, and leg hems. This coverall is ideal for work outdoors or in cold environments, for which flame protection is required.

COLOR	28 Fluo Orange, 532 Navy/Fluorescent Yellow, 8032 Red/Fluorescent Yellow
SIZE	XXS-4XL
STANDARD	EN ISO 14116:2015, index 1.3, EN 1149-5:2018, EN 343:2003+A1:2007, class 3.1
MATERIAL	99% polyester, 1% carbon, 210 g/m ² , Lining: 100% cotton.



0-56810-19101-28

OFFSHORE WINTER JACKET

Waterproof and durable winter jacket with padded lining. Hidden zip closure in the front, collar with fleece lining and several practical pockets. Extended back to keep back warm and adjustable hem and cuffs. The jacket is suitable to wear in cold climates, when protection is needed against arcs and flames, in addition to being highly visible.

COLOR	28 Fluo Orange
SIZE	XXS-XXXL
STANDARD	EN ISO 20471:2013+A1:2016 Cl.3, EN 1149-5:2018, EN ISO 14116:2015 Index 1.3, EN 343:2019 cl. 3.1
MATERIAL	99% Polyester, 1% carbon, 210 g/m ² Lining: 100% cotton



0-96809-19103-3205

MULTIRISK SHELL JACKET

Practical shell jacket with a standing collar, removable and adjustable hood with hidden zipper under flap big enough for a safety helmet. Adjustable hood, waist and hem on parkas excludes draft. The longer section at the back protects cold from entering. Inner ribbing at the cuffs and zipper hidden behind a storm flap which excludes wind. Map pocket with zipper under double storm flap in the front. Front pockets and chest pockets with zipper under flap, emboldered opening in the front and fastening for gas detector. An inner pocket on the left side with zipper.

COLOR	3205 Yellow fluorescent/Navy
SIZE	XS-XXXL
STANDARD	EN ISO 14116:2015, Outer face index 1, inner face 3, EN ISO 20471:2013, class 3, EN 343:2003+A1:2007, class 3.3 EN 1149-5:2018.
MATERIAL	98% polyester, 2% carbon and PU coating, 260g. Lining: 50% nomex, 50% viscose FR. 120g.



0-26809-19103-3205 MULTIRISK SHELLTROUSER

The model has taped seams, a higher waist at the back, loops for fastening removable braces, six belt loops, a zip-in fly cover by flap, and two hidden snap buttons for closure. This trouser has two hip pockets with zipping cover by flaps, a loop with D-ring, a Knee pad pocket with two levels for knee pads, Zip in the legs covered by double flaps, adjustable leg width, and double reflected tapes around legs.

COLOR	3205 Yellow fluorescent/Navy
SIZE	XS-XXXL
STANDARD	EN ISO 14116:2015, (outer face index 1, inner face index 3), EN 1149-5:2018, EN ISO 20471:2013 class 2, EN 343:2019 Resiston to water penetration class 3, water vapor resistance, class 4, rein tower test X.

MATERIAL Main material: 98% polyester 2% carbon, PU coated 260 g/m², Lining: 50% nomex, 50% viscose 120 g/m².

**0-40910-15511 OFFSHORE JACKET 350A ***

Flame-retardant jacket with hidden zipper in the front, several practical pockets with zipper and extra length to keep the back warm. The jacket has both flame-retardant and anti-static properties. Suitable for work during which flame-retardant clothing is compulsory.

COLOR	25 Orange, 5 Navy Blue, 80 Red
SIZE	C44-C70
STANDARD	EN ISO 11612:2015 A1+A2,B1,C1, F1 EN 1149-5:2018, IEC 61482-2:2009 class. 1. (4 KA) fabric, ATPV 11 cal/cm ² .
MATERIAL	99% cotton, 1% antistat, 350 g/m ²



* Not in stock in SG

0-83794-10202-3210 HIVIS COVERALL

This model has a standing collar and 2-way zip under a front flap. Yoke at the front, and a pleat in the back for better movement. This coverall has a single, and a double chest pocket with a flap, an ID-card pocket, front pockets with grip-opening, a back pocket, with a hammer-loop under the back pocket tool pocket, with a pen pocket, WEB band, and a metal button for a knife. Double hip pocket with flap, and knee pad pockets with 2 levels for different knee pad sizes. Elastic at the back of the waist, big hammer loops with velcro and belt loops. Adjustable sleeves with cuffs and gusset, adjustable legs, double reflective tape around sleeves, body, legs, and single reflective tape across shoulders.

COLOR	3210 Fluorine Yellow/Black
SIZE	XS-XXXL
STANDARD	EN ISO 20471:2013+A1:2016, class 3
MATERIAL	80% polyester, 20% cotton, 300 g/m ² . Reinforcement: Cordura®



HIVIS

0-83794-10206

HIVIS COVERALL

This model has a standing collar and 2-way zip under a front flap. Yoke at the front, and a pleat in the back for better movement. This coverall has a single, and a double chest pocket with a flap, an ID-card pocket, front pockets with grip-opening, a back pocket, with a hammer-loop under the back pocket tool pocket, with a pen pocket, WEB band, and a metal button for a knife. Double hip pocket with flap, and knee pad pockets with 2 levels for different knee pad sizes. Elastic at the back of the waist, big hammer loops with velcro and belt loops. Adjustable sleeves with cuffs and gusset, adjustable legs, double reflective tape around sleeves, body, legs, and single reflective tape across shoulders.

COLOR	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE	XS-XXXL
STANDARD	
MATERIAL	80% polyester, 20% cotton, 300 g/m ² . Reinforcement: Cordura®



0-96434-19810

HI-VIS SHELLJACKET LADY

This 3L jacket model has taped seams, high standing collar, and a detachable hood with adjustments in front and back, fit to use with a helmet. The jacket has a zip-closer in the front cover by a front flap. Longer back than front. Chest pockets with zipper under small list, and reflex stripes in the seam. Side pockets with zippers, hidden under a folded edge. Zippers covered by flap under arms for ventilation, long sleeves with a reinforced elbow, elastic ribbing with thumb grip opening, extra adjustment outside sleeve with tamping and velcro, double striped reflex around the body and sleeves.

COLOR	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE	XS-XXXL
STANDARD	EN ISO 20471:2013+A1:2016, Size XS class 2, sizes S-> cl. 3, EN 343:2019, Resistance to water penetration class 4, (cl. 4, Wp>=20000Pa)water vapor resistance class 4, (cl. 4).
MATERIAL	75% polyester, 25% PU. 190g/m ² . Elastic fabric: 70% nylon, 8% spandex, 22% PU, 210gsm.



0-96433-19810

HI-VIS SHELLJACKET

Jacket with three layers and tapered seams, which makes it very resistant against rain and snow. High standing collar with removable hood. The hood can be adjusted at the front and back and can be used with a safety helmet. Hidden zipper in the front under the flap ensures that wind does not enter. Many practical pockets. Ventilation covered with a flap under the arms, so you can easily adjust the temperature. Sleeves with reinforced elbow, elasticated edge with thumb opening, velcro. Reflective bands around torso and sleeves.

COLOR	3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE	XS-XXXL
STANDARD	EN ISO 20471:2013+A1:2016, Size XS class 2, sizes S-> cl. 3, EN 343:2019, Resistance to water penetration class 4, (cl. 4, Wp>=20000Pa)water vapor resistance class 4, (cl. 4 <=15m ² .Pa/W)
MATERIAL	75% cotton, 25% PU, 190 g/m ² . Elasticated material: 70% nylon, 8% spandex, 22% PU, 210 g/m ² .



0-35594-218-3210 SOFTSHELL VISIBILITY JACKET

Visibility jacket in medium-thick, wind- and water-resistant fabric with comfortable fleece inside. Zip closure, ID-card pocket, and additional practical pockets at front. Elasticated handwarmers at cuffs with thumbhole. Longer section at back of waist protects the lower back from cold. This is an excellent jacket for transitioning between seasons.


COLOR	3210 Fluorine Yellow/Black
SIZE	XS-XXXL
STANDARD	EN ISO 20471:2013/A1:2016 XS-S cl. 2, M> cl. 3
MATERIAL	100 % polyester, 290 g/m ²



0-48333-10210-2810 HI-VIS WOMENS STRETCH JACKET, CLASS 2 *

Stretch visibility stretch jacket in durable fabric with a slim fit. Front zip with an interior flap and laser holes under the arms provide good ventilation. Reinforcement on the elbows and at the underside of the cuffs. Elasticized cuffs with thumbholes and width adjustment at the cuffs and hem of the jacket. The longer section at the back protects cold from entering. Suitable for use throughout the year if the winter is mild.

COLOR	2810 Fluor Orange/Black
SIZE	XS-XXXL
STANDARD	
MATERIAL	80 % polyester, 20 % cotton, 300 g/m ² . Contrasting material: nylon, polyester, elastane, polyamide.




* Not in stock in UK, NL

0-48335-10210-2810 HI-VIS MENS STRETCH JACKET, CLASS 3

Visibility stretch jacket in a durable material with a snug fit. Front zip with interior flap and laser holes under arms provide good ventilation. Reinforcement on elbows and lower edge of sleeve. Elastic cuffs with thumb holes, hem and sleeves can be tightened. Extended back protects the lower back. Suitable for use throughout the year if the winter season is mild.

COLOR	2810 Fluor Orange/Black
SIZE	XS-4XL
STANDARD	
MATERIAL	80% polyester, 20% cotton, 300 g/m ² . Contrast material: Nylon, polyester, spandex, polyamide.



HIVIS

0-24196-10206

HIVIS TROUSERS

Durable trousers with waistband, belt loops, large hammer loops at the sides zip-in fly and metal buttons at the waist. Gusset for better movement in the crotch. cross pockets, back pockets, a ruler pocket at the right side made with a metal button hammer-loop, knife loop, and a pen pocket—double hip pocket at the left side with flap, Knee pockets with 2 levels for different size knee-pads—adjustable with and length on the bottom of legs and double reflex on the legs. Trouser has Cordura reinforcement fabric inside the tool pockets, knee pad pockets and bottom of the back legs.

COLOR	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE	C44-C64
STANDARD	
MATERIAL	80% polyester,20% cotton, 300g² Reinforcement: Cordura



0-74332-10211-1028 HIVIS STRETCHTROUSERS LADY

Comfortable visibility overalls with 4-way stretch and segmented reflective sections offer good freedom of movement. Form-stitched for a feminine silhouette. Integrated ventilation panels give an airy feeling to these trousers. Higher waist at back and detachable hanging pockets. Plenty of practical pockets, including knee-pad pockets at two heights. Adjustable leg length (5 cm) and adjustable leg width make these trousers adaptable to most wearers.

COLOR	1028 Black/Fluor Orange
SIZE	32-52
STANDARD	
MATERIAL	65% polyester, 35% bomull, 315 g/m². Contrasting material: Cotton, nylon, polyester, elastane, polyamide.



0-74334-10211-1028 HIVIS STRETCHTROUSERS MEN

Comfortable visibility overalls with 4-way stretch and segmented reflective sections provide good mobility. Integrated ventilation sections make the trousers lightweight and airy. Detachable hanging pockets and extended waistband in the back protects the lower back. Many practical pockets including knee-pad pockets with two levels. Possible to let down the leg and adjust the width, which makes it adaptable to most people.

COLOR	1028 Black/Fluor Orange
SIZE	C44-C64
STANDARD	
MATERIAL	65% polyester, 35% cotton, 315 g/m². Contrast material: Cotton, nylon, polyester, spandex, polyamide.



0-51594-18807-3210 HIVIS PILOT JACKET WINTER

Quilted visibility pilot jacket in waterproof fabric with soft fleece inside the collar. Zip closure, ID-card pocket, and additional practical pockets at front. Rib-knit cuffs with thumbhole, as well as adjustable Velcro® tabs at the cuffs and the back of the waist. This jacket is best for winter use, but can also be worn as a transitional garment.

COLOR 3210 Fluorine Yellow/Black
SIZE XS-XXXL
STANDARD

MATERIAL 100 % polyester, 230 g/m². Reinforcements: CORDURA®



0-23596-18807 WINTER VISIBILITY TROUSERS *

Lined visibility work trousers keep you warm in cold weather. Reinforced with CORDURA® at critical points to ensure these trousers will have a long life. The fly with zip closure and button and elastication at the sides of the waist ensure good freedom of movement. Multiple practical pockets at the front and back provide plenty of storage options.

COLOR 2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE S-XXXL
STANDARD EN 342, EN ISO 20471
MATERIAL 100 % polyester, 230 g/m². Reinforcements: CORDURA®




* Not in stock in SG

0-96494-18807 HI-VIS PARKAS

Hi-vis parka in durable waterproof outer fabric with lots of practical pockets. Jacket lined with warm and comfortable quilted fabric and fleece collar with hidden detachable hood adapted for helmets. Hidden zip under front flap to protect from wind. Comfortable rib-knit cuff with thumb hole, Velcro® adjustment and waist-width adjustment prevent cold penetration. Ideal for autumn and winter wear


COLOR 2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE XS-XXXL
STANDARD EN 342, EN ISO 20471
MATERIAL 100% polyester, 230 g/m². Reinforcement: Cordura®



0-81594-18807**WINTER VISIBILITY COVERALLS**

Quilted visibility coveralls for cold days. Membrane-coated fabric and taped seams ensure that these coveralls are wind- and water-resistant. Two-way zip at the front and many practical pockets at the front and back. Stand-up collar with soft fleece and large, detachable hood with room for a helmet. Knitted fabric in the torso provides a good fit. Hooks for trouser braces at the inner waist. CORDURA® knee-pad pockets at two heights. Velcro® tabs at hems and cuffs for width adjustment, and ribbing at the cuffs.

COLOR	3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE	XS-XXXL
STANDARD	EN 342, EN ISO 20471
MATERIAL	100 % polyester, 230 g/m². Reinforcements: CORDURA®

**0-80760-114****SHIPPING COVERALL**

Light and comfortable coverall with hidden two-way zipper in the front. Shoulder flaps, fold at the back for improved movement and several practical pockets. Elastic waistband, strings for securing braces on the inside and adjustable sleeves and legs. The coverall is suitable for work in the shipping industry.

COLOR	25 Orange, 40 White, 45 Royal Blue, 80 Red
SIZE	C44-C70
MATERIAL	100% Cotton, 240 g/m²

**0-85600-186-29****MUD COVERALL FLEXOTHANE ***

Soft, water-resistant, breathable coverall with concealed 2-way zip at front. Adjustable hood, elastication at waist, and concealed elastication at sleeve cuffs. Adjustable press-studs at hems. This coverall is suitable for those who must work outdoors in rainy conditions.

COLOR	29 Burned Orange
SIZE	XS-XXL
STANDARD	Fabric is approved according to EN 343:2019
MATERIAL	100% PU with 100% polyester backing, 170g/m²



* Not in stock in SG

**0-40552-0-32 RAIN SET HI-VIZ LR40552**

Hi-Viz rain set with trousers and jacket. Packed in a practical storage bag. Fixed hood with drawstring. Two outer pockets on the jacket. Two side pockets on the trousers. Reflective details.

COLOR	32 Flouresent yellow
SIZE	XS-5XL
STANDARD	EN ISO 20471, EN 343:2003 + A1:2007 Cl 3,1
MATERIAL	170T Polyester/PVC, 190 g/m ² . Water resistance: 8,000 MM



EN 343 EN 20471

RAINWEAR



OFFSHORE RAIN BIB 'N BRACE 0-95300-18103

Rain overall in lightweight, comfortable, PVC-coated polyester knit. PU provides optimal wind and weather protection. Rain dungarees are flexible and comfortable. Good fit thanks to elasticity at waist and adjustable braces. Suitable for use all year round.

COLOR	25 Orange.
SIZE	XS-XXXL
STANDARD	EN ISO 14116:2015 index 1, EN 343:2003+A1:2007 class.3.1.
MATERIAL	65% polyester, 35% polyurethane, 220 g/m².



OFFSHORE RAIN JACKET 0-95200-18103

Comfortable and practical rain jacket. Adjustable hood with string and front pockets with flaps, hidden double fastening. Hidden double buttoning.

COLOR	25 Orange.
SIZE	XS-XXXL
STANDARD	EN ISO 14116:2015 index 1, EN 343:2003+A1:2007 class 3.1.
MATERIAL	65% polyester, 35% polyuretan, 220 g/m².



RAIN JACKET FLAME RETARDANT 0-95055-0-32

Waterproof visibility rain jacket with flame-retardant properties. Adjustable hood with string, hidden zipper and front pockets with snap fastening.

COLOR	32 Fluorescent yellow.
SIZE	XS-5XL
STANDARD	EN ISO 14116, EN ISO 20471, EN 343 kl. 3.1, EN 1149-5, EN 13034.
MATERIAL	50% polyester, 50% polyurethane, 210 g/m².



RAIN BIB 'N BRACE FLAME RET 0-95059-0-32

Microflex flame-retardant Hi-Viz bib trousers. Elasticated shoulder straps with buckles. High frequency welded seams. Press stud adjustments by the ankles. Reflective tape. Waterproof: 8000 mm.

COLOR	32 Fluorescent yellow.
SIZE	S-4XL
STANDARD	EN ISO 14116 index 1, EN 1149-5, EN ISO 20471, EN 343 3.1.
MATERIAL	50% polyester, 50% polyurethane, 170 g/m².



**BELT WENAAS PROFF****0-90700-0-98**

Nylon belt. 135 cm long. Adjustable length. Snap-lock buckle.

COLOR	98 Assorted
SIZE	STK
MATERIAL	100% Nylon

**KNEEPAD STANDARD****0-26005-0**

Upgraded material that provides improved protection and more durable than earlier versions. The kneepad comes with instructions about how to place it (this side towards knee). If it is not placed with the right side towards the knee, it will not protect the knee. Width: 15 mm., height: 198 mm., thickness: 19 mm.

COLOR	98 Assorted
SIZE	PAIR
MATERIAL	Etylenvinylacetat (EVA).

**SOCK WENAAS ENDURE WOOL****0-5710-0-10**

Warm, durable and comfortable socks. Sizes: 36-39, 40-44, 45-48.

COLOR	10 Black
SIZE	36-39, 40-44, 45-48
MATERIAL	70% wool, 27% polyamid, 3% Lycra

**SOCKS WENAAS ENDURE SYNTHETIC 0-5710-100-10**

Warm, durable and comfortable socks with wool. Sizes: 36-39, 40-44, 45-48.

COLOR	10 Black
SIZE	36-39, 40-44, 45-48
MATERIAL	68% polyester, 18% wool, 10% polyamid, 4% lycra



ACCESSORIES

0-28-100-5 BUMP CAP CENTURION COOLCAP S28

Bump cap with 50 mm standard peak, that combines high ventilation, high flexibility and reassuring against minor bumps and scrapes to the head, whilst also doubling as a fashionable and comfortable piece of workwear. Corporate badging via embroidery or transfer print. Weight 150 gr. Size 54-59 cm. Carton: 20 pcs.

COLOR	5 Navy Blue
SIZE	One Size
STANDARD	EN 812
MATERIAL	ABS plastic and textile



0-55101-10000-25 FINGERSAVER LONG 850MM

FingerSaver standard version, 850 mm, 680 gr. It is, for example, intended to securely support/hold large spanners or flogging spanners in place during the removal of nuts and bolts. When using it you are able to keep your hands away from any potential danger of impact. It is designed to be held by you, or it can be held in position by a work colleague to further reduce the risk of injury. Includes strap in polypropylene webbing, and carabiner of galvanised steel.

COLOR	25 Orange
SIZE	One Size
MATERIAL	Polypropylene



0-55100-10000-25 FINGERSAVER STANDARD 375MM

FingerSaver standard version, 375 mm, 230 gr. It is, for example, intended to securely support/hold large spanners or flogging spanners in place during the removal of nuts and bolts. When using it you are able to keep your hands away from any potential danger of impact. It is designed to be held by you, or it can be held in position by a work colleague to further reduce the risk of injury. Includes strap in polypropylene webbing, and carabiner of galvanised steel.

COLOR	25 Orange
SIZE	One Size
MATERIAL	Polypropylene





CHEMICAL & DISPOSABLE

0-66-8050

COVERALL W50 ECO À25

Disposable coverall W50 made from breathable, antistatic, silicone-free, laminated material. Minimal lint. Interior seams. Hood designed for use with a mask. Full-length zip closure. Protection type 5 and 6, against dust and particulate matter, as well as non-toxic and harmless liquid spray. Suitable for pharmaceutical industry, production, cleaning, water and electricity plants, electronics, agriculture, emergency services, and spray-painting. Disposable. Sold in packages of 25 units.

COLOR	40 White
SIZE	S-XXXL
STANDARD	EN 1073-2:2002, EN 1149-5:2008, EN 14126:2003+AC:2004, EN ISO 13982-1:2004 +A1:2010 Type 5B, EN 13034:2005+A1:2009 Type 6B, CAT 3
MATERIAL	Microporous, 62 g/m ²



0-6-8045-60

CHEMICAL SUIT TYCHEM 6000F

Tychem® chemical coverall with hood. Protection against type 3B, 4B, 5B and 6B and against many toxic organic industrial chemicals, highly concentrated inorganic chemicals, and biohazards. Elastic around face and at wrists, waist and ankles for optimal fit. Thumbholes at cuffs ensure that sleeves stay in place. Self-adhesive panel at chin to seal coverall with the mask. Stitched and taped protective seams that offer the same protection as the fabric. Double self-adhesive panel over the zip offers increased protection. Suitable for a variety of applications, such as chemical removal, preparedness, petrochemical work, and much more. Package containing 25 units.

COLOR	60 Grey
SIZE	S-XXXL
STANDARD	EN 1149-5, EN 1073-2, EN 14126, CAT 3, Type 3B, 4B, 5B, 6B
MATERIAL	Tychem®, 120 g/m ²



[Ansell](#)

APRON PVC 45

0-6-45-40

Heavy duty PVC aprons feature 18mil die cut PVC and offer users a combination chemical splash protection and flexible comforts

COLOR	40 White
SIZE	STK
MATERIAL	PVC



**UNIFORM SHIRT LS****0-99100-125-40**

Soft, comfortable, and durable uniform shirt with anti-crease characteristics. This shirt has long sleeves, shoulder tabs, and two chest pockets with flap. Ideal for wear as e.g. a uniform shirt.

COLOR 40 White
SIZE 36-52
MATERIAL 65% polyester, 35% cotton, 245 g/m².

**UNIFORM SHIRT SS****0-99200-125-40**

Soft, comfortable, and durable uniform shirt with anti-crease characteristics. This shirt has short sleeves, shoulder tabs, and two chest pockets with flap. Ideal for wear as e.g. a uniform shirt.

COLOR 40 White
SIZE 36-52
MATERIAL 65% polyester, 35% cotton, 245 g/m².

**ACTION TROUSER STANDARD****0-29551-12507-7**

Lightweight, comfortable, durable trousers with an anti-crease finish. Many practical pockets, form-stitched knees with reinforcement, and adjustable hem width. These trousers withstand numerous wash and dry cycles. Suitable for use in service professions and as uniform trousers.

COLOR 7 Dark Navy Blue
SIZE C44-C64
MATERIAL 65% polyester, 35% cotton, 215 g/m².

**NATO SWEATER ROUND NECK****0-32100-1111-5**

NATO rib-knit wool jumper with a round neck, reinforcements on shoulders and elbows, and shoulder tabs. The rib-knit wool fabric retains warmth under cold conditions. Ideal for wear as e.g. a uniform jumper.

COLOR 5 Navy Blue
SIZE 46-66
MATERIAL 100% wool. Reinforcement: 67%polyester/ 33%cotton, Navy.

UNIFORM



T-SHIRT GOLDEN

0-35010-0

Comfortable, lightweight T-shirt with a round neck. Pre-shrunk. Suitable for promotional wear.

COLOR 10 Black, 40 White, 5 Navy Blue
SIZE S-4XL
MATERIAL 100% combed cotton, 185 g/m²



T-SHIRT SUNSET LADY *

0-35056-10401

Comfortable, lightweight T-shirt with a round neck. Fitted design that is suitable for most women. Suitable for promotional wear.

COLOR 10 Black, 5 Navy Blue
SIZE XS-XL
MATERIAL 100% Cotton, 150 g/m²



* Not in stock in SG



FLEECE JACKET HALSA

0-35552-0

Fleece jacket with zip on front, seams in contrast color. Two zippered front pockets. Adjustable hem.

COLOR 1060 Black/Grey, 23 Forest Green, 27 Terracotta, 544 Navy/Light Blue, 6510 Mediumblue/Black, 73 Sand
SIZE XS-XXXL
MATERIAL 100% Polyester Microfleece - Antipilling and antistatic treated.



POLO SHIRT FALK

0-35146-0-5

Classic polo shirt in comfortable cotton with three buttons at the neck. Slits at the sides and good fit ensure a high level of comfort. Suitable for promotional wear.

COLOR 5 Navy Blue
SIZE XS-XXXL
MATERIAL 100% cotton, 200g/m²





SOCKET 3 STRIPES + DIAMOND 4-98413-1-10

COLOR 10 Black
SIZE PAIR



SOCKET 3 STRIPES + PROPELLER 4-98423-1-10

COLOR 10 Black
SIZE PAIR



BADGE 2 STRIPES + DIAMOND 4-98412-1-10

COLOR 10 Black
SIZE PAIR



BADGE 4 STRIPES + DIAMOND 4-98414-1-10

COLOR 10 Black
SIZE PAIR



SOCKET 4 STRIPES + PROPELLER 4-98424-1-10

COLOR 10 Black
SIZE PAIR



UNDERWEAR

0-38502-207 BODYSHELL FR ½ ZIP

Antistatic, flame-retardant and arc flash-protection zip polo shirts made from a soft, rib-knit material. High rib-knit neck with reverse zip fastening and long raglan sleeves with rib-knit sleeve cuff. The shirts are ideal if you have to be in hot environments and still require underwear that protects against flames and arc flash.

COLOR	10 Black.
SIZE	XS-XXXL
STANDARD	EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, ETB 6 cal / cm ² APC 1 (4 kA).
MATERIAL	60% modacrylic, 39% cotton, 1% antistat. 180 g/m ² .



0-38702-207 BODYSHELL FR LONGJOHNS

Anti-static, flame-retardant and arc-protecting long in a soft, ribbed, modacrylic and cotton for protection and comfort. The longs have an elastic waistband and ribbed cuffs at the hems. Combine the longs with other garments with the same level of protection for added protection.

COLOR	10 Black.
SIZE	XS-XXXL
STANDARD	EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, ETB 6 cal / cm ² APC 1 (4 kA).
MATERIAL	60% modacrylic, 39% cotton, 1% antistat. 210 g/m ² .



0-38202-207 BODYSHELL FR BALACLAVA

Antistatic, flame retardant and arc protective balaclava made from a soft, ribbed material of modacrylic and cotton. The balaclava provides good protection and good comfort for the head, face and neck with a long neck cape and opening only for the eyes.

COLOR	10 Black.
SIZE	One Size
STANDARD	EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, APC 1 (4 kA) ETB 6, 4 cal /cm ² . This balaclava has to be used ensembled with other garments that give at least the same level of protection.
MATERIAL	60% modacrylic, 39% cotton, 1% antistat, 210 g/m ² .





UNDERWEAR RIBSTOP SET

0-38000-214-60

Warm and comfortable underwear set. Jumper has a round neck, long sleeves and extended back. Longjohns have a knitted waist and fly at the front. The set is ideal when you have to be outdoors or in generally cold environments.

COLOR 60 Grey.
SIZE XS-XXL
MATERIAL 100% Polyester Ribstop Fleece, 150 g/m².



PADDED JACKET

0-31080-19580

Quilted bomber jacket with a comfortable collar and elastic cuffs on the sleeve. Zip closure at the front and elastic at the hem for a better fit.

COLOR 10 Black.
SIZE XXS-XXXL
MATERIAL 100% polyester shell 240T, polyester + lining 210T 260 g/m².



PADDED TROUSER

0-30580-19580

Padded trousers with a folded elastic waistband. Rib-knit elastic cuff at the bottom of the leg.

COLOR 10 Black.
SIZE XXS-XXXL
MATERIAL 100% polyester, shell 240T, polyester+padding+lining 210T, 260g/m².



WELDING



GLOVE WENAAS 515

0-8-515-98

Heavy-duty welding glove made of ox leather. Lined with cotton and all seams made of Kevlar thread for increased durability and lifespan. Complies with EN 12477 type A. OEKO-TEX® certified ox leather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016_4244X, EN 407:2020_412244, EN 12477:2020 Type A
MATERIAL	OEKO-TEX® certified Ox leather, Kevlar



GLOVE WENAAS 550

0-8-550-98

TIG glove made of durable soft grained goatskin. The cuff is made of ox split, and all the seams are made of heat-resistant Kevlar thread. Complies with EN 12477 type B. OEKO-TEX® certified leather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016_3111X, EN 407:2020_412244, Cat.II, EN 12477 Type B
MATERIAL	OEKO-TEX® certified goat leather, split oxhide, Kevlar



WELDING HELMET 3M 9100QR

0-17-582-98

Welding shield Speedglas 9100-QR 582600 with QR rail for quick release, without welding glass. Designed to fit many of the most popular safety helmets in the industry. 100% compatible with all Speedglas welding glasses in series 9100, including the best welding glass, 9100XX. With the QR rail fitted, one can easily remove the welding visor and keep the safety helmet on while tasks other than welding are performed.

COLOR	98 Assorted
SIZE	STK
STANDARD	EN 166, EN 169, EN 170
MATERIAL	Polyphthalamide

3M



WELDING GLAS SPEEDGLAS 9100X 0-22006-50015-98

Welding glass 9100X with automatic self-blending, for use in the Speedglas range for professional welders. It has seven variable degrees of darkness (DIN 5, 8 and 9-13). Suitable for most types of arc welding. Field of view 54 x 107 mm. It has smooth dimming and minimal distortion throughout the field of view. Delay function with timed transition from dark to light. All DIN levels can be "locked", such as DIN 3 during grinding. Transition from bright to dark in 0.1 millisecond. Comfort mode for spot welding helps reduce eye strain during prolonged spot welding.

COLOR	98 Assorted
SIZE	STK
STANDARD	
MATERIAL	

3M



WELDING



WELDING MASK 3M 9100/9100V 0-22050-1805-98

Welding screen with side window and welding glass. Harness with ergonomic design. Wider field of view thanks to the side windows (with DIN 5). Covers are included as accessories. Variable darkness (DIN 5, 8 and 9-13) suitable for most types of arc welding. Battery, Lithium 3V + solar cell.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 166:BT, EN 175:B, EN 379
MATERIAL	



WELD GLASS 3M SPEEDGL 9100XX 0-5000-25-98

Welding glass for 3M Speedglas in the 9100 series. It is designed for professional welders and has seven variable degrees of darkness (DIN 5, 8 and 9-13). View field 73 x 107 mm. Auto darkening, With delay function with timed change from dark to light. DIN level can be set for grinding. The sensitivity of the light detection can be adjusted.


COLOR	98 Assorted
SIZE	One Size
STANDARD	
MATERIAL	



INNER COVER PLATE 9100X A5 0-52-8015-98

Inner protective glass Speedglas 9100X 528015, protects the inside of the welding glass from sparks and splashes. Used if the original protective glass is notched or scratched. The guarantee does not apply if the welding glass is damaged by sparks or splashes, and you have not used outer protective glass. Clean regularly with a soft cloth, and replace if notches or scratches are detected.

COLOR	98 Assorted
SIZE	Box
STANDARD	
MATERIAL	PC



LEATHER WELDING APRON 0-70750-0-50

Leather welding apron. Long waist straps and a neck strap with buckles give the user good adjustment options.

COLOR	50 Brown
SIZE	STK
MATERIAL	Leather





APRON WITH POCKET

0-3313-601

Durable waist apron with a pocket on the right side and tie bands that fit many sizes. 70x90.

COLOR	10 Black.
SIZE	One Size
MATERIAL	65% polyester, 35% cotton, comfort stretch, 205 g/m².



CHEFS JACKET FR

0-76155-10922

Flame-retardant chef's jacket with Mandarin collar Double-breasted, partitions on the back and vent at the cuffs for folding.

COLOR	40 White.
SIZE	XXS-4XL
STANDARD	EN ISO 11612:2015, A1+A2,B1 C1 F1.
MATERIAL	100% cotton, 220g/m².






INNER COVER PLATE 9100X À5 **0-52-8015-98**

Comfortable, flame-retardant kitchen trousers in cotton with an elasticated waist. Practical pockets at front and back.

COLOR	4 Sailor Blue
SIZE	XXS-4XL
MATERIAL	100% cotton, 220g/m²



BANDANA M805 **0-3805-0-10**

Cotton hat with closure

COLOR	10 Black
SIZE	STK
MATERIAL	100% cotton twill



SNOOD CAP 100PCK **0-210-40-98**

Snood cap with visor, and elastic hairnet that covers the hair 100 %. Suitable for food industry and catering. Weight 10 gr. Carton: 10 boxes of 100 pcs.

COLOR	98 Assorted
SIZE	Box
MATERIAL	Polypropylene - Non woven



0-1250-0-10 SHOE BERSERK TYR US

Waterproof and breathable shoe in a modern design with quick lacing, upper part of full-grain quality leather and light and soft rubber/PU outsole. Very comfortable shoe with good anti-slip, shock-absorbing and relieving properties. The shoe is not antistatic but has an insulating sole approved according to the American standard ASTM F2413-18. EH

COLOR	10 Black.
SIZE	36-47
STANDARD	EN ISO 20345:2022, SB FO E PL WR HRO SR// ASTM F2413-18 M/I/C EH PR// UKCA.
MATERIAL	Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: Waterproof HDry. Protective toe cap: Glass fibre.



0-75-957-10 ANKLE BOOT BERSERK BURR

ESD-approved ankle boots with 3D mesh with breathable fabric lining and lacing. Very comfortable boots with good antislip and supporting properties.

COLOR	10 Black.
SIZE	36-47
STANDARD	EN ISO 20345:2022, S3L HRO, FO, CI, SR, ESD // ASTM F2413-18 M/I/C SD 35 PR// UKCA.
MATERIAL	Upper material: PU-coated leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Lining: 3D Mesh fabric. Protective toe cap: Glass fibre.



0-75-955-10 BOOT BERSERK BORG

Comfortable boots with 3D mesh with breathable fabric lining and side zip and lacing. The boots offers good anti-slip and shock absorbing properties. 100% metal free

COLOR	10 Black.
SIZE	36-47
STANDARD	EN ISO 20345:2022, S3L HRO, FO, CI, SR, ESD // ASTM F2413-18 M/I/C SD 35 PR// UKCA.
MATERIAL	Upper material: PU-coated leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Lining: 3D Mesh fabric. Protective toe cap: Glass fibre.



FOOTWEAR

0-2152-1-10 SHOE PANACEA APOLLO 2152

Shoes in full-grain leather, fiberglass protective toe, soft puncture resistant mid-sole and PU/PU outsole with good anti-slip properties. The shoe has a PU toe protector and TPU heel protector which gives the shoe a longer life. Comfortable 3D mesh lining with good moisture absorption. Removable insole.

COLOR	10 Black.
SIZE	36-48
STANDARD	EN ISO 20345:2022, S3L FO SR.
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Fiberglass. Puncture resistance: Soft.



0-2154-1-10 ANKLE BOOT PANACEA APOLLO 2154

Ankle boot in full-grain leather, fiberglass protective toe, soft puncture resistant mid-sole and PU/PU outsole with good anti-slip properties. The shoe has a PU toe protector and a TPU heel protector, which gives the shoe a longer life. Comfortable 3D mesh lining with good moisture absorption. Removable insole.

COLOR	10 Black.
SIZE	36-48
STANDARD	EN ISO 20345:2022, S3L FO SR
MATERIAL	Upper: Full grain leather. Outsole: PU/PU. Lining: Textile 3D mesh. Safety Toe Cap: Fiberglass. Puncture resistant mid-sole: Soft.



0-14200-0 SHOE VERNER CALYPSO

Traditional shoes in a modern design with a microfiber upper. ESD-approved, light-weight and metal-free with a soft puncture resistant mid-sole making the shoes very comfortable. Comfortable, removable Work Comfort EVO insole.

COLOR	10 Black.
SIZE	35-48
STANDARD	EN ISO 20345:2011, S3 SRC// UKCA
MATERIAL	Upper material: Microfibre. Outsole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.





FOOTWEAR



ANKLE BOOT VERNER SCOTIA

0-14300-0-10

Traditional ankleboot in a modern design with a microfibre upper. ESD-approved, lightweight and metal-free with a soft metal-free puncture resistant mid-sole making the ankle boot very comfortable. Comfortable, removable Work Comfort EVO insole.

COLOR	10 Black.
SIZE	35-48
STANDARD	EN ISO 20345:2011, S3 SRC, UKCA.
MATERIAL	Upper material: Microfibre Outer sole: PU/PU. Puncture resistance: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.



BOOT PANACEA PULL ON

0-2166-0-50

Boot in full-grain leather. The model has an anti-slip PU/PU outsole, fiberglass toe cap, soft puncture protection, and PU toe protector for extended durability. Removable insole.

COLOR	50 Brown.
SIZE	37-48
STANDARD	EN ISO 20345:2022, S3L FO SR
MATERIAL	Upper: Full grain leather. For: Textile 3D mesh. Outsole: PU/PU. Protective toe: Fiberglass. Puncture resistant mid-sole: Soft.



SLIP ON SHOE GIADA 20 S2

0-1611-4204-40

Lightweigh moccasin with stylish, blue contrasting details. The upper is breathable and water-repellent with microfibre. These shoes are ideal for people who work in a profession that requires the use of white shoes. Can be machine washed.

COLOR	40 White.
SIZE	36-48
STANDARD	EN ISO 20345:2011, SRC S2.
MATERIAL	Upper material: Microfibre. Outer sole: PU/PU. Lining: Breathable fabric. Protective toe cap: Composite.



SHOE COVER 100 PCK

0-75100-21060-45

Disposable shoe covers in CPE-plastic, 16". Thickness: 36 my. Suitable for use on construction sites, janitor services, laboratories and pharmacy. Weight: 4.4 g.

COLOR	45 Royal Blue.
SIZE	Bag
STANDARD	EN 1186
MATERIAL	CPE-plastic.



**SHOE EXENA CUBA S1P****0-1272-1205-50**

Lightweight shoes with a wide fit with leather upper and a comfortable PU sole. The shoes are metal-free and antistatic.

COLOR	50 Brown
SIZE	35-48
STANDARD	EN ISO 20345:2011, S1 P SRC
MATERIAL	Upper material: Suede. Outer sole: PU/PU. Puncture resistant mid-sole: Soft. Lining: Fabric. Protective toe cap: Composite.

**BOOT PANACEA CHALLENGER WP****0-2163-0-50**

Boot in high quality crazy horse full grain leather with waterproof membrane and screw lacing. The boot has a good stable and slip-resistant Vibram® rubber outsole with a soft PU midsole. PU toe protector and TPU heel protector give the boot a increased longevity. Protective toecap made of fiberglass and soft, metal-free puncture resistant mid-sole. The boot has a 3D mesh lining with good moisture absorption. Removable insole.

COLOR	50 Brown
SIZE	35-48
STANDARD	EN ISO 20345:2022, S7L HRO FO SR
MATERIAL	Upper: Full grain leather. Lining: Textile 3D mesh/ Waterproof membrane. Outsole: Vibram® rubber/ PU. Safety Toe Cap: Fiberglass. Puncture resistant mid-sole: Soft, metalfree.

**SHOE COVER TEXTILE WENAAS PAIR****0-9400-1300-10**

Shoe covers in breathable and durable textile. Elastic edges for easy on and off. - Anti-glide outer sole - Protects against water and dirt. Can be washed in lukewarm water and reused several times. These covers are therefore a good environmentally-friendly option.

COLOR	10 Black
SIZE	L-XXXL
MATERIAL	Polyester/cotton, 150 gr.

**CLOG LILAC 20 SB****0-1028-8701-10**

Lightweight and comfortable clogs with heel latch and upper in a breathable texfiber. The clogs can be washed in the washing machine, making them suitable for a number of different professions.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, SB E A ESD SRC
MATERIAL	Upper material: Textfiber. Outer sole: PU. Lining: Fabric. Protective toe cap: Composite.





INSOLES WORK COMFORT

0-81-293-45

Wenaas Work Comfort double gel ESD-sole with excellent cushioning effect. Prevents tiredness and soreness in feet and specially developed for work shoes worn throughout the day. Sole has cutting lines to adjust the size.

COLOR	45 Royal Blue
SIZE	36-39, 40-42, 43-45, 46-48
MATERIAL	Antistatic PU. Blue gel cushion. Blue antistatic fabric.



INSOLES FELT LIBA@WOOL

0-80-303-60

Wenaas in-sole in Liba@Wool with underside in reflective aluminium foil. Keeps feet warm and dry. Suitable for cold temperatures where good isolation is important. - Can be cut to desired size. Pack of two.

COLOR	60 Grey
SIZE	35-48
MATERIAL	Liba@Wool - 25% wool. 25% viscose. 50% polyester.



BOOT PVC ARISAN S5

0-9505-0

Allround boots in PVC. High model, good cushioning and light weight ensure high comfort.

COLOR	15 Green.
SIZE	37-47
STANDARD	EN ISO 20345:2011, S5 SRC.
MATERIAL	Upper material: Leather. Outer sole: PU. Puncture resistant mid-sole: Steel. Protective toe cap: Steel.



BOOT PU TECHNO THERMO S5

0-9600-0-15

Thermos boots in PU, isolate up to -50 C. Tall model that can be folded. Good cushioning and light weight ensure high comfort. Boots with UltraGrip PU sole. The boot withstands minerals, animals- and, plantoils, fat, disinfectants, fertilizer, solvents and different chemicals. The boots are 100% metal-free

COLOR	15 Green.
SIZE	39-48
STANDARD	EN ISO 20345:2011, S5 CI SRC
MATERIAL	Upper material: PU. Outsole: PU. Puncture resistant mid-sole: Soft, metal-free. Protective toe cap: Composite.





0-4-800-30 JETTING BOOT PRIMO 800 S5

Jetting Boot Primo 800, 800 bar pressure. Produced in pPlus material, a special patented compound consisting of PVC and a chemical blend. Steel toe cap, and steel penetration protection. Metatarsal protection that consist of a thick layer of patented material. Anti-slip sole, antistatic features, high resistance to oil and chemical substances, energy absorption in the heel area.

COLOR	30 Yellow
SIZE	39-48
STANDARD	EN 20345:2011, S5 SRC
MATERIAL	Upper: pPlus PVC. Outsole: pPlus PVC. For: Textile. Protective toe: Steel. Nail tread: Steel.



GLOVES

0-6-37675

GLOVE ALPHATEC SOLVEX 37-675

Very durable chemical protection gloves in nitrile. Good comfort and protection against chemicals. An ideal choice for work in wet or dry production areas where protection from corrosive substances is important. Patterned, rough surface provides good wet and dry grip. Bundle: 12 - Carton: 144.

COLOR	15 Green.
SIZE	6-11
STANDARD	EN ISO 374-1:2016_JKLOPT, EN 388:2016+A1:2018_4101X, EN 420:2003+A1:2009, CAT 3.
MATERIAL	Nitrile, flocked cotton.



0-6-37185

GLOVE ALPHATEC SOLVEX 37-185

Very durable chemical protection gloves in nitrile. Long, over-elbow gloves with good comfort and protection against chemicals. An ideal choice for work in production areas with exposure to harmful substances. Patterned, rough surface provides good wet and dry grip. Carton: 12.

COLOR	15 Green.
SIZE	7-11
STANDARD	EN ISO 374-1:2016_AGJKLPT, EN 388:2016+A1:2018_4102X, EN 420:2003+A1:2009, CAT 3.
MATERIAL	Nitrile.



0-6-92600

GLOVE TOUCHNTUFF 92-600

Disposable glove TouchNTuff® 92-600, very versatile, suitable for various applications. Soft nitrile blend offers a high level of comfort. Robust design for good durability. Does not contain natural rubber proteins, eliminating the risk of Type I allergies. Silicone-free. Suitable for transferring liquids and solids, processing, handling meat, fish, and food, industrial production, maintenance, laboratories, and chemical handling. Sales unit: 1 box of 100 pcs. Carton: 10 boxes of 100 pcs.

COLOR	98 Assorted.
SIZE	S-XL
STANDARD	EN ISO 374-1:2016_JKPT, EN 420:2003+A1:2009, CAT 3.
MATERIAL	Coating: Nitrile.





GLOVE WENAAS 715

0-8-715

Durable all-around glove made of cowhide. Cowhide in the palm, index finger, fingertips, and on the knuckle. Cotton canvas on the back of the hand, reinforced index finger, and elastic at the wrist. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016+A1:2018_3121X, CE CAT 2.
MATERIAL	Cowhide split leather, cotton, CVC-fleece.



GLOVE WENAAS 700

0-8-700-98

Durable all-round glove in goatskin. High finger sensitivity and ergonomic fit. Knit in the wrist for greater comfort.

COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016+A1 2018 2111A, CE cat 2 EN 407:2020 X1XXXX
MATERIAL	OEKO-TEX® certified goat leather.



GLOVE WENAAS 127

0-8-127-98

High-quality goatskin glove. Provides excellent sensitivity and protection against wear. The back of the hand is made of elastic polyester for a better fit. Velcro at the wrist for better closure and protection. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 388_2111X, CE CAT 2.
MATERIAL	Goatskin, spandex.



GLOVE WENAAS 100

0-8-100

Airy gloves in ultrathin nitrile with 360-degree breathability. Snug fit, touchscreen compatibility, and knitted cuff. Thin TFT coating offers good finger dexterity and good grip when wet or dry. OEKO-TEX® STANDARD 100 certified. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-11
STANDARD	EN ISO 21420: 2020, EN 388 4121X, EN 407 X1XXXX, CE- OEKO-TEX®, CE cat.2.
MATERIAL	Nitrile, nylon, spandex, elastane.

GLOVES

0-8-200-98 GLOVE WENAAS 200

Comfortable, cut-resistant gloves (Cut C) in PU. Snug fit, lightweight, with a knitted cuff. Durable work gloves with high flexibility. Exceptional grip when wet, oily, or dry. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN EN 388:2016 4X44C, EN 407:2020 X1XXXX, ANSI A3, CE CAT 2, Sanitize.
MATERIAL	Polyurethane, glass, polyester, spandex.



0-8-225-98 GLOVE WENAAS 225

Cut-resistant gloves (Cut D) in premium WFT nitrile foam. Very comfortable, with reinforced section between thumb and index finger. Touchscreen compatible. The liner is made from environmentally friendly TENCEL™, which consists of 48 % recycled materials. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016 +A1:2018 4X41D, ANSI A5, CE CAT 2, Sanitize.
MATERIAL	Nitrile, polyester, TENCEL™, nylon, elastane.



0-8-300 GLOVE WENAAS 300

Warm, comfortable thermal gloves in nitrile. Snug fit, terry lining, and a knitted cuff. The back shell is made from Hi-Vis material for good visibility. Good wet and dry grip. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016 A1 2018 4231B, EN 407 :2020 X2XXXX, EN 511:2006 X1X, CE CAT 2, Sanitize
MATERIAL	Nitrile, polyester, elastane.



LEATHER STANDARD BY OEKO-TEX®

- Wenaas Work gloves is granted the
OEKO-TEX® LEATHER STANDARD certification!

This certification is a significant recognition of our commitment to the Wenaas "W" that stands for high quality and safety. The certificate enables everyone to make responsible decisions and implement high human-ecological product safety. All components are approved by a third party for harmful substances and assures that the leather product therefore is harmless for human health. This important milestone inspires us to continue creating safe and sustainable workwear.



Our gloves for clinical and non-clinical settings are sanitized®

Many of Wenaas' close-fitting work gloves are treated with Sanitized®. This means they are permanently treated to maintain the safety and hygiene of the gloves by eliminating or reducing the presence and growth of bacteria.

SYMBOL DESCRIPTION



TOUCHSCREEN: Compatible with touchscreen.



SANITIZED®: The glove has undergone sanitized® treatment for enhanced protection against bacteria and odor.



OEKO-TEX® STANDARD 100 FOR TEXTILES: Every item bearing the OEKO-TEX® STANDARD 100 label is certified as having passed safety tests for the presence of harmful substances, from yarn to finished product.



OEKO-TEX® LEATHER STANDARD: ensures that textiles- and leather products have been tested against a long list of numerous regulated and non-regulated substances.



DERMATEST®: The glove is manufactured following strict guidelines on chemical use, and it does not contain chemicals harmful to the skin.



WATER AND OIL REPELLENT: The glove is water and oil repellent/ possesses water and oil repellent properties.



GLOVES

0-8-320

GLOVE WENAAS 320

Warm, comfortable, double-dipped thermal gloves in latex. Snug fit. Lined. Additional coating provides excellent wet and dry grip, along with good protection against water. Warm, very comfortable work gloves for outdoor and winter use. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016+A1:2018 2242C, EN 407:2020 X2XXXX, EN 511:2006 12X, CE CAT 2, Sanitize.
MATERIAL	Latex, elastane.



0-8-325-98

GLOVE WENAAS 325

Fully dipped and lined winter glove with double dipped palm for better grip. Very flexible glove that retains its flexibility even in lower temperatures, as well as being waterproof. Fluted interior of insulating acrylic. Bundle: 12 pairs, Carton: 120 pairs.

COLOR	98 Assorted
SIZE	6-12
STANDARD	EN 388_2142X, EN 511:2006 X1X, CE CAT 2.
MATERIAL	Latex, acrylic.



0-8-289

GLOVE WENAAS 289

Premium cut-resistant glove with Impact and pinch protection in WFT-nitrile foam. Cut protection level D, double-dipped, and waterproof ensuring excellent protection against liquids. Exceptionally good grip in both dry and oily environments. Touchscreen compatibility. Bundle: 6 - Carton: 60.

COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016+A1:2018 4X42DP, EN 420, CAT 2.
MATERIAL	WFT-nitrile foam, Nylon, PVC.



0-8-420-98**GLOVE WENAAS 420**

Synthetic leather base palm. Electro conductive synthetic leather index & thumb tips. Foam laminated spandex fabric back of hand and thumb. Stitched vinyl back of hand and thumb protections. Aramid / glass Cut A4 lining on front palm only. Touch function on finger. Bundle: 6 - Carton: 72.



COLOR	98 Assorted.
SIZE	7-12
STANDARD	EN 388:2016+A:2018_3542DP, ANSI/ISEA 138-1, ANSI A4 cut, CE CAT 2.
MATERIAL	Synthetic leather, elastane.

**0-8-400-98****GLOVE WENAAS 400**

Performance impact gloves in goatskin, with oil block-treated palms. Snug fit, cut resistance level D. Elastic cuff. Kevlar reinforcements on inner thumbs for increased protection and exceptional grip. Back shell in anti-moisture treated Spandex with 4-way stretch. A tough, durable work glove that stands up to hard work. Bundle: 6 - Carton: 72.



COLOR	98 Assorted.
SIZE	6-12
STANDARD	EN 388:2016 +A1:2018 2X23DP, EN 407:2020 X1XXXX, ANSI A4, CE CAT 2.
MATERIAL	Oil & water resistant goatskin leather. Kevlar, elastane.



GLOVES



GLOVE WENAAS 620 0-8-620-98

Comfortable, lightweight, and breathable textile glove made of a cotton blend. PVC dots on the palm for better grip and durability. Well suited for assembly and inspection work. Phthalate-free. Bundle: 12 - Carton: 300.

COLOR	98 Assorted.
SIZE	6-12
MATERIAL	Cotton, PVC.



GLOVE WENAAS 120 0-8-120-98

Durable, comfortable latex work gloves with dipped palm sections. Snug fit, lightweight, with a knitted cuff. Very good wet and dry grip. The special latex coating ensures these gloves can handle very demanding work and environments. Bundle: 12 - Carton: 120.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN 388 2131 A1:2009, CE cat.2
MATERIAL	Latex, polyester, elastane



GLOVE WENAAS 305 0-8-305-98

Ergonomic and durable winter glove. The safety cuff in Touch PU Diamond Grip provides an extra good grip under harsh conditions thanks to the diamond-shaped pattern. The glove is water-repellent and 100% windproof on the back of the hand with a reinforced index finger, reinforced seams, and reinforced fingertips. Suitable for all-round work. Bundle: 6 - Carton: 72.

COLOR	98 Assorted
SIZE	8-12
STANDARD	CE cat.2
MATERIAL	Touch diamond PU, WR polyester fabric, vatt 60 grams, microfleece



GLOVE WENAAS 515 0-8-515-98

Heavy-duty welding glove made of ox leather. Lined with cotton and all seams made of Kevlar thread for increased durability and lifespan. Complies with EN 12477 type A. OEKO-TEX® certified ox leather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016_4244X, EN 407:2020_412244, EN 12477:2020 Type A
MATERIAL	OEKO-TEX® certified Ox leather, Kevlar

**GLOVE WENAAS 550****0-8-550-98**

TIG glove made of durable soft grained goatskin. The cuff is made of ox split, and all the seams are made of heat-resistant Kevlar thread. Complies with EN 12477 type B. OEKO-TEX® certified leather. Bundle: 6 - Carton: 72.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016_3111X, EN 407:2020_412244, Cat.II, EN 12477 Type B
MATERIAL	OEKO-TEX® certified goat leather, split oxhide, Kevlar

**GLOVE GUIDE 8010 HP****0-7-8010-98**

Durable, all-round work gloves in synthetic leather. Palms with GUIDE VIBRO™, 6-mm anti-vibration material that offers good protection against vibration.

COLOR	98 Assorted
SIZE	7-12
STANDARD	EN 388:2016 2112X, EN 420:2003 + A1:2009, EN ISO 10819:2013/A1:2019 TRM: 0,70 TRH: 0,57, CE Cat 2
MATERIAL	Synthetic leather



GLOVES



CHAIN GLOVE NIROFLEX FIX 15 CM 0-14381-15000

Chainmill glove with protection against knife cuts. 15 cm cuff. Self adjusting patented tension spring system made of stainless steel. Light weight micro plasma welded stainless steel chainmail for best hygiene conditions. Perfect choice for cleaning in drum washing machines. Easy to put on and take off. Coloured enforcements for quick size identification. Fits both left and right hand. Sold as eaches, and packed in a PE bag. Weight from 290-350 gr, dependent on size.

COLOR	141 Steel.
SIZE	S-XL
STANDARD	EN 1082-1.
MATERIAL	Stainless steel.



GLOVE REGELTEX FLASH & GRIP 0-15410-1100-80

Electrical insulated gloves in natural rubber. Protect against mechanical damage and electric arc class 0. Flexible, ergonomic design, with excellent grip when oily, wet, or dry. Each pair is supplied with a pair of fingerless cotton liner gloves for improved comfort. Carton: 25.

COLOR	80 Red.
SIZE	7-12
STANDARD	EN 420:2003+A1:2009, EN 60903, IEC 60903, IEC 61482, ASTM F2675, CAT 3.
MATERIAL	Natural rubber.



GLOVE GRABBER CLIP WENAAS À500-3400-19637-45

The Squids 3400 glove holder keeps your gloves in place. Just clip your gloves to a garment, a D-ring, or other item. Strong gripping power. This holder has a safety function that allows it to be released in emergency situations to avoid catching on other objects. Can be reassembled and used again. All-round double clip version can be used a single or two-piece unit. Bag of 100.

COLOR	45 Royal Blue
SIZE	Bag
MATERIAL	Acetal Copolymer

0-10016-10000-40 HELMET NEXUS SP 1000V REFLEX

Unventilated 1000-volt helmet with a 6-point ratchet suspension. Short peak. Silver-coloured reflectors at front, on sides, and at top. Comfort band in polyester and 4-point chin strap. Protection against lateral deformation (LD). 30-mm slot for attachment of accessories. Size 52–64 cm. Weight 415 g. Package containing 5 units.

COLOR	40 White.
SIZE	One Size
STANDARD	EN 397, EN 50365, LD, MM, -40°C.
MATERIAL	ABS.



0-10200-20000-40 HELMET PETZL VERTEX 1000V

Unvented 1000-volt helmet with a short peak. For rescue work and work at heights. Protects against electrical current in low-voltage systems, molten metal, and flame. DUAL chin strap allows adjustment for incline work (EN 397 < 25 daN) and work at heights (EN 12492 > 50 daN). Adjustable 6-point ratchet harness with fabric bands. Protection against lateral deformation (LD). 30-mm slot for attachment of accessories. 10-year lifetime. Size 53–63 cm. Weight 490 g. Package containing 8 units.

COLOR	40 White.
SIZE	One Size
STANDARD	EN 397, EN 12492, EN 50365, ANSI Z89.1 Type I, Class E.
MATERIAL	ABS.



0-3806-9001-40 HELMET ZEKLER ZONE VENT

Zekler Zone is a multifunctional helmet that is certified for both construction work on the ground and for work at height as a climbing helmet. Comfortable and lightweight safety helmet with integrated click mounts for accessories. Twelve air holes provide efficient ventilation for a comfortable work environment.

COLOR	40 White.
SIZE	One Size
STANDARD	EN 397, EN 12492.
MATERIAL	Outer shell: Polypropylene, Inner shell: EPP.



ZEKLER

HEAD PROTECTION

0-112-10 HELMET V-GARD 1000V

Unventilated 1000 volt allround helmet, with 4-point Fas-Trac III ratchet suspension with PVC comfort band. Integrated brim. Protect to -30° C, 440 V AC, and 1000 V AC. 30 mm slot for attachment of accessories. Weight 360 gr. Size 52-64 cm.

COLOR	25 Orange, 40 White, 45 Royal Blue, 80 Red
SIZE	One Size
STANDARD	EN 397, -30° C, LD, 440 VACEN 50365EN ISO 80079-36.
MATERIAL	HDPE Plastic.



0-10090-12826-32 HELMET CONCEPT CORE VENT

The Centurion Concept Core is a light, strong and comfortable helmet made of high quality ABS material. The helmet has a 6-point harness, Dry-Tech sweatband, wheel ratchet adjustment and 30 mm slot for mounting earmuffs and accessories.

COLOR	32 Flouresent yellow.
SIZE	One Size
STANDARD	EN 397, LD, -40°C, MM.
MATERIAL	Shell: ABS (Acrylonitrile-Butadiene-Styrene).



0-10090-43639-98 EARMUFFS SANA 34 HELMET

Centurion Sana 34 Earmuffs for helmet mounting is compatible with the full range of Centurion safety helmets and face protection. Carton: 10 pcs.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 352-3, SNR: 34 dB.
MATERIAL	ABS, PU, Steel, P/N





HEAD PROTECTION



EARMUFFS SANA 36 HEADBAND 0-10090-43642-98

Centurion Sana 36 earmuffs with headband. High attenuation with an SNR value of 36 dB. Carton: 10 pcs.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 352-1, SNR: 36 dB
MATERIAL	ABS, PU, Stål, Polyamide/Nylon.



HYGIENE KIT SANA 34/36 0-10090-46469-98

Hygiene Kit to Centurion Sana 34 and 36

COLOR	98 Assorted.
SIZE	One Size



NECK SHADE HI-VIS LIME GLOWEAR 0-25-29053-19

The GloWear 8005 Hi-Vis Hard Hat Neck Shade stretches around hard hat brims to provide breathable neck and ear protection from sun damage. Made with ANSI 107-approved polyester mesh and reflective, it enhances worker safety and visibility when worn as an accessory with other hi-vis clothing. This high-visibility neck shade is ideal for those wearing head protection while working in road construction, transportation, municipalities and more.

COLOR	19 Lime.
SIZE	One Size
MATERIAL	Polyester.



CLAMP HARD HAT LANYARD 0-25-3155-98

Squids® 3150 elastic hard hat lanyard in fluorescent green. to prevent e.g. helmets, hand tools, mobile phones etc from falling to the ground. For use with objects weighing up to 0.9 kg. Easy-to-use release clip that can be attached to a harness, belt, D-ring, wrist, or the like. Ideal for both work and leisure use.

COLOR	98 Assorted.
SIZE	One Size
MATERIAL	Stretch.



MSA

COMFORT BAND MSA 10PCK 0-696-688-98

Comfort band to protect eyes and face from sweat and moisture. Easy to attach to all MSA industrial helmets. Also improves helmet fit. Machine washable.

COLOR	98 Assorted.
SIZE	Package
MATERIAL	Terry.



MSA

CHINSTRAP 2PT MSA 0-9100-1-98

2 point chinstrap for MSA V-Gard, V-Gard 200, 500, 520 and 930 helmets. Metal free. Compatible with earmuff. Width 18 mm. Weight 10 gr. Carton: 20 pcs.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 397 (together with helmet).
MATERIAL	Polyester.



MSA

CHIN STRAP UNIVERSAL 4PT MSA 0-11012-90047-10

4-point universal chin strap for MSA V-Gard 200, 500, 520 and 900 helmets, with Fas-Trac III or Push key harness. Metal-free. Can be used with ear protection. Width 15 mm. Weight 46 g. Package containing 20 units.

COLOR	10 Black.
SIZE	One Size
STANDARD	EN 397 (together with helmet)
MATERIAL	Polyester.



HEAD LAMP AND AREA LIGHTS

0-40123-54220 FLASHLIGHT XPP-5422GMXA

A powerful Cree LED Torch with double magnets. 210 lumen. 7970 candela. ATEX zone 0. Water/dustproof IP-67- Spotlight, flowing light and Dual-Light™. 187 m range. Battery 14 hours. Weight 196 grams. Belt-/pocketclasp Includes a torch and strap. Requires 3xAA batteries (not included). Lifetime guarantee (see terms) - Package containing 4 pieces.



COLOR	98 Assorted.
SIZE	One Size
STANDARD	Ex II 1 G Ex ia op is IIC T3 Ga.
MATERIAL	Polymer.

nightstick

0-40125-55800-98 WORK LANTERN XPR-5580G

A powerful rechargeable Cree LED light. 300 lumen. 101.000 candela. ATEX zone 0. Water/dustproof IP-67- Spotlight and flowing lights i high/medium/low and Dual-Light™. Green security light in the back. 635 m range. Battery up to 65 hours. Weight 936 grams. Solid handle, hooks for hanging up. Contains a light, shoulder strap, a rechargeable lithium ion battery, charger to both 12V and socket charging. Room for both 2 and 3 batteries, which will increase the battery lifespan. Lifetime guarantee (see terms)



COLOR	98 Assorted.
SIZE	One Size
STANDARD	Ex II 1 G Ex ia op is IIC T3 Ga
MATERIAL	Polymer.

nightstick

0-40101-54540 HEADLAMP BAND XPP-5454G

A lightweight, sturdy and versatile Cree LED headlight, head band. 160 lumen. 1711 candela. ATEX zone 0. Water/dustproof IP-67- 5 modes: High/low spotlight, high/low floodlight and Dual-Light™. 94 m range. Battery time: 5-16.75 hrs. Weight 97 gr. Adjustable angle. Includes a light, 3xAA batteries, elastic head band and rubber head band. Lifetime guarantee (see terms) - Package containing 4 pieces.



COLOR	98 Assorted.
SIZE	One Size
STANDARD	Ex II 1 G Ex ia IIC T3 Ga.
MATERIAL	Polymer.

nightstick

0-6-10000 EARMUFF 3M OPTIME3 HEADBAND

Passive ear defenders Optime™ III with head band. Black and red colours. Large space inside the cups helps reduce moisture and heat build-up. Soft wide cushions help reduce pressure around the ears and improve comfort and wearability for long periods. With a noise reduction of up to 35 dB, these ear defenders are ideal for extremely noisy environments like airports, marine engine rooms, power stations and print works. The cushions and foam rings are available as a hygiene set, and they are easy to replace as necessary, thus extending the lifespan of the product. Package containing 20 units.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 352-1:2002, Attenuation: SNR=35dB H=40dB M=32dB L=23dB.

**3M****0-6-10001 EARMUFF 3M OPTIME3 HELMET P3E**

Optime™ III passive ear defenders with P3E 30-mm helmet attachment. Black and red colours. Large space inside the cups helps reduce moisture and heat build-up. Soft wide cushions help reduce pressure around the ears and improve comfort and wearability for long periods. With a noise reduction of up to 35 dB, these ear defenders are ideal for extremely noisy environments like airports, marine engine rooms, power stations and print works. The cushions and foam rings are available as a hygiene set, and they are easy to replace as necessary, thus extending the lifespan of the product. Package containing 20 units.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 352-3:2002, Attenuation: SNR=34dB H=40dB M=32dB L=22dB.

**3M**

HEARING PROTECTION



EARPLUG FIRMFIT 200PAIR 0-1033-10

Earplug Howard Leight FirmFit, orange color for easy idenfication. Classic firm comfortable design of soaft foam gain a sense of security from feeling the earplug in the ear. Requires less pressure to roll down, slow recovery rate gvies plenty of time to insert. One pair singel packed in bag. Carton: 10 boxes of 200 pair.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 352-2, Attenuation: SNR 37db H=37db M=34db L=31db.
MATERIAL	PVC.



EARPLUG REFILL L LITE 200PAIR 0-1013-47

Earplug Howard Leight Laser Lite as refill bag, with fluorescent colors yellow and magenta for easy identification, that expands softly in the ear canal, giving a good fit over time. T-shape for easy entry and exit. Carton: 10 bags of 200 pair.

COLOR	98 Assorted.
SIZE	BAG
STANDARD	EN 352-2, Attenuation: SNR 35db H=34db M=32db L=31db
MATERIAL	Polyurethane.



EARPLUG LASER LITE 200PAIR 0-330-1105

Howard Leight Laser Lite ear plugs in a refill bag, in hi-vis yellow and ma-genta for easy identification. Expand softly in the ear canal for an excellent fit over time. T-shaped for easy insertion and removal. One pair per bag. Package with 10 boxes containing 200 pairs.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 352-2, Attenuation: SNR 35db H=34db M=32db L=31db.
MATERIAL	Polyurethane.



REUSABLE EARPLUGS RP3001 À50 0-16530-3001

Reusable corded earplugs with three flanges of flexible rubber. Superb comfort. Can be cleaned with sopa and water. Carton: 20 boxes of 50 pair.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 352-2, SNR: 30 dB.
MATERIAL	TPE rubber, nylon.



HYGIENE KIT ZEKLER HK1 0-3806-84001-98

Hygiene Kit to earmuffs Zekler 401/401H. Zekler HK1 contains: 2 x spacer rings, 2 x absorbers and 1 helmet cushion.

COLOR 98 Assorted.
SIZE One Size



HYGIENE KIT ZEKLER HK2 0-3806-84019-98

Hygiene Kit HK2 to Zekler 402 and 403. Contains: 2 spacer rings, 2 absorbers and 1 cushion.

COLOR 98 Assorted.
SIZE One Size



HYGIENE KIT ZEKLER HK3B 0-3806-84118-98

Hygiene Kit HK3B to the Zekler Sonic series. Contains: 2 spacer rings, 2 absorbers and 1 cushion.

COLOR 98 Assorted.
SIZE One Size



EARMUFFS ZEKLER 401H HELMET 0-3806-82070-98

Earmuffs with helmet attachment and standard 30 mm slots for easy attachment on most helmets in the market. The helmet attachment with fork-mount and the wide she wide sealing cushions for comfortable use. Especially suited in lower ambient noise level environments at medium and high frequencies. Attenuation level 1.

COLOR 98 Assorted.
SIZE One Size
STANDARD EN 352-3, SNR 25dB



EARMUFFS ZEKLER 403H HELMET 0-3806-82138-98

Earmuffs with helmet attachment and standard 30 mm slots for easy attachment on most helmets in the market. The helmet attachment with fork-mount and the wide she wide sealing cushions for comfortable use. Exceptional attenuation across medium and low frequencies. Attenuation level 3.

COLOR 98 Assorted.
SIZE One Size
STANDARD EN 352-3, SNR 31 dB



EARMUFFS ZEKLER 402H HELMET 0-3806-82104-98

Earmuffs with helmet attachment and standard 30 mm slots for easy attachment on most helmets in the market. The helmet attachment with fork-mount and the wide she wide sealing cushions for comfortable use. Good attenuation at medium, high and low frequencies. Attenuation level 2.

COLOR 98 Assorted.
SIZE One Size
STANDARD EN 352-3, SNR 29 dB

MSA



MASK FFP2 MSA 1121 A10

0-1012-8850

Disposable dust mask FFP2, convex shape, FFP2 NR D with yellow valve. Protection from particles and aerosols. Two earloops and shaped nose panel. Package containing 12 boxes with 10 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 149:2001+A:2009, EN 143:2000+A1:2006.
MATERIAL	Polyurethane.

MSA



MASK FFP3 MSA 1131 A5

0-1012-8871-98

Disposable dust mask FFP3, convex shape, NR D with red valve. Protection from particles and aerosols. Two adjustable straps, face seal, and shaped nose panel. Package containing 12 boxes with 5 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 149:2001+A:2009, EN 143:2000+A1:2006.
MATERIAL	Polyurethane.



Foto: Nanco Hoogstad

0-6-100-98 HALF MASK SR100 M/L

Half mask SR 100 is made of silicone in three sizes, S/M, M/L and L/XL. It is equipped with two exhalation valves, which ensure very low breathing resistance. The valve covers effectively protect the exhalation membrane from dust and paint mist. The mask house's material and pigment are approved by the FDA and BGA for food, which minimizes the risk of contact allergies. The mask's easily adjustable elastic headband straps are designed as a V-shaped loop and have a large plate, which contributes to a comfortable and secure fit. The mask is used either as filtration equipment in combination with filters, or in combination with SR 307 compressed air regulator, which then functions as a breathing unit with continuous air flow for connection to a compressed air source. A pre-filter holder is included. Carton: 10 pcs.

COLOR	98 Assorted.
SIZE	S/M, M/L and L/XL.
STANDARD	EN 140:1998.
MATERIAL	Silicone.

Sandvik



0-6-101-98 HALF MASK SR100 S/M

Half mask SR 100 is made of silicone in three sizes, S/M, M/L and L/XL. It is equipped with two exhalation valves, which ensure very low breathing resistance. The valve covers effectively protect the exhalation membrane from dust and paint mist. The mask house's material and pigment are approved by the FDA and BGA for food, which minimizes the risk of contact allergies. The mask's easily adjustable elastic headband straps are designed as a V-shaped loop and have a large plate, which contributes to a comfortable and secure fit. The mask is used either as filtration equipment in combination with filters, or in combination with SR 307 compressed air regulator, which then functions as a breathing unit with continuous air flow for connection to a compressed air source. A pre-filter holder is included. Carton: 10 pcs.

COLOR	98 Assorted.
SIZE	S/M, M/L and L/XL.
STANDARD	EN 140:1998.
MATERIAL	Silicone.

Sandvik



Honeywell

MASK FFP3V SUPERONE 3208 A20 0-25611-3208-98

Disposable, convex dust mask FFP3 NR D, with effective exhalation valve that is protected against impact. Maximum single use time: 8 hours. Easy to put on, fits all face shapes. Pre-shaped, self-adjusting design with a large interior volume and excellent fit. Highly leakproof seal. Twin elastic straps to adjust the fit. Dolomite tested. Protection against dust, steam and smoke. Latex-, PVC-, and silicone-free. Recommended areas for use include work with toxic metals, hard wood materials, radioactive and biological materials and oil, and stainless steel. Ideal for wear with glasses. Package: 10 boxes containing 20 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN149:2001+ A1:2009







PRE FILTER SR221 80PCK

0-221-0

SR 221 pre-filter that protects the main filter against premature blockage from by larger particles. Should always be used with particle, gas, and combi filters. Fits all Sundström half- and full-face masks, and fans. Package: 10 boxes containing 80 units each.

COLOR	98 Assorted.
SIZE	BOX
MATERIAL	Aluminium.



FILTER ABEK1-HG-P3 SR299-2 Å3

0-299-0

Combi filter SR 299 ABEK1 HG P3R that protects against organic compounds with a boiling point above 65°C, inorganic and acid gases/vapours, ammonia, mercury vapour and all types of particles. Warning! Maximum use time 50 hours (mercury vapour) . Fits on all Sundström half- and full masks. Carton: 10 boxes of 3 pcs.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 14387.
MATERIAL	Polyester, ABS, Coal



PARTICLE FILTER P3 SR510 5PCK

0-510-3

Particle filter SR 510 P3 R that protects against all types of particles (dust, smoke, fog, spray, asbestos), including bacteria, viruses and radioactive deposits. Very high efficiency. Fits on all Sundström half- and full masks, and fan system. If gas/vapors and particles are present at the same time, combine the particle filter with appropriate gas filter. Carton: 10 boxes of 5 pcs.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 143, EN 12941, EN 12942.
MATERIAL	PP



GAS FILTER ABE1 SR315 5PCK

0-315-0

Gas filter SR 315 ABE1 that protects against compounds with a boiling point above 65 °C, inorganic compounds, and acid gases/vapours. Fits all Sundström half- and full-face masks. Package: 10 boxes containing 5 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 14387.
MATERIAL	PVC/polyester.

0-20100-15000 GLASSES BOLLÉ RUSH+ CLEAR

Glasses in a two-toned, sporty design with clear lens and a wide field of vision. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Metal-free. Flexible, ventilated temples and adjustable, non-slip nose bridge. Weight 26 g. Package containing 24 boxes with 10 units each.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 166, EN 170, Lens marking: 2C-1.2 Bollé 1 FT KN CE.
MATERIAL	Polycarbonate.



bollé

0-20101-15000 GLASSES BOLLÉ RUSH+ GREY

Glasses in a two-toned, sporty design with a grey lens and a wide field of vision. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Metal-free. Flexible, ventilated temples and adjustable, non-slip nose bridge. Weight 26 g. Package containing 24 boxes with 10 units each.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 166, EN 172, Lens marking: 5-3,1 Bollé 1 FT KN CE.
MATERIAL	Polycarbonate.



bollé

0-20103-15000-98 GLASSES BOLLÉ RUSH+ IO

Glasses in a two-toned sporty design with indoor/outdoor CSP lens and a wide field of vision. Slightly tinted lens for good vision in changing lighting conditions with both low and intense illumination. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Metal-free. Flexible, ventilated temples and adjustable, non-slip nose bridge. Ideal for working environments with changing lighting, extreme heat and extreme cold. Weight 26 g. Package containing 24 boxes with 10 units each.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 166, EN 172, Lens marking: 5-1,4 Bollé 1 FT KN CE.
MATERIAL	Polycarbonate.



bollé

EYE PROTECTION



EYE PROTECTION

0-20105-15000 GLASSES BOLLÉ RUSH+ BRONZE

Glasses in a two-toned, sporty design with bronze-coloured B-Twilight lens and a wide field of vision. The lens is ideal in early-morning and late-afternoon outdoor environments. Improves contrasts and filters away 76 % of blue light. Antiscratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Flexible, ventilated temples and adjustable, non-slip nose bridge. Weight 26 g. Package containing 24 boxes with 10 units each.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 166, EN 172, Lens Marking: 5-2 Bollé 1 FT KN CE.
MATERIAL	Polycarbonate.



bollé

0-6600-666-98 GLASSES BOLLÉ SOLIS II BLUE

Meeting all protective requirements, non-slip nosebridge and temples for permanent wears. Norm: EN 166.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 166Lens marking: 5-3.1 Bollé 1 F CE
MATERIAL	Nylon, PC.



bollé

0-6623-3 GLASSES BOLLÉ IRI-S +2,5

Spectacle with reading area. Anti-scratch, anti-fog. Nose bridge are adjustable in 3 heights, for perfect fit of reading area. Tilting temples. Adjustable cord are included. Weight 27 gr. Carton: 24 boxes of 10 pcs.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 166, EN 170, Lens Marking: 2C-1,2 Bollé 1 FT CE.
MATERIAL	Polycarbonate.



bollé

**GLASSES BOLLÉ IRI-S +3,0****0-6623-4**

Spectacle with reading area. Anti-scratch, anti-fog. Nose bridge are adjustable in 3 heights, for perfect fit of reading area. Tilting temples. Adjustable cord are included. Weight 27 gr. Carton: 24 boxes of 10 pcs.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 166, EN 170, Lens Marking: 2C-1,2 Bollé 1 FT CE.
MATERIAL	Polycarbonate.

**GLASSES INTRUDER CLEAR 12PCK****0-6-4110**

Safety glasses with clear lens. Lightweight, anti-scratch, and good side protection. Suitable for wear with ear protection and a safety helmet. Package containing 25 packages boxes with 12 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 166, EN 170, Lens Marking: 2C-1.2 P 1F CE.
MATERIAL	Polycarbonate.

**GLASSES INTRUDER GREY 12PCK****0-6-4120**

Bollé safety glasses with a grey lens. Lightweight, anti-scratch, and good side protection. Suitable for wear with ear protection and a safety helmet. Package containing 25 packages boxes with 12 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 166, EN 172, Lens Marking: 5-2.5 P 1F CE.
MATERIAL	Polycarbonate.

**GLASSES INTRUDER YELLOW 12PCK****0-6-4130**

Bollé safety glasses with a yellow lens. Lightweight, anti-scratch, and good side protection. Suitable for wear with ear protection and a safety helmet. Package containing 25 packages boxes with 12 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 166, EN 170, Lens Marking: 2-1.2 P 1F CE.
MATERIAL	Polycarbonate.

**GLASSES EVER-LITE CLEAR 12PCK****0-4-8610-98**

Ever-Lite safety glasses with clear lenses. Wide field of vision, light weight, and good side protection. Anti-scratch and anti-fog. Package containing 25 boxes with 12 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 166, EN 170, Lens Marking: 2C 1.2 P 1 F N CE.
MATERIAL	Polycarbonate.

**GLASSES EVER-LITE GREY 12PCK****0-4-8620-98**

Ever-Lite safety glasses with grey lenses. Wide field of vision, light weight, and good side protection. Anti-scratch and anti-fog. Package containing 25 boxes with 12 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 166, Linsemerking: 2C-1.2 P 1 F N CE.
MATERIAL	Polycarbonate.

EYE PROTECTION

0-20335-15105 SPOGGLE PYRAMEX I-FORCE CLEAR

Glasses in a sporty design with clear lenses. Double lens with air pocket ensures very good fog resistance. Anti-scratch and anti-fog H2MAX® coating. Outer lens in polycarbonate, inner lens in acetate. Supplied with both temples and an adjustable headband; easy to switch. The soft, ventilated foam frame prevent ingress of particles. Weight 48 g. Package containing 12 boxes with 12 units each.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 166, EN 170, Lens Marking: 2C - 1.2 P 1 F N CE
MATERIAL	Outer lens: polycarbonate. Inner lens: Acetate.



0-9302-245 GOGGLE UVEX ULTRASONIC CLEAR

Goggles with headband in a modern design. Ideal for use in sanding and chemical environments. Permanent Supravision Excellent 'spread-coating, which translates into anti-scratch and chemical-resistant coating on the outside. Anti-fog coating on the inside (16 seconds). Package containing 18 boxes with 4 units each.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 166, EN 170, Lens Marking: 2-1.2 W 1 B9 KN DIN CE.
MATERIAL	Polycarbonate.



0-6-704-98 GOGGLE EG704T CLEAR 12PCK

Lightweight goggles with a headband and soft frame in a modern design. Ventilated. Anti-scratch/anti-fog coating. Protection against chemical splashing. Package containing 12 boxes with 12 units each.

COLOR	98 Assorted.
SIZE	BOX
STANDARD	EN 166, EN 170, Lens Marking: 2C-1.2 P 1 BT CE.
MATERIAL	Polycarbonate.





GLASSES OTG PYRAMEX SOLO CLEAR 0-20320-51000

Spectacle for wearers for of prescription spectacles, and site visitors. Ventilated temples to reduce fogging. Good side protection. Weight 46 gr. Carton: 25 boxes of 12 pcs.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 166, EN 170, Lens Marking: 2C-1.2 P 1 F CE .
MATERIAL	PC



GOGGLE WELDING AMIGO 0-6-9400-98

Welding goggle with replaceable tilt glasses. Soft vinyl frame. Adjustable headband. 4 indirect ventilation holes. DIN 5. Ø 50 mm Xantos 5 welding glass. Can be worn over other glasses. Weight 125 gr. Carton: 24 pcs.

COLOR	98 Assorted.
SIZE	One Size
STANDARD	EN 175. Lens Marking: EN 175 F. Frame Marking: EN 166 34 F.
MATERIAL	PC, PVC.



EYE PROTECTION



GLAS OUTER 3M SPEEDGLAS 10PCK 0-52-6000-98

3M Protection glass Outer, standard. Carton à 10 pcs

COLOR	98 Assorted.
SIZE	BOX
MATERIAL	PC



VISOR FULL FACE ZEKLER ZONE 0-38060-9130-98

Full face visor for safety helmet Zekler Zone. The visor is very easy to install with the included click mounting system and is equipped with anti-fog protection. It has high mechanical impact resistance as well as resistance to fluids and droplets. Resistant to impact from small objects moving at up to 120 m/s. Spare visor is available as a spare part.

COLOR	98 Assorted
SIZE	One Size
STANDARD	ISO 16321-1
MATERIAL	Polycarbonate



VISOR PC CLEAR MSA 26CM 2,5MM 0-1011-5853-98

Clear polycarbonate face shield. Anti-scratch and anti-fog. Protects against impact, liquid splashing, molten metal and arc flash. Thickness 2.5 mm. 264 x 432 mm. Weight 233 g. Can be combined with the MSA face-shield holder. Attaches to a 30-mm slot on a helmet or to ear protection. Package containing 5 units.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 166, GS-ET29 Class 1, Lens Marking: 2C-1.2 1BT 389 KN
MATERIAL	Polycarbonate



VISOR CONTOUR X CLEAR 0-10090-34463-98

Easy fit moulded polycarbonate face screen for helmet mounted face protection. Contour Carrier is compatible with Centurion Nexus and Concept helmets. Length 20 cm.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 166 B139T 2C-1,2.ANSI Z87.1+(Impact Rated)
MATERIAL	Polycarbonate



CHINSTRAP ELASTIC 2-PT 0-10090-34120-98

Adjustable elasticated 2-points chinstrap. For use with Centurion Nexus SecurePlus and Concept helmets.

COLOR	98 Assorted
SIZE	One Size
MATERIAL	Elasticated, Polyester/Nylon/. Spandex Mix



VISOR CARRIER CONTOUR 0-10090-34133-98

The Contour carrier is designed to fit the Contour visors to a Nexus or Concept safety helmets.

COLOR	98 Assorted
SIZE	One Size
MATERIAL	Nylon



FALL PROTECTION



MSA

HARNESS MSA GRAVITY® SUSPENS M

0-30017-50442-10

Harness MSA Gravity® Suspension, size medium. V shape, polyester, back D-ring, 2 side D-ring, front D-ring, ventral D-ring, waist pad, leg pad, shoulder pad, triple locking aluminium carabiner. RFID for easy tracking. Carton: 6 pcs.

COLOR	10 Black
SIZE	One Size
STANDARD	EN 358, EN 361, EN 813
MATERIAL	Polyester



MSA

HARNESS MSA GRAVITY® SUSPENS L

0-30017-50443-10

Harness MSA Gravity® Suspension, size large. V shape, polyester, back D-ring, 2 side D-ring, front D-ring, ventral D-ring, waist pad, leg pad, shoulder pad, triple locking aluminium carabiner. RFID for easy tracking. Carton: 6 pcs.

COLOR	10 Black
SIZE	One Size
STANDARD	EN 358, EN 361, EN 813
MATERIAL	Polyester



HARNESS SAR KESTREL 2

0-30009-21241-98

Full body harness Kestrel 2 with anchorage point both front and rear. Blue/black color. Shoulder buckles. Standard size to fit S, M and L. Weight 960 gram.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 361
MATERIAL	Polyester, Aluminium, Steel, Brass



MSA

EA LANYARD ROPE MSA 1,8M

0-30021-85614-10

Energy absorbing lanyard MSA 10185614, 1.8m. Kernmantel rope, single leg, steel twist lock carabiner, aluminium scaffold hook, leading edge tested.

COLOR	10 Black
SIZE	One Size
STANDARD	EN 355
MATERIAL	Kermantel rope



MSA

SUPPORT LANYARD MSA WORKMAN 2M

0-30022-15800-30

Support lanyard MSA Workman, 2 m. Webbing, adjustable length, aluminium screwgate carabiner.

COLOR	30 Yellow
SIZE	One Size
STANDARD	EN 358
MATERIAL	Webbing



MSA

LANYARD TWIN WEB MSA 1,5M

0-30101-85612-98

Energy absorbing twin lanyard MSA 10185612, 1.5m. Webbing, steel screwgate carabiner, steel scaffold hook.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 355
MATERIAL	Webbing



WIRE SLING CRESTO 9103 1M 0-30135-23710-98

Anchor wire (1 m) in galvanized steel. The wire is covered in protective plastic. The anchor wire is supplied with a steel carabiner. Breaking strength 25 kN.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 795
MATERIAL	Galvanized steel



FALL LIMITER MSA V-TEC STD 6M 0-30017-63206-98

Fall limiter MSA V-TEC® Standard. 6 meter galvanized cable. Steel twist-lock carabiner at top, steel swivel snap hook at end. Clear out housing for easy inspection. Spiral radial energy-absorbing technology requires zero calibration or adjustment. Retraction dampening features control the cable speed to 3 m/s. Carry handle included for easy transportation.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 360
MATERIAL	Stainless steel. Engineered plastics.



FALL LIMITER MSA V-TEC STD 10M 0-30018-63210-98

Fall limiter MSA V-TEC® Standard. 10 meter galvanized cable. Steel twist-lock carabiner at top, steel swivel snap hook at end. Clear out housing for easy inspection. Spiral radial energy-absorbing technology requires zero calibration or adjustment. Retraction dampening features control the cable speed to 3 m/s. Carry handle included for easy transportation.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 360
MATERIAL	Stainless steel. Engineered plastics.



FALL LIMITER MSA V-TEC STD 15M 0-30019-63215-98

Fall limiter MSA V-TEC® Standard. 15 meter galvanized cable. Steel twist-lock carabiner at top, steel swivel snap hook at end. Clear out housing for easy inspection. Spiral radial energy-absorbing technology requires zero calibration or adjustment. Retraction dampening features control the cable speed to 3 m/s. Carry handle included for easy transportation.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 360
MATERIAL	Stainless steel. Engineered plastics.



FALL LIMITER MILLER FALCON 20M 0-1011-751-98

Fall arrest block for vertical use, with a stainless-steel cable. Screw gate carabiners and carabiner hook in stainless steel. Enhanced safety with quick-activating braking mechanism stops a fall within centimeters allowing for a quick and safe rescue. A highly visible fall indicator identifies when the unit should be removed from service. Rated for a user weight up to 160 kg.

COLOR	98 Assorted
SIZE	One Size
STANDARD	EN 360
MATERIAL	Nylon, Aluminim, Stainless steel, Zinc plated steel



ORDER PRODUCTS

0-51-108-810 SIGMA KIT TST 10/28

The Sigma Kit is a selected combination with attractive pricing. It includes Waistcoat and Overall with integrated Hand Protection. Ventilation is an option.

COLOR	810 Red/Black
SIZE	S-XXXL
STANDARD	EN ISO 13688
MATERIAL	Outer material: Laminated Polyamide. Inner material: Polyester mesh. Protective material: Special fabric containing Dyneema fiber. Seams: Taped.



0-56-101-98 GLOVES TST 500 BAR Á12

Waterproof Gloves with protection for up to 500 bar pressure. The Gloves have a rough, sand patterned surface and the material itself provides lots of friction, all for the best grip. Separate inner gloves in nylon for good comfort. The Gloves have also been tested and classified with the highest values for cut protection and for abrasion, tear, and puncture. Outside is dipped in nitrile rubber. Shelf life up to 3 years. Certified in accordance with the CE directive. The Gloves do not withstand high pressure hydraulic fluid. Supplied in pack of 12 pairs.

COLOR	98 Assorted
SIZE	9-11



0-51-112-98 BOOTS 3000

Boot with aluminum gaiters for waterjet protection. The gaiters are moulded and assembled for excellent comfort and mobility. Chemical-resistant anti-penetration sole. Protection level 20/30 - Single jet at 2000 BAR/30000 PSI and Rotor jet at 3000 BAR/43500 PSI.

COLOR	98 Assorted
SIZE	42-48
STANDARD	ISO 20345:2011
MATERIAL	Aluminium





MAIN OFFICE AND LOCATIONS:

WENAAS WORKWEAR AS,

Bruasetvegen 122,
N-6386 Måndalen.
Tlf: +47 71 22 73 00
Email: post@wenaas.no

UK - Scotland

Wenaas Workwear UK
Unit 1 Hub at Hareness
Hareness Road
Aberdeen
Scotland
AB12 3LE
Email: post@wenaas.com

Netherlands

Wenaas Workwear NL B.V.
Voltastraat 12, 3335KK Zwijndrecht,
Netherlands
Email: post.nl@wenaas.com


Sweden


Wenaas Workwear AB
Processvägen 5.
435 33 Mölnlycke
Sweden
Email: post@wenaas.com


Singapore


Wenaas Workwear Singapore
Email: post@wenaas.com


FOLLOW US:

 Wenaas Workwear AS

 Wenaas Workwear AS

 Wenaas Workwear AS

 Wenaas Workwear

 wenaas.com